

**OXFORD CAMBRIDGE AND RSA EXAMINATIONS  
AS GCE  
F322/01  
CHEMISTRY A  
Chains, Energy and Resources  
WEDNESDAY 16 JANUARY 2013:  
Morning**

**DURATION: 1 hour 45 minutes  
plus your additional time allowance  
MODIFIED ENLARGED 24pt**

Candidate forename						Candidate surname					
Centre number						Candidate number					

**Candidates answer on the Question Paper.**

**OCR SUPPLIED MATERIALS:**  
**Data Sheet for Chemistry A (inserted)**

**OTHER MATERIALS REQUIRED:**  
**Scientific calculator**

**READ INSTRUCTIONS OVERLEAF**

## **INSTRUCTIONS TO CANDIDATES**

- The Insert will be found in the centre of this document.
- Write your name, centre number and candidate number in the boxes on the first page. Please write clearly and in capital letters.
- Use black ink. HB pencil may be used for graphs and diagrams only.
- Answer **ALL** the questions.
- Read each question carefully. Make sure you know what you have to do before starting your answer.
- Write your answer to each question in the space provided. If additional space is required, you should use the lined pages at the end of this booklet. The question number(s) must be clearly shown.

## **INFORMATION FOR CANDIDATES**

- The number of marks is given in brackets [ ] at the end of each question or part question.
-  Where you see this icon you will be awarded marks for the quality of written communication in your answer.

This means for example you should:

- ensure that text is legible and that spelling, punctuation and grammar are accurate so that meaning is clear;
- organise information clearly and coherently, using specialist vocabulary when appropriate.

- You may use a scientific calculator.
- A copy of the Data Sheet for Chemistry A is provided as an insert with this question paper.
- You are advised to show all the steps in any calculations.
- The total number of marks for this paper is 100.

**Answer ALL the questions.**

**1 Crude oil contains many hydrocarbons.**

**The table opposite shows information about some of these hydrocarbons.**

- (a) What is the empirical formula of hexane?**

---

**[1]**

- (b) Explain why hexane is both saturated and a hydrocarbon.**

**saturated**

---

---

**hydrocarbon**

---

---

**[2]**

<b>HYDROCARBON</b>	<b>MOLECULAR FORMULA</b>	<b>BOILING POINT /°C</b>
Hexane	C <sub>6</sub> H <sub>14</sub>	69
3-Methylpentane	C <sub>6</sub> H <sub>14</sub>	63
2,2-Dimethylbutane	C <sub>6</sub> H <sub>14</sub>	50

**(c) Draw the skeletal formula for 2,2-dimethylbutane.**

**[1]**

**(d) Describe and explain the trend shown by the boiling points of the hydrocarbons in the table.**

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

**[3]**

- (e) Decane,  $C_{10}H_{22}$ , can be cracked to form hexane and ONE other product.

Write an equation for this reaction.

---

[1]

- (f) In the presence of ultraviolet radiation, butane,  $C_4H_{10}$ , reacts with chlorine to form a large number of organic products.

Several of these products are structural isomers of  $C_4H_8Cl_2$ .

- (i) Write an equation, using molecular formulae, for the formation of  $C_4H_8Cl_2$  from butane.

---

[1]

**(ii) Complete the table opposite about two of the structural isomers of  $C_4H_8Cl_2$ . [2]**

**(g) The reaction between butane and chlorine is an example of radical substitution.**

**Initially, chlorobutane,  $C_4H_9Cl$ , is formed, which then reacts with more chlorine to form  $C_4H_8Cl_2$ .**

**(i) The first step of the reaction of  $C_4H_9Cl$  with chlorine is the homolytic fission of a chlorine molecule.**

**What is meant by the term homolytic fission?**

---


---

---

**[2]**

	<b>NAME</b>	<b>1,4-Dichlorobutane</b>
	<b>DISPLAYED FORMULA</b>	$  \begin{array}{ccccc}  & & & & \text{H} \\  & & & \text{H} &   \\  & & &   & \text{C}l \\  & & &   &   \\  & & & \text{C}l & \text{H} \\  & & &   &   \\  & & & \text{H} & \text{H} \\  & & &   &   \\  & & & \text{C}l & \text{H} \\  & & &   &   \\  & & & \text{H} & \text{H}  \end{array}  $
	<b>ISOMER 1</b>	<b>ISOMER 2</b>

**(ii) Complete the missing species in the propagation steps below.**



**(h) Butane,  $C_4H_{10}$ , undergoes incomplete combustion when there is a shortage of oxygen.**


**Write an equation for the incomplete combustion of butane.**

---

**[1]**

**[TOTAL: 16]**

- 2 Phosphoric acid,  $\text{H}_3\text{PO}_4$ , can be manufactured by a two step process involving the reaction of phosphorus with oxygen, followed by a reaction with water.



- (a) Explain why  $\Delta H_1$  represents the enthalpy change of formation of  $\text{P}_4\text{O}_{10}$ .

---

---

---

[2]

**(b) Enthalpy changes of formation are shown in the table below.**

SUBSTANCE	ENTHALPY CHANGE OF FORMATION, $\Delta H_f/\text{kJ mol}^{-1}$
$\text{P}_4\text{O}_{10}(\text{s})$	-2984
$\text{H}_2\text{O}(\text{l})$	-286
$\text{H}_3\text{PO}_4(\text{l})$	-1267

**Calculate the enthalpy change of reaction,  $\Delta H_2$ .**

$$\Delta H_2 = \frac{\text{_____}}{12} \text{ kJ mol}^{-1} [3]$$

**(c) Write the overall equation for the manufacture of  $\text{H}_3\text{PO}_4$  from  $\text{P}_4$ .**

**Use this equation to explain why this process has a 100% atom economy.**

---

---

---


---

---

**[2]**

**[TOTAL: 7]**

- 3 Pentan-2-ol, shown below, is a secondary alcohol.**



**(a) Pentan-2-ol can be converted into three alkenes, A, B and C, by the elimination of water.**

**Two of the alkenes, A and B, are stereoisomers.**

**The third alkene, C, is a structural isomer of both A and B.**

**This elimination often uses a catalyst.**

**(i) What is a suitable catalyst for this reaction?**

---

[1]

- (ii) Construct an equation, using molecular formulae, for the elimination of water from pentan-2-ol.**

---

[1]

- (iii) Explain what is meant by the terms structural isomers and stereoisomers.**

**structural isomers**

---

---

---

**stereoisomers**

---

---

---

[4]

**(iv) In the boxes below:**

- **draw the structures of stereoisomers A and B**
- **draw the structure of isomer C.**

**STEREOISOMER  
A**

**STEREOISOMER  
B**

**ISOMER C**

**[3]**

**(v) Stereoisomers A and B show E/Z isomerism.**

**State TWO features of these molecules that enable them to show E/Z isomerism.**

---

---

---


**[2]**

**(b) Pentan-2-ol can be oxidised by heating under reflux with acidified aqueous potassium dichromate(VI).**

**Complete the equation opposite for this oxidation.**

**Use a skeletal formula for the organic product.**

**Use [O] to represent the oxidising agent. [2]**



**(c) Pentan-1-ol can also be oxidised but it gives two different products.**


**Complete the flowchart opposite to show the structures of the two organic products formed. [2]**

**[TOTAL: 15]**




distil with  
 $\text{H}_2\text{SO}_4 / \text{K}_2\text{Cr}_2\text{O}_7$

heat under reflux with  
 $\text{H}_2\text{SO}_4 / \text{K}_2\text{Cr}_2\text{O}_7$



- 4 Methanol can be manufactured by the reaction of carbon dioxide with hydrogen.**



**EQUATION 4.1**

**In this reaction, 49.0 kJ of energy are released when 3 moles of  $\text{H}_2$  react completely. This enthalpy change is called the enthalpy change of reaction,  $\Delta H_r$ .**


**(a) Calculate the energy released when 1000 dm<sup>3</sup> of hydrogen, measured at room temperature and pressure, react completely with carbon dioxide.**

**Give your answer to THREE significant figures.**

**energy released = \_\_\_\_\_ kJ  
[3]**

**(b) Complete the enthalpy profile diagram for the forward reaction.**

**Label the activation energy,  $E_a$ , and the enthalpy change,  $\Delta H_r$ .**



**[3]**

**(c) What is the enthalpy change of reaction for the REVERSE reaction?**

**enthalpy change =**


**\_\_\_\_\_ kJ mol<sup>-1</sup> [1]**

**(d) A scientist estimates the activation energy for the forward reaction as +225 kJ mol<sup>-1</sup>.**

**Using this information, estimate the activation energy of the REVERSE reaction.**

**activation energy**

**= \_\_\_\_\_ kJ mol<sup>-1</sup> [1]**

**EQUATION 4.1**

- (e) The temperature of the equilibrium mixture in EQUATION 4.1 is INCREASED.

Describe and explain what happens to the position of equilibrium.

---

---

---

[2]

- (f) The total pressure of the equilibrium mixture in EQUATION 4.1 is DECREASED.

Describe and explain what happens to the position of equilibrium.

---

---

---

[2]

**(g) The reaction uses a solid catalyst.  
This catalyst functions in a similar  
way to the catalyst used in catalytic  
converters.**

**Outline the stages that allow H<sub>2</sub> to  
react with CO<sub>2</sub> in the presence of a  
solid catalyst.**

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

**[3]**

**[TOTAL: 15]**

# **BLANK PAGE**

**5 Chloroethene,  $\text{CH}_2\text{CHCl}$ , is made from 1,2-dichloroethane,  $\text{CH}_2\text{ClCH}_2\text{Cl}$ .**



**EQUATION 5.1**

- (a) A chemical plant uses 19.80 tonnes of 1,2-dichloroethane to make 11.25 tonnes of chloroethene.**

**Calculate the percentage yield of chloroethene.**

**(1 tonne =  $1.00 \times 10^6$  g)**

**percentage yield**

**= \_\_\_\_\_ %**

**[3]**

**(b) The table below shows some average bond enthalpies.**

BOND	AVERAGE BOND ENTHALPY /kJ mol <sup>-1</sup>
C–H	+413
C–C	+347
C=C	+612
C–Cl	+346
H–Cl	+432

**Using the average bond enthalpies in the table on page 30, calculate the enthalpy change of reaction,  $\Delta H_r$ , for EQUATION 5.1.**

$$\Delta H_r = \underline{\hspace{10cm}} \text{ kJ mol}^{-1} \quad [3]$$

**(c) Chloroethene is used to make poly(chloroethene), PVC.**

**Write an equation, using  
DISPLAYED FORMULAE, for the  
reaction to form poly(chloroethene)  
from its monomer.**

**[3]**

**(d) Waste polymers are often disposed of by combustion. The heat released can be used to generate electricity.**

**(i) Hydrogen chloride,  $\text{HCl}$ , is a toxic waste product formed by combustion of PVC.**

**Suggest how the  $\text{HCl}$  can be removed from the gases produced during the combustion of PVC.**

---

---

**[1]**

- (ii) Some waste polymers are put into landfill sites. This uses up a valuable resource.**

**State TWO ways, other than landfill and combustion, of processing waste polymers.**

**1** \_\_\_\_\_

\_\_\_\_\_

**2** \_\_\_\_\_

\_\_\_\_\_

**[2]**

**(iii) Chemists are trying to minimise the environmental damage caused by the disposal of waste polymers by developing new types of polymers.**

**Give an example of a type of polymer being developed to minimise environmental damage.**

---

**[1]**

**[TOTAL: 13]**

# **BLANK PAGE**

**6 Many reactions are catalysed by biological catalysts called enzymes.**

**Ethanol is manufactured by the enzyme-catalysed fermentation of glucose.**



**(a) Fermentation is an EXOTHERMIC reaction.**

**Explain why. Use ideas about the enthalpy changes associated with bond breaking and bond making in your answer.**

---

---

---

---

**[2]**

**(b) Carbon dioxide is a greenhouse gas that has been linked to climate change.**

**(i) What happens within a carbon dioxide molecule when it absorbs infrared radiation?**

---

---

**[1]**

**(ii) Chemists are developing methods for carbon capture and storage to minimise climate change.**

**Give TWO examples of carbon capture and storage.**

**1** \_\_\_\_\_

---

---

**2** \_\_\_\_\_

---

---

**[2]**

**(c) One benefit of using an enzyme to catalyse a reaction is that there is a large increase in the rate of reaction without the enzyme being used up.**

**State TWO other benefits, other than cost, of using enzymes to catalyse reactions.**

**1** \_\_\_\_\_

\_\_\_\_\_

**2** \_\_\_\_\_

\_\_\_\_\_

**[2]**

**(d) Catalysts, such as enzymes, increase the rate of a reaction.**

**Explain why. Use a labelled Boltzmann distribution of molecular energies in your answer.**

---

---

---

---


---

---

**[5]**

**[TOTAL: 12]**

**7 Compound D reacts by nucleophilic substitution and electrophilic addition.**



**COMPOUND D**

**Compound D reacts with  $\text{KOH(aq)}$  and with  $\text{HBr(g)}$ .**

**The reaction with  $\text{KOH(aq)}$  is an example of a nucleophilic substitution and the reaction with  $\text{HBr(g)}$  is an example of electrophilic addition.**

**Describe these two reactions. For each reaction, include:**

**an equation  
the structure of each organic product  
the mechanism, using the curly arrow model, showing any relevant dipole  
the type of bond fission that occurs.**

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

[12]

**[TOTAL: 12]**


**8 Compound X is a saturated compound that contains carbon, hydrogen and oxygen only.**

**A scientist analyses a 1.00 g sample of compound X and finds it contains 0.133 g of hydrogen and 0.600 g of carbon.**

**The scientist also analyses compound X using mass spectrometry and infrared spectroscopy.**


## MASS SPECTRUM OF X

### relative abundance



## IR SPECTRUM OF X

### transmittance



**The scientist finds that compound X reacts with ethanoic acid in the presence of a concentrated sulfuric acid catalyst to make compound Y.**

**Compound Y has the molecular formula C<sub>5</sub>H<sub>10</sub>O<sub>2</sub>.**

**Using all the information, show the structures of compounds X and Y. Include an equation for the reaction of compound X with ethanoic acid to make compound Y.**



**In your answer you should link the evidence with your explanation.**

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

**[10]**

**[Total: 10]**

**END OF QUESTION PAPER**

## **ADDITIONAL ANSWER SPACE**

**If additional space is required, you should use the following lined page(s). The question number(s) must be clearly shown in the margins.**





# **BLANK PAGE**



### **Copyright Information**

**OCR is committed to seeking permission to reproduce all third-party content that it uses in its assessment materials. OCR has attempted to identify and contact all copyright holders whose work is used in this paper. To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced in the OCR Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download from our public website ([www.ocr.org.uk](http://www.ocr.org.uk)) after the live examination series.**

**If OCR has unwittingly failed to correctly acknowledge or clear any third-party content in this assessment material, OCR will be happy to correct its mistake at the earliest possible opportunity.**

**For queries or further information please contact the Copyright Team, First Floor, 9 Hills Road, Cambridge CB2 1GE.**

**OCR is part of the Cambridge Assessment Group; Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.**



\* 1 4 5 5 1 4 4 6 5 5 \*