

GCE

Applied Science

Unit **G635**: Working Waves

Advanced GCE

Mark Scheme for June 2014

OCR (Oxford Cambridge and RSA) is a leading UK awarding body, providing a wide range of qualifications to meet the needs of candidates of all ages and abilities. OCR qualifications include AS/A Levels, Diplomas, GCSEs, Cambridge Nationals, Cambridge Technicals, Functional Skills, Key Skills, Entry Level qualifications, NVQs and vocational qualifications in areas such as IT, business, languages, teaching/training, administration and secretarial skills.

It is also responsible for developing new specifications to meet national requirements and the needs of students and teachers. OCR is a not-for-profit organisation; any surplus made is invested back into the establishment to help towards the development of qualifications and support, which keep pace with the changing needs of today's society.

This mark scheme is published as an aid to teachers and students, to indicate the requirements of the examination. It shows the basis on which marks were awarded by examiners. It does not indicate the details of the discussions which took place at an examiners' meeting before marking commenced.

All examiners are instructed that alternative correct answers and unexpected approaches in candidates' scripts must be given marks that fairly reflect the relevant knowledge and skills demonstrated.

Mark schemes should be read in conjunction with the published question papers and the report on the examination.


OCR will not enter into any discussion or correspondence in connection with this mark scheme.

© OCR 2014

Que	Question		Expected Answer	Mark	Rationale/Additional Guidance
1	а		Infra-red /IR Infra-red /IR ✓	1	
	b	i	Ice cream ✓	1	IGNORE colour
		ii	Sponge /pudding✓	1	IGNORE colour
		iii	Ice cream ✓	1	IGNORE colour
		iv	Plate ✓	1	IGNORE colour
	С		False colours /shades of grey ✓	1	
			Comparison of appearance between sponge, ice cream and plate ✓	1	IGNORE references to temperature
	d		uniform colour /shade of grey /all look the same ✓	1	
			Total	[8]	

Que	Question		Expected Answer	Mark	Rationale/Additional Guidance
2	а		0.5(0) ✓	1	
	b		X marked on both graphs on SAME part of wave ✓	1	REJECT if more than one X one graph
			Both distances along bar with correct units (assume cm if not stated ✓	1	ALLOW for any two distances differing by 20 ± 2 cm even if X not marked ALLOW difference 20 ± 2 if measurements not recorded ALLOW Ecf for incorrectly placed Xs
			Speed = distance/time ✓	1	Stated or implied ALLOW if displacement used instead of distance ALLOW if single distance measurement used.
			2000 ✓	1	ALLOW last three marks if answer only recorded
	С		Not a repeating wave /wave has no pattern ✓	1	ALLOW not a full wave
	d	i	2.4 ✓	1	
		ii	$v = f\lambda \checkmark$ $v = 125 \times 2.4$	1	Stated or implied
			<i>v</i> = 300 ✓	1	ALLOW Ecf from (i) e.g. $v = 150$ if $\lambda = 1.2$
		iii	$f = 1/T$ or $T = 1/f$ or $T = 1/125$ (s) \checkmark	1	Stated or implied ALLOW alternative notation e.g. <i>t</i> for period throughout
			$T = 0.008(00)/8 \times 10^{-3} \text{ (s) } \checkmark$	1	
			0.002(00) 🗸	1	ALLOW 2(.00) ms ('m' must be written in)
		iv	0.5 /half ✓ 2 /twice ✓	1 1	

	V	2 peaks and 1 trough or vice versa or both ✓	1	See diagram below
		Line meets ▲ at ends ✓	1	
		Total	[16]	



Que	estion	Expected Answer	Mark	Rationale/Additional Guidance
3	а	Actual temperatures related to, colours/shades of	1	ALLOW warmer/colder for "temperatures"
		grey/image /calibrates ✓		
3	b	[0 marks] response not worthy of credit.	6	Valid points:
				Spatial resolution:
		[1-2 marks] Candidate demonstrates a limited knowledge of		How well it can distinguish between objects at
		spatial and thermal resolution		different places/ separation of points which can
		For 1 mark at least one valid point.		be distinguished
				Or
		For 2 marks at least two valid points.		Definition/detail pixels/unit length of image ✓
		The answer may not be clearly set out.		Relevant example of application illustrating
				spatial resolution: e.g. Looking for leaks from
		[3-4 marks] Candidate demonstrates understanding of		underground pipes ✓
		applications of thermal imaging		
		For 3 marks at least three valid points.		Why good spatial resolution is advantage in
		For 4 marks at least four valid points.		example given e.g. Water leaking from pipe
				may be close to it so need to recognise where
		The answer will be set out in a manner that is easy to follow.		pipe appears to be just slightly wider ✓
		But may contain and one or two errors or omissions in		
		content		Thermal resolution:
		FE Computed Condidate description a bigh level of		How well it can distinguish between objects at
		[5-6 marks] Candidate demonstrates a high level of		different temperatures/ difference of
		knowledge and understanding by relating knowledge of		temperature which can be distinguished ✓
		spatial and thermal resolution to applications		
		describing with full understanding		Relevant example of application illustrating
		for 5 marks at least five valid points.		Thermal resolution e.g. Identifying houses
		for 6 marks six valid points.		which are at different temperatures✓
		The answer will be set out in a clear and logical manner		NA 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
		The answer will be set out in a olear and logical manner		Why good thermal resolution is advantage in
				example given e.g. Some properties may be
		7	r=-1	better insulated than others ✓
		Total	[7]	

Qu	estior	1	Expected Answer	Mark	Rationale/Additional Guidance
4	а		Ray A correctly drawn reflected so that $i = r$ by eye \checkmark	1	If more than one reflection look at first Expect $r = 74^{\circ} \pm 10^{\circ}$
			Ray B: straight horizontal line ✓	1	
	b	i	(Outer) (protective) sheath/ jacket/ coating/ buffer ✓	1	
			(Central) core ✓	1	
		ii	Single square wave with rounded corners and sloping sides. May have lost flat top completely ✓	1	
		iii	Different paths lengths ✓	1	
			Signals (leaving the start at the same time) will arrive at different times ✓	1	
	С	i	Refractive index/optical density, changes gradually ✓	1	Max. 1 mark for "density" instead of "optical density"
			Refractive index/optical density, changes radially ✓	1	
			Refractive index/optical density, lower towards the outside/ higher towards the centre ✓	1	
		ii	Continuous curved paths ✓	1	At least two curved paths
		iii	Ray bends/changes direction gradually, as refractive index changes gradually/ deviation due to refraction occurs gradually ✓	1	
		iv	Step index: speed constant / same for all rays ✓	1	
			(Graded-index); speed varies ✓ Graded-index); rays travel faster further from axis /wtte ✓	1 1	
		V	(For graded index):		ALLOW RA for step index if clearly stated that
			All rays arrive at (nearly at) the same time ✓	1	answer refers to step index

		Because rays which have to go further travel faster ✓	1	IGNORE "outer" instead of "further"
(d i	Different arrangement of fibres at each end. Examples shown below ✓	1	Diagrams which look more like rays travelling down a fibre than a bundle of fibres should not be given credit (unless labels or text shows that the candidate intends each line to represent a fibre)
	ii	Signals would be mixed up /go to the wrong person ✓	1	
	iii	Fibres arranged same way throughout/ at both ends Or Fibres parallel ✓	1	Note above d(i) also applies here
	iv	Incoherent: takes light to subject ✓ Coherent: carries image from subject/to camera ✓	1 1	ALLOW lighting
		Total	[22]	

4 d i Examples of typical expected answers:







4 d iii Examples of typical expected answers:







Que	Question		Expected Answer	Mark	Rationale/Additional Guidance
5	а		See below	4	

Example	analogue	binary	digital other than binary	None of these
The time shown on the face of a watch with rotating hands.	√			
The M62 motorway				✓
An amplitude modulated radio signal	✓			
A DAB radio signal		√		
This year 2014			✓	

Que	estion	า	Expected Answer	Mark	Rationale/Additional Guidance
5	b	i	Banded marking range:	6	Valid points:
			[0 mark] response not worthy of credit.		Higher frequency allows faster bit rate/data transmission speed, ORA ✓
			[1-2 marks] Candidate demonstrates a limited knowledge of Internet systems giving:		Higher frequency results in greater bandwidth ✓
			For 1 mark at least one valid point. For 2 marks at least two valid points.		Lower wavelength allows faster bit rate /data transmission speed ORA ✓
			The answer may not be clearly set out.		Higher frequency implies lower wavelength or vice versa related to at least one of systems /correct
			[3-4 marks] Candidate demonstrates understanding Internet systems giving:		calculation of f or I ✓
			For 3 marks at least three valid points. For 4 marks at least four valid points.		Dialup/ 8 Mbp/s system use conventional /copper telephone wires ✓
			The answer will be set out in a manner that is easy to follow but may contain and one or two errors or omissions in content		Dialup uses audio frequency ✓ 40 Mbps system uses wavelength of infra red / light produced by laser /LED ✓ 3G uses radio frequency ✓
			[5-6 marks] Candidate demonstrates a high level of knowledge and understanding by relating knowledge of Internet systems giving:		40 Mbps system uses optical fibres ✓ 40 Mbps less susceptible to interference ✓
			for 5 marks at least five valid points. for 6 marks six valid points.		3G uses multiple access technologies (multiplexing) /many users at same time ✓
			The answer will be set out in a clear and logical manner		Comment about range of 3G ✓
			The allered this 20 oot out in a diear and legical mariner		Dialup can't use telephone at same time /8 Mbps
					system can use telephone at same time ✓

Que	Question		Expected Answer	Mark	Rationale/Additional Guidance	
	b	ii	Any two from: Can't get broadband (in a particular location)/ Can access phone line anywhere ✓ Already have all the equipment/ modem/reluctance to change/ user familiar with it ✓ Broadband connection just went down ✓ In the middle of changing providers ✓ Don't need fast data transfer ✓	2	REJECT cheaper/ no subscription	
5	b	iii	Higher bit/ data rate ✓ 1s and 0s closer together/ Higher frequency ✓ (Signal) intensity inversely proportional to distance² (from	1 1	More data in a given time ALLOW example e.g. as distance doubles	
			source) ✓ Because (energy) is spread over a larger area/ Area of surface of sphere ∞ radius² ✓ Total	[16]	intensity reduced to quarter	

Question		n	Expected Answer	Mark	Rationale/Additional Guidance
6	а	i	the thickness (of material required) to reduce (an incident beam of) radiation to half (its original intensity) ✓	1	
		ii	(10,000/2 = 5,000 5000/2 = 2500)		ALLOW appropriate log calculation
			Two half thicknesses ✓	1	
			(2 x 0.068) 0.136 ✓	1	
	b	İ	Sharp shadow ✓ Any two from: Light falls evenly between A and C and below E/ bright at, A/B/any part of A to C ✓ No light, between C and E/at D ✓ Shadow ends at C and E ✓	1 2	IGNORE comments on variation of brightness between A and C
		ii	Unsharp shadow/ blurred edge ✓ Any three from: Light falls evenly between M and N ✓ Illumination gradually gets less from N to O ✓ (Because) from N to O light only reaches the wall from part of tube ✓ Dark shadow between O and P ✓	3	IGNORE comments on variation of brightness between M and N
	С	i	Treatment: (attempting to) cure /reduce symptoms ✓	1	ALLOW example e.g. radiotherapy to kill cancer cells
			Diagnosis is identification/investigation of problem ✓	1	ALLOW example e.g. detect tumours

Que	Question		Expected Answer	Mark	Rationale/Additional Guidance
6	С	ii	Any two from: Blood can take the tracer round the body ✓	2	
			Reaches parts of the body that would not show up on X-Ray images ✓		ALLOW identifies
			Reaches (e.g.) soft tissue/ blockage/ within bones/ veins/ arteries/ heart/ brain ✓		ALLOW identifies
			Emits (gamma) radiation from within the body ✓		
			Radiation detected to form images ✓		
		iii	Any three from: Half-life (of six hours) is long enough to carry out an examination ✓ Half-life (of six hours) is short enough to reduce harm to patient/ keep the radiation dose low ✓ Readily detectable ✓ It can form compounds in a range of biologically-active substances / possible to concentrate it in the tissue or organ the doctor wants to examine ✓ Relatively safe/ does not produce high energy beta particles ✓	3	
			Readily available/ It can be produced in the hospital (when needed/ using special "generators") ✓		
		iv	Gamma Camera ✓	1	

	٧	Any three from:	3	
		To remove scattered g-rays ✓		
		To improve image ✓		
		Made from lead (disk) ✓		
		Placed between the patient and the, detector/scintillator ✓		
		Many holes through it ✓		
		Holes (normally) parallel (to each other) /special collimators, have diverging/converging holes ✓		
		Total	[21]	

OCR (Oxford Cambridge and RSA Examinations) 1 Hills Road Cambridge **CB1 2EU**

OCR Customer Contact Centre

Education and Learning

Telephone: 01223 553998 Facsimile: 01223 552627

Email: general.qualifications@ocr.org.uk

www.ocr.org.uk

For staff training purposes and as part of our quality assurance programme your call may be recorded or monitored

Oxford Cambridge and RSA Examinations is a Company Limited by Guarantee Registered in England Registered Office; 1 Hills Road, Cambridge, CB1 2EU Registered Company Number: 3484466 **OCR** is an exempt Charity

OCR (Oxford Cambridge and RSA Examinations) Head office

Telephone: 01223 552552 Facsimile: 01223 552553



