

Cambridge Technicals

Sport

Unit 1: Body systems and the effects of physical activity

Level 3 Cambridge Technical Certificate/Diploma in Sport
05826-05829, 05872

Mark Scheme for January 2017

OCR (Oxford Cambridge and RSA) is a leading UK awarding body, providing a wide range of qualifications to meet the needs of candidates of all ages and abilities. OCR qualifications include AS/A Levels, Diplomas, GCSEs, Cambridge Nationals, Cambridge Technicals, Functional Skills, Key Skills, Entry Level qualifications, NVQs and vocational qualifications in areas such as IT, business, languages, teaching/training, administration and secretarial skills.

It is also responsible for developing new specifications to meet national requirements and the needs of students and teachers. OCR is a not-for-profit organisation; any surplus made is invested back into the establishment to help towards the development of qualifications and support, which keep pace with the changing needs of today's society.

This mark scheme is published as an aid to teachers and students, to indicate the requirements of the examination. It shows the basis on which marks were awarded by examiners. It does not indicate the details of the discussions which took place at an examiners' meeting before marking commenced.

All examiners are instructed that alternative correct answers and unexpected approaches in candidates' scripts must be given marks that fairly reflect the relevant knowledge and skills demonstrated.

Mark schemes should be read in conjunction with the published question papers and the report on the examination.

OCR will not enter into any discussion or correspondence in connection with this mark scheme.

© OCR 2017

Answer			Marks	Guidance
1	c	Femur	1	
2	a	Humerus	1	
3	d	Humerus, radius and ulna	1	
4	a	Elbow movement during the downward phase of a press up	1	
5	b	Speeds up the removal of lactic acid	1	
6	c	Marathon	1	
7	b	Red blood cells	1	
8	d	Nasal cavity	1	
9		Saddle (joint)	1	
10		No movement produced/static or doesn't shorten/lengthen or holds position	1	
11		Four marks for: A = deltoid B = pectoralis major C = trapezius D = gastrocnemius or soleus	4	B – pecs or pectorals = NBD C – traps = NBD D – calf = NBD Accept minor misspellings = BOD

		Answer		Marks	Guidance
12		Bone	Type of bone	4	Missing words are numbered, bold and underlined in the table. Small = no marks pt 2 Big = no marks pt 4
		Vertebra	Irregular		
		Carpals	1. <u>Short</u>		
		Cranium	2. <u>Flat</u>		
		Patella	3. <u>Sesamoid</u>		
		Phalanges	4. <u>Long</u>		
13		Three marks for: 1. (agonist) biceps (brachii) 2. (antagonist) triceps (brachii) 3. (contraction) concentric		3	'Isotonic' on its own = NBD
14		Three marks for: e.g. football 1. (Powerful) shot at goal 2. Sprinting into space to receive ball 3. A strong tackle 4. Diving to save ball		3	Must use team sport with examples that suggest speed/power/explosive strength is being used. Running for the ball = NBD Beating a player = NBD

Answer			Marks	Guidance												
15		<table border="1"> <thead> <tr> <th>Structure of heart</th> <th>Function</th> </tr> </thead> <tbody> <tr> <td>1. <u>Right atrium</u></td> <td>Deoxygenated blood enters here from the venae cavae</td> </tr> <tr> <td>Tricuspid valve</td> <td>2. Prevents blood being pumped <u>back into right atrium</u></td> </tr> <tr> <td>Left ventricle</td> <td>3. Pumps blood to the muscles/tissues/rest of the body or pumps blood out into aorta</td> </tr> <tr> <td>4. <u>Pulmonary artery</u></td> <td>Blood vessel that carries deoxygenated blood towards the lungs</td> </tr> <tr> <td>5. <u>Aortic valve</u></td> <td>This valve prevents blood flowing back into the left ventricle</td> </tr> </tbody> </table>	Structure of heart	Function	1. <u>Right atrium</u>	Deoxygenated blood enters here from the venae cavae	Tricuspid valve	2. Prevents blood being pumped <u>back into right atrium</u>	Left ventricle	3. Pumps blood to the muscles/tissues/rest of the body or pumps blood out into aorta	4. <u>Pulmonary artery</u>	Blood vessel that carries deoxygenated blood towards the lungs	5. <u>Aortic valve</u>	This valve prevents blood flowing back into the left ventricle	5	<p>Missing words are numbered, bold and underlined in the table.</p> <p>Point 5 – semilunar valve = NBD Point 2 – prevents backflow (on its own) = NBD Point 3 – to rest of body (on its own) = NBD</p>
		Structure of heart	Function													
		1. <u>Right atrium</u>	Deoxygenated blood enters here from the venae cavae													
		Tricuspid valve	2. Prevents blood being pumped <u>back into right atrium</u>													
		Left ventricle	3. Pumps blood to the muscles/tissues/rest of the body or pumps blood out into aorta													
		4. <u>Pulmonary artery</u>	Blood vessel that carries deoxygenated blood towards the lungs													
5. <u>Aortic valve</u>	This valve prevents blood flowing back into the left ventricle															
16	(a)	1. 25 minutes	1	Must include <u>minutes/mins</u>												
16	(b)	<p>Six marks for six of:</p> <ol style="list-style-type: none"> (Before exercise) anticipatory rise in HR (Caused by) increased adrenaline/noradrenaline (1st 5 minutes) rapid increase in HR (Caused by) shortage of oxygen/anaerobic/oxygen deficit or oxygen supply < demand (10-30 minutes) steady state or HR plateaus or HR remains constant (because) oxygen supply = demand or enough oxygen at muscles (After exercise) HR gradually decreases or heart takes longer to recover than the increase in HR at the start of exercise (as) exercise has stopped or repaying oxygen debt/EPOC/removal of LA 	6	<p>Pt 1 – only give if response relates to anticipatory rise</p> <p>Pt 8 'end of exercise' = NBD</p>												

		Answer	Marks	Guidance
16	(c)	<ol style="list-style-type: none"> (Cardiac output) = Heart rate/HR x stroke volume / SV or 110 x 150 (Cardiac output/Q) = 16500ml/min or 16.5l/min or /lmin-1 	2	Point 2 – units are required 16.5l/m = BOD
17		<p>The diaphragm and the external intercostal muscles 1. relax This causes the rib cage to move 2. downwards and in. The volume of the thoracic cavity 3. decreases. This causes the pressure in the lungs to 4. Increase, which means that air is 5. exhaled from the lungs.</p>	5	Missing words are numbered, bold and underlined in the text. For pt 3 accept decrease For pt 4 accept increases
18	(a)	<p>Five marks for five from:</p> <ol style="list-style-type: none"> Breathing gets faster and deeper or increased rate and depth of breathing Respiration becomes active (during exercise) or greater volumes of air moved or more air is entering the lungs (inspiration) diaphragm or <u>external</u> intercostals contract with greater force (inspiration) scalene/sternocleidomastoid/pectoralis minor contract (inspiration) ... causing the rib cage to be drawn further up and out (inspiration) ... causing greater volume in thoracic cavity or lower pressure in the lungs (expiration) internal intercostals/rectus abdominis contract (expiration) ... causing rib cage to be pulled down / diaphragm pushed in/up (expiration) ... causing greater reduction in volume in thoracic cavity or higher pressure in the lungs 	5	<p>Comparative terms needed for points 3, 5, 6, 8 and 9 to differentiate from what happens during mechanics of breathing at rest.</p> <p>Only give Pt 1 if the two variables are identified eg faster and deeper</p>
18	(b)	<p>Three marks for:</p> <ol style="list-style-type: none"> Increased tidal volume or more air taken in/out per breath or increase in depth of breathing Increased respiration/breathing rate or breathes quicker or more breaths per minute Increased minute ventilation or more air taken in/out per minute 	3	Pt 1 heavy breathing = NBD Pt 2 respiration speeds up = NBD

Answer				Marks	Guidance
19	System	Chemical or food fuel	Type of reaction	Amount of ATP produced	4 Missing words are numbered, bold and underlined in the table. Accept Pt 1 ATP/CP Do not accept ATP (on its own) for pt 1
	<u>1. ATP-PC/ alactic</u>	Phosphocreatine	<u>2. Anaerobic</u>	1	
	Aerobic	<u>3. Glucose/fats/ glycogen / carbohydrates / CHO / triglycerides / fatty acids</u>	Aerobic	<u>4. 36-39</u>	
20	1. (Gym routine) Lactic acid 2. (Javelin) ATP-PC or alactic 3. (50km walk) Aerobic 4. (Rugby tackle) ATP-PC or alactic 5. (400m sprint) Lactic acid				5 If more than one i/d then no marks except Pts 2 and 4 LAS = BOD for Lactic Acid system Accept ATP/CP Do not accept ATP (on its own)

	Answer	Marks	Guidance
21	<i>(Analyse movements at knee and ankle when jumping for ball)</i>	10	
	<p>(Joint types and articulating bones) Knee is hinge joint Femur, tibia (and patella)</p> <ul style="list-style-type: none"> • Fibula outside joint capsule of knee <p>Ankle is hinge joint</p> <ul style="list-style-type: none"> • Tibia and talus (and fibula) • Fibula not an integral part of joint <p>(Joint movements) (During jump / upward phase) Ankle plantarflexion Knee extension</p> <p>(Muscles acting and function) (Upward phase knee extension) quadriceps shorten</p> <ul style="list-style-type: none"> • (Isotonic) concentric contraction • Rectus femoris / vastus medialis / vastus lateralis / vastus intermedius • Are agonists or prime movers <p>(Upward phase knee extension) hamstrings lengthen</p> <ul style="list-style-type: none"> • Biceps femoris / semimembranosus / semitendinosus • Are antagonists <p>Fixator muscles stabilise joints</p> <ul style="list-style-type: none"> • E.g. gluteus maximus (stabilises femur/hip joint) • Credit any given fixator stabilising femur/hip joint • E.g. Rectus abdominus / erector spinae (stabilise trunk) • Isometric contraction 		<p>Level 3 (8–10 marks) A comprehensive answer: Detailed knowledge and understanding. Effective analysis/critical evaluation and / or discussion / explanation / development. Clear and consistent practical application of knowledge. Accurate use of technical and specialist vocabulary. High standard of written communication.</p> <p>At Level 3 responses <u>are likely to include:</u> Detailed knowledge and understanding of both knee and ankle joints, articulating bones, joint movements, muscles and their functions. At the top of this level some reference may be made to the role of fixators and types of contraction for both joints. At the bottom of this level both joints are addressed and agonists and antagonists are likely to be identified for both joints.</p>

	Answer	Marks	Guidance
	<p>(Upward phase ankle plantarflexion) soleus / gastrocnemius shorten</p> <ul style="list-style-type: none"> • (Isotonic) concentric contraction • Are agonists or prime movers <p>(Upward phase ankle plantarflexion) tibialis anterior lengthens</p> <ul style="list-style-type: none"> • Is antagonist <p>(Ankle) Fixator muscles stabilise tibia</p> <ul style="list-style-type: none"> • quadriceps or hamstrings as fixators • rectus abdominus / erector spinae (stabilise trunk) • Isometric contraction 		<p>Level 2 (5–7 marks) A competent answer: Satisfactory knowledge and understanding Analysis / critical evaluation and/or discussion / explanation / development attempted with some success Some practical application of knowledge Technical and specialist vocabulary used with some accuracy Written communication generally fluent with few errors.</p> <p>At Level 2 responses <u>are likely to include:</u> Satisfactory knowledge and understanding of how joint movements occur at these joints. There may be a lack of balance between the parts of the question with some absences or inaccuracies. At the top of this level both joints may be covered in some detail, or one joint is covered in depth while the other is more superficial. At the bottom of this level at least six valid points have been made.</p>

	Answer	Marks	Guidance
			<p>Level 1 (1–4 marks) A limited answer: Basic knowledge and understanding. Little or no attempt to analyse/critically evaluate and/or discuss/explain/develop Little or no attempt at practical application of knowledge. Technical and specialist vocabulary used with limited success. Written communication lacks fluency and there will be errors, some of which may be intrusive.</p> <p>At Level 1 responses are likely to include: Basic knowledge and understanding of the joints and movements at the knee and ankle. At the top of this level at least five valid points have been made. To score 1 mark at least one valid point has been made. [0 marks] No response or no response worthy of credit.</p>

OCR (Oxford Cambridge and RSA Examinations)
1 Hills Road
Cambridge
CB1 2EU

OCR Customer Contact Centre

Education and Learning

Telephone: 01223 553998

Facsimile: 01223 552627

Email: general.qualifications@ocr.org.uk

www.ocr.org.uk

For staff training purposes and as part of our quality assurance programme your call may be recorded or monitored

Oxford Cambridge and RSA Examinations
is a Company Limited by Guarantee
Registered in England
Registered Office; 1 Hills Road, Cambridge, CB1 2EU
Registered Company Number: 3484466
OCR is an exempt Charity

OCR (Oxford Cambridge and RSA Examinations)
Head office
Telephone: 01223 552552
Facsimile: 01223 552553

© OCR 2017

