

GCSE

Mathematics B (Linear)

Component **J567/01**: Mathematics Paper 1 (Foundation)

General Certificate of Secondary Education

Mark Scheme for June 2017

OCR (Oxford Cambridge and RSA) is a leading UK awarding body, providing a wide range of qualifications to meet the needs of candidates of all ages and abilities. OCR qualifications include AS/A Levels, Diplomas, GCSEs, , Cambridge Nationals, Cambridge Technicals, Functional Skills, Key Skills, Entry Level qualifications, NVQs and vocational qualifications in areas such as IT, business, languages, teaching/training, administration and secretarial skills.

It is also responsible for developing new specifications to meet national requirements and the needs of students and teachers. OCR is a not-for-profit organisation; any surplus made is invested back into the establishment to help towards the development of qualifications and support, which keep pace with the changing needs of today's society.

This mark scheme is published as an aid to teachers and students, to indicate the requirements of the examination. It shows the basis on which marks were awarded by examiners. It does not indicate the details of the discussions which took place at an examiners' meeting before marking commenced.

All examiners are instructed that alternative correct answers and unexpected approaches in candidates' scripts must be given marks that fairly reflect the relevant knowledge and skills demonstrated.

Mark schemes should be read in conjunction with the published question papers and the report on the examination.

OCR will not enter into any discussion or correspondence in connection with this mark scheme.

© OCR 2017

Annotations used in the detailed Mark Scheme.

Annotation	Meaning
✓	Correct
✗	Incorrect
BOD	Benefit of doubt
FT	Follow through
ISW	Ignore subsequent working (after correct answer obtained), provided method has been completed
M0	Method mark awarded 0
M1	Method mark awarded 1
M2	Method mark awarded 2
A1	Accuracy mark awarded 1
B1	Independent mark awarded 1
B2	Independent mark awarded 2
MR	Misread
SC	Special case
^	Omission sign

Subject-Specific Marking Instructions

- M** marks are for using a correct method and are not lost for purely numerical errors.
A marks are for an accurate answer and depend on preceding **M** (method) marks. Therefore **M0 A1** cannot be awarded.
B marks are independent of **M** (method) marks and are for a correct final answer, a partially correct answer, or a correct intermediate stage.
SC marks are for special cases that are worthy of some credit.
- Unless the answer and marks columns of the mark scheme specify **M** and **A** marks etc, or the mark scheme is 'banded', then if the correct answer is clearly given and is not from wrong working **full marks** should be awarded.

Do not award the marks if the answer was obtained from an incorrect method, ie incorrect working is seen and the correct answer clearly follows from it.
- Where follow through (**FT**) is indicated in the mark scheme, marks can be awarded where the candidate's work follows correctly from a previous answer whether or not it was correct.

Figures or expressions that are being followed through are sometimes encompassed by single quotation marks after the word *their* for clarity, eg FT 180 × (*their* '37' + 16), or FT 300 – √(*their* '5² + 7²). Answers to part questions which are being followed through are indicated by eg FT 3 × *their* (a).

For questions with FT available you must ensure that you refer back to the relevant previous answer. You may find it easier to mark these questions candidate by candidate rather than question by question.

4. Where dependent (**dep**) marks are indicated in the mark scheme, you must check that the candidate has met all the criteria specified for the mark to be awarded.
5. The following abbreviations are commonly found in GCSE Mathematics mark schemes.
 - **cao** means **correct answer only**.
 - **figs 237**, for example, means any answer with only these digits. You should ignore leading or trailing zeros and any decimal point eg 237000, 2.37, 2.370, 0.00237 would be acceptable but 23070 or 2374 would not.
 - **isw** means **ignore subsequent working** (after correct answer obtained).
 - **nfw** means **not from wrong working**.
 - **oe** means **or equivalent**.
 - **rot** means **rounded or truncated**.
 - **seen** means that you should award the mark if that number/expression is seen anywhere in the answer space, including the answer line, even if it is not in the method leading to the final answer.
 - **soi** means **seen or implied**.
6. Make no deductions for wrong work after an acceptable answer unless the mark scheme says otherwise, indicated for example by the instruction 'mark final answer'.
7. As a general principle, if two or more methods are offered, mark only the method that leads to the answer on the answer line. If two (or more) answers are offered, mark the poorer (poorest).
8. When the data of a question is consistently misread in such a way as not to alter the nature or difficulty of the question, please follow the candidate's work and allow follow through for **A** and **B** marks. Deduct 1 mark from any **A** or **B** marks earned and record this by using the **MR** annotation. **M** marks are not deducted for misreads.

9. Unless the question asks for an answer to a specific degree of accuracy, always mark at the greatest number of significant figures even if this is rounded or truncated on the answer line. For example, an answer in the mark scheme is 15.75, which is seen in the working. The candidate then rounds or truncates this to 15.8, 15 or 16 on the answer line. Allow full marks for the 15.75.
10. If the correct answer is seen in the body and the answer given in the answer space is a clear transcription error allow full marks unless the mark scheme says 'mark final answer' or 'cao'. Place the annotation ✓ next to the correct answer.
- If the answer space is blank but the correct answer is seen in the body allow full marks. Place the annotation ✓ next to the correct answer.
- If the correct answer is seen in the working but a completely different answer is seen in the answer space, then accuracy marks for the answer are lost. Method marks would still be awarded. Use the M0, M1, M2 annotations as appropriate and place the annotation ✗ next to the wrong answer.
11. Ranges of answers given in the mark scheme are always inclusive.
12. For methods not provided for in the mark scheme give as far as possible equivalent marks for equivalent work. If in doubt, consult your Team Leader.
13. Anything in the mark scheme which is in square brackets [...] is not required for the mark to be earned, but if present it must be correct.

MARK SCHEME

Question		Answer	Marks	Part marks and guidance	
1		Correct lines drawn	3	B1 for each correct line	
2	(a)	131 – 135	1		
	(b)	Obtuse	1		Condone poor spelling
3		3.002, 3.04, 3.204, 3.24, 3.402	2	B1 for four in the correct order SC1 if correct order reversed	
4	(a)	B	1		
	(b)	D	1		
	(c)	A	1		
5	(a)	84 520	1		
	(b)	[0].378	1		
	(c)	15	1		
	(d)	- 2	1		
6	(a)	720	1		
	(b)	<p>20 × 40 or 18 × 40 or 20 × 39 or 38.6 × 20 or 810 ÷ 40 or 800 ÷ 40</p> <p>20 × 40 = 800 or 18 × 40 = 720 or 20 × 39 = 780 or 38.6 × 20 = 772 or 810 ÷ 40 = 20.25 or 800 ÷ 40 = 20</p> <p>States he has enough money to buy the tickets oe with justification based on their completed calculation</p>	<p>M1</p> <p>A1</p> <p>A1</p>	See appendix	

Question			Answer	Marks	Part marks and guidance	
7	(a)	(i)	[0].25	1		Must be a decimal
		(ii)	25	1		
	(b)	(i)	$\frac{3}{4}$	2	B1 for $\frac{6}{8}$ or $\frac{12}{16}$	Must be a fraction
		(ii)	$5\frac{2}{3}$	1		
	(c)	(i)	$\frac{4}{15}$	3	B2 for correct common denominator with at least one correct numerator. or B1 for a correct common denominator	Final answer must be a fraction
		(ii)	$\frac{3}{10}$ final answer	2	B1 $\frac{6}{20}$ oe nfw	
8	(a)	(i)	15 56 1547	1 1 1		
		(ii)	6	1		
	(b)	(i)	45	1		Allow $\frac{3}{4}$ hours if minutes replaced
		(ii)	13 25	1		Accept 1:25[pm]
9	(a)	(i)	5e cao	1		
		(ii)	10g - 2h cao	2	B1 for either 10g or -2h in answer	10g + -2h scores B1
	(b)		10x + 30 cao	1		

Question		Answer	Marks	Part marks and guidance	
10	(a)	86	2	M1 for $\div 5 \times 9$ soi by 6×9 or 54	
	(b)	29	2	M1 for 4×6 soi by 24	
11		No, with correct supporting values and justification	3	<p>B2 210g [margarine] or 34 [buns]</p> <p>or</p> <p>M1 3.5 seen as multiplier soi by 350 [flour] or 175 [sugar] or 7 [eggs]</p> <p>or any valid first step</p>	<p>Accept alternative methods ignore comments about other ingredients</p> <p>Valid first step could be e.g. division by 12 for 1 bun or division by 2 for 6 buns to find a factor of 42</p>
12	(a)	130 <u>Angles</u> [on a straight] <u>line</u> [=] <u>180°</u>	1 1		
	(b)	125 <u>Angles</u> [in a] <u>quadrilateral</u> [=] <u>360°</u>	2 1	M1 $360 - (90 + 100 + 45)$	Accept 4 sided shape for quadrilateral

Question		Answer	Marks	Part marks and guidance	
13		4 [x] 4 [x] 10	4	<p>B3 for 3 dimensions giving a volume of 160 with either 2 the same or with all 3 as integers less than 12</p> <p>B2 volume of 160</p> <p>M1 $8 \times 5 \times 4$</p> <p>If 0 scored SC1 for answer of 3 dimensions giving a volume of 160</p>	Do not accept the original 3 values for any marks
14	(a)	2	1		
	(b)	4	2	<p>M1 for a correct first step e.g. $5x = 12 + 8$</p>	Must be an equation
	(c)	-3	3	<p>M1 for a correct step e.g. $8x - 2x + 14 = -4$ oe</p> <p>M1 for another correct step e.g. $8x = 2x - 4 - 14$ oe</p> <p>M1 for $x = \frac{b}{a}$ from their $ax = b$ ($a \neq 1$)</p> <p>to a max of 2 marks</p>	<p>Must be an equation throughout</p> <p>i.e. correctly collecting x's condone error in numbers</p> <p>i.e. correctly collecting numbers condone error in x's</p> <p>Do not allow embedded answers</p>

Question		Answer	Marks	Part marks and guidance	
15	(a)	South West (SW)	1		
	(b)	bearing drawn at 53 – 57° line 7.8 – 8.2 cm	1 1		See Overlay
	(c)	246.5	1		
16	(a)	2 sections correct and correctly labelled	2	B1 Correct but no/incorrect labels or 50 and 36 stated as angles	±2°
	(b)	396 – 404	2	B1 198 – 202[°] or 55% to 56.1%	These may be on the diagram
17	(a)	195 115 550 125 110 205	3	B2 for 4 or 5 correct or B1 for 2 or 3 correct	
	(b)	650 and 550 soi by e.g. 100 more	1	FT <i>their</i> table if M < F	Ignore irrelevant data, see appendix
	(c)	325 is greater than a quarter of 1200 oe	2	B1 for 325	see appendix
	(d)	$\frac{210}{650}$ or $\frac{21}{65}$ oe	2	B1 210 as numerator or 650 as denominator	isw cancellation/ conversion of fractions after an acceptable answer seen
18		174	3	M1 for attempt at 120×0.45 oe or 54 seen M1dep for $120 + \text{their } 45\%$	Fully correct method to find 45% of 120 with at most one error
19		9.4[0]	3	M1 for $100 \times 1 + 10 \times 5 + 5 \times 6 + 1 \times 8$ or 188 M1dep for <i>their</i> $188 \div 20$	Implied by $100 + 50 + 30 + 8$, allow 1 error in totals

Question		Answer	Marks	Part marks and guidance	
20	(a)	Correct reflection labelled C	1		Yellow overlay
	(b)	Translation $\begin{pmatrix} 7 \\ -6 \end{pmatrix}$	1		Accept translate[d] Do not allow fraction line
	(c)	E in correct position and labelled	4	<p>B3 D in correct position and labelled</p> <p>B2 90° clockwise rotation of A centre (0,0)</p> <p>B1 <i>their</i> D reflected in $y = -2$</p> <p>If 0 scored in (a) and (c) SC3 for 3 triangles in correct positions, for C, D and E, unlabelled and no extras</p>	<p>Green overlay</p> <p>Red overlay</p> <p>Blue overlay</p> <p>Yellow, Red and Green overlay</p>
21	(a)	(i) 3 -1	2	B1 for each	
		(ii) subtract 4 oe	1		Needs direction and quantity May be on diagram See appendix,
	(b)	$7n - 5$	3	<p>B2 for an answer of $7n \pm j$</p> <p>or</p> <p>M1 for any correct method to find the difference of 7</p> <p>B1 for an answer of $kn - 5$ ($k \neq 0$)</p>	M1 implied by the terms 9, 16, 23, 30 in the correct order

Question	Answer	Marks	Part marks and guidance
22*	<p>The correct answer of 17 with complete and correct working. The method is to show complete working to give an area of 326 and then divide by 20. The answer is then rounded up to 17. Correct spelling and grammar and the working is set out in a logical manner that makes it easy to follow.</p> <p>For four marks the candidate may give an answer of 16.3 from correct working or they may get the correct area of 326 and show one other evidence from division of this area by 20 or rounding their final answer up. Otherwise they will achieve four of these elements listed in the 1 mark section or they will show methods to calculate two required areas and two other elements.</p> <p>For two marks the candidate may give an answer of 16.3 with no working or they will achieve two of these elements listed in the 1 mark section or they will show methods to calculate two required areas.</p> <p>No worthwhile work attempted.</p>	<p>5</p> <p>4 – 3</p> <p>2 – 1</p> <p>0</p>	<p>For three marks the candidate may get the correct area of 326 and make no further progress, or they will show an answer of 17 with no working at all. Otherwise they will achieve three of these elements listed in the 1 mark section or they will show methods to calculate two required areas and one other element.</p> <p>There are four key elements, (i) working out the missing side(s), (ii) writing down a method for finding the areas which make up the shape, commonly this will be using two rectangles, (iii) dividing the total area by 20 to find how many packets are required and (iv) rounding the number of packets up to the nearest integer. For one mark the candidate will achieve one of these elements.</p>

APPENDIXExemplar responses for Q6b

Response	Mark
$20 \times 40 = 800$. Yes he does, he has 10 pounds over what he needs and my estimate was higher figures.	3
$20 \times 40 = 800$. Yes, he has enough money to buy 20 tickets so he would have two spare.	3
$800 \div 40 = 20$. He has more than enough.	3
$18 \times 40 = 720$. Yes, he will have enough money to buy 18 tickets as he has £810 to spend	3
$39 \times 20 = 780$. Yes rounded up he will have 780 which is enough for 18 tickets when rounding 38.60 to 39 and 18 to 20.	3
$20 \times 40 = 800$.	M1 A1 A0
$810 \div 40 = 22.5$. Yes he has enough money	M1 A0 A1
$40 \times 18 = 760$. He has enough to buy 18 tickets	M1 A0 A1
$20 \times 39 = 880$. No he has not got enough	M1 A0 A0
$38.60 \times 18 = 694.80$. Yes.	0

Exemplar responses for Q11 explanation mark

Response	Mark
No he is 40g of marg short	1
He could only make 34 buns.	1
No he doesn't have enough marg (if 210 in working with marg)	1
No 180g of margarine is needed to make 36 buns, so he cannot make 42	1

Exemplar responses for Q17(b)

	Mark
[Females] 650 and [males] 550	1
There are 100 more females than men	1
There are only 550 males compared to 650 females	1
Females = 650 but males = 595 (incorrect total of males FT from their table)	1
Females = 650 but males = 695 (incorrect total of males > females FT from their table)	0

Exemplar responses for Q17(c)

Response	Mark
A quarter of the village is 300; there are 325 over 60s	2
There are 325 people aged 60 and over and that isn't a quarter of 1200; 300 is a quarter of 1200	2
$13/48 > 12/48$	2
325 is greater than 300	2
Its 27- 27.1% which is more than a quarter	2
Not true because 325 are 60 or over	1
It's not true because 325 of the 1200 are over 60	1
There are 325 people aged 60 and over and that isn't a quarter of 1200	1
There are 325...	1

Exemplar responses for Q21(a)(ii)

Response	Mark
- 4	1
Take 4	1
Count 4 backwards	1
Down 4	1
$23 - 4n$	1
$n - 4$	0

OCR (Oxford Cambridge and RSA Examinations)
1 Hills Road
Cambridge
CB1 2EU

OCR Customer Contact Centre

Education and Learning

Telephone: 01223 553998

Facsimile: 01223 552627

Email: general.qualifications@ocr.org.uk

www.ocr.org.uk

For staff training purposes and as part of our quality assurance programme your call may be recorded or monitored

Oxford Cambridge and RSA Examinations
is a Company Limited by Guarantee
Registered in England
Registered Office; 1 Hills Road, Cambridge, CB1 2EU
Registered Company Number: 3484466
OCR is an exempt Charity

OCR (Oxford Cambridge and RSA Examinations)
Head office
Telephone: 01223 552552
Facsimile: 01223 552553

© OCR 2017

