



## Thursday 14 May 2015 – Morning

# GCSE TWENTY FIRST CENTURY SCIENCE CHEMISTRY A/SCIENCE A

A171/02 Modules C1 C2 C3 (Higher Tier)

Candidates answer on the Question Paper. A calculator may be used for this paper.

OCR supplied materials:

None

Other materials required:

- Pencil
- Ruler (cm/mm)

**Duration:** 1 hour



Candidate forename					Candidate surname				
Centre number						Candidate nu	umber		

### **INSTRUCTIONS TO CANDIDATES**

- Write your name, centre number and candidate number in the boxes above. Please write clearly and in capital letters.
- Use black ink. HB pencil may be used for graphs and diagrams only.
- Answer all the questions.
- Read each question carefully. Make sure you know what you have to do before starting your answer.
- Write your answer to each question in the space provided. Additional paper may be used if necessary but you must clearly show your candidate number, centre number and question number(s).
- Do not write in the bar codes.

### **INFORMATION FOR CANDIDATES**

- The quality of written communication is assessed in questions marked with a pencil ( ).
- The Periodic Table is printed on the back page.
- The number of marks is given in brackets [ ] at the end of each question or part question.
- The total number of marks for this paper is 60.
- This document consists of 16 pages. Any blank pages are indicated.




### Answer all the questions.

1 Beijing is a city in China where there are many coal-fired power stations.

Coal-fired power stations pollute the air with solid particles.

(a) The chart shows pollution from solid particles in Beijing for the first 12 days of January 2013.



maximum amount

mean amount

The safe level for solid particles is a daily average of  $25 \mu g/m^3$ .

An emergency health warning is triggered when the level of solid particles is greater than  $300 \,\mu g/m^3$ .

(i) Use this information and the chart to find out if these statements are **true** or **false** over these 12 days.

Put ticks (✓) in the correct boxes.

	True	False
There are 3 days when the solid particles are <b>below</b> the safe level.		
The <b>maximum</b> pollution shown on the chart is 36 times the safe level.		
The <b>mean</b> is always more than half the <b>maximum</b> on any day.		
The level of solid particles triggers an emergency health warning on 6 days.		

(ii) The table shows solid particles in six samples of air taken on 13<sup>th</sup> January.

Solid particles in μg/m <sup>3</sup>		150	200	250	500	400	300
	What is the mea Show your worki		a?				
(iii)	Use data in the ta	able and yo	ur answer to				[1] posite page.
	Show maximum	and <b>mean</b>	solid partic	les for 13 <sup>th</sup> J	lanuary.		[2]
(iv)	Joe and Tanya look at the chart on the opposite page. Joe says the chart shows pollution in Beijing is increasing. Tanya says that the chart does not give enough evidence for this conclusion.						
	Explain why both	Joe and Ta	anya could b	e correct.			

	[3]
b)	Which of these statements explains why solid carbon particles may be made when coal burns?
	Put ticks (✓) in the boxes next to the <b>two</b> correct answers.
	Sulfur in the coal reacts with carbon.

Coal is mainly carbon atoms.	
Coal is made up of carbon and hydrogen atoms.	
There is not enough oxygen for all the carbon to react.	
Carbon dioxide is reduced by nitrogen in the air.	
The hydrogen atoms react more slowly than the carbon atoms.	

[2]

[Total: 10]

**Turn over** 

2 The early atmospheres on Earth and on Mars were similar. They **both** contained mainly **carbon dioxide** and **water vapour**.

The atmospheres on the two planets are now very different.

The table shows the composition of the atmosphere on Mars now.

Gas	Composition now (%)
carbon dioxide	95
oxygen	traces
water vapour	traces
other gases	4

The average surface temperature of Mars is now -55 °C.

Use the information to describe how the atmosphere on Mars has changed. Compare these changes to what has happened to the atmosphere on Earth. Give reasons for the changes to the Earth's atmosphere.

The quality of written communication will be assessed in your answer.
[6]

[Total: 6]

Nitr	litrogen dioxide is an air pollutant.						
(a)	Here are some statements about how cars make nitrogen dioxide.  Not all the statements are correct.						
	A						
	В	litrogen and oxygen from the air react together.					
	C	Fuel burning in the engine gives high temperatures.					
	<b>D</b> N	litrogen oxide is oxidised in the air.					
	E	litrogen dioxide is reduced by carbon monoxide.					
	F	litrogen oxide is made.					
	G	litrogen dioxide is made.					
	Choose	e the <b>five</b> correct statements from <b>A</b> , <b>B</b> , <b>C</b> , <b>D</b> , <b>E</b> , <b>F</b> and <b>G</b> .					
	Put these in the correct order in the boxes. One has been done for you.						
		G					
			[3]				
(b)	Nitroge	en dioxide does not stay in the air.					
	How is	nitrogen dioxide removed from the air?					
	Put a ti	ick ( $\checkmark$ ) in the box next to the correct answer.					
	It is use	ed by plants to make nitrogen.					
	It is oxi	dised to nitrogen in catalytic converters.					
	It react	s with carbon deposited on surfaces.					
	It react	s with water and oxygen.					
			[1]				
			[Total: 4]				

4	The balls are dropped onto concrete and the height of the bounce is measured.							
	(a)	Why must the tennis balls be dropped onto the same surface?						
		Put a tick( $\checkmark$ ) in the box next to the correct answer.						
		Tennis courts are made of different materials.						
		Changing the surface affects the outcome.						
		So that the bounce height can be measured accurately.						
		So that the balls do not bounce too high.	-41					
			[1]					
	(b)	Ben needs 120 tennis balls for a local competition. He measures the bounce of 100 tennis balls. This is what he finds.						

Height of bounce	Number of tennis balls
up to 130 cm	4
131 to 135 cm	16
136 to 140 cm	52
141 to 145 cm	28
146 to 150 cm	0
greater than 150 cm	0

For the competition the bounce range must be between 136 cm and 145 cm.

(i) How many tennis balls would you expect Ben to check before he has 120 suitable for the competition?

 	[2]

	(ii)	Josie watches Ben test the tennis balls. Josie says he should test each tennis ball more than once. Is she right? Explain why.	
			[1]
(c)	It re	e polymer used to make tennis balls has been modified. eacts with sulfur to form cross-links. sticisers are added.	
	Hov	w do these modifications affect the properties of the polymer?	
	Cor	mplete the table. Choose from these words.	
		4	

### decreases increases stays the same

	Hardness	Melting point	Stiffness
Cross-linking			
Adding a plasticiser			

[2]

[Total: 6]

Turn over for the next question

**5** (a) Dave is buying new ropes for his boat.



Look at the properties of four synthetic fibres used to make ropes.

	Kevlar	Nylon	Polyester	Polypropene
Tensile strength in N/mm <sup>2</sup>	210	70	70	65
Stiffness in MNm/kg	80	2	3	1
Density in g/cm <sup>3</sup>	1.44	1.14	1.38	0.91
Floats on water or sinks	sinks	sinks	sinks	floats
Water absorbency in %	4.5	6.0	0.5	negligible

The best ropes are made from fibres which are strong, flexible and light, even when wet.

Which fibre would make the best rope for Dave's boat?
Use the data to help you explain why you would choose that fibre and not the others.

The quality of written communication will be assessed in your answer.

(b)	In countries where there is no chemical industry, ropes are made from plant material. Suggest reasons why plant material, and not synthetic material, is used to make ropes.						
	[2]						
	[Total: 8]						

Turn over for the next question


Cru	s is a question about crude oil. de oil is separated by fractional distillation. s is possible because the compounds in crude oil boil at different temperatures.	
(a)	These sentences are about what happens in fractional distillation.	
	Which two sentences explain why the compounds in crude oil boil at different temperate	ures?
	Put ticks ( $\checkmark$ ) in the boxes next to the <b>two</b> correct answers.	
	Energy is needed to break the molecules.	
	Energy is needed to heat each compound to its boiling point.	
	Gas molecules have stronger forces between them than liquid molecules.	
	Larger molecules have larger forces between them.	
	More energy is needed to overcome strong forces than weak ones.	
	The forces between atoms in a molecule depend on the size of that molecule.	ro
<i>a</i> . \		[2]
(b)	The fractions from crude oil have many <b>uses</b> .	
	Name <b>two</b> uses of fractions from crude oil.	
	1)	
	2)	

[2]

**(c)** Pentane is a hydrocarbon found in crude oil. Pentane can be broken up in a refinery.

The diagrams represent the rearrangement of atoms when pentane is broken up. Only **one** of them is correct.

Put a tick  $(\checkmark)$  in the box next to the correct diagram.



[1]

[Total: 5]


Turn over for the next question

•••••					
(i)	Most breakfa The table sho 2005 and 20	ows the salt		orands of breakf	ast cereals, A, B, C
		Cereal	Salt content	in g per 100 g	
			2005	2013	
		Α	2.40	1.20	
		В	2.60	1.20	
		С	1.48	0.72	
		D	0.62	0.30	
		andards Age			ll breakfast cereals i
	50% lower in	andards Age 2013 than ir	n 2005. lether or not the l	that the salt in a	III breakfast cereals is correct for these ce
(ii)	50% lower in Use the data	andards Age 2013 than in to show wh	n 2005. lether or not the l	that the salt in a	s correct for these ce

(c)				eveloping nanoparticle salt. stes 2000 times more salty than ordinary salt.					
	(i)	How many as in 2013	•	article salt will be in	100g of cereal A to	give the same flavour			
		Put a ring	around the cor	rect answer.					
2.	4 × 1	0 <sup>-3</sup>	6.0 × 10 <sup>-3</sup>	$6.0 \times 10^{-4}$	2.4 × 10 <sup>-5</sup>	6.0 × 10 <sup>-5</sup> [1]			
	(ii)	Some peop Other peop		rticle salt should rep	olace normal salt.				
			of risk and ble salt to food.	enefit to explain v	why people do not	agree about adding			
						[2]			
						[Total: 9]			

Turn over for the next question

8 The diagram shows the position of Antarctica today.



(a) Geologists use data on the direction of magnetism of some rocks to show movement of continents.

Explain how geologists would use this data to show the movement of Antarctica.

The quality of written communication will be assessed in your answer.	
Te de la companya de	:1

	<b>P</b>	
	END OF QUESTION PAPER	[Total: 4]
		[2]
	Suggest reasons why people continued to use mercury even	though they knew it was harmful.
(b)	Mercury was known to harm humans 150 years ago. It was widely used until very recently.	
(1.)		[2]
(a)	How do some toxic chemicals cause environmental and hea	Ith problems?
	ercury has been used in the chemical industry for hundreds of yowadays its use is strictly regulated because it is toxic.	years.
		[2] [Total: 8]
	Tectonic plates move.	
	Earthquakes and volcanoes occur at the edges of tectonic plates.	
	tectonic plates meet.	
	There are hot-water springs on the ocean floor where	
	Continents are parts of tectonic plates.	
	Sediment is laid down over millions of years.	
	Put ticks ( $\checkmark$ ) in the boxes next to the $two$ correct answers.	
(b)	How do continents such as Antarctica move over the surface	e of the Earth?



### Copyright Information

OCR is committed to seeking permission to reproduce all third-party content that it uses in its assessment materials. OCR has attempted to identify and contact all copyright holders whose work is used in this paper. To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced in the OCR Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download from our public website (www.ocr.org.uk) after the live examination series.

If OCR has unwittingly failed to correctly acknowledge or clear any third-party content in this assessment material, OCR will be happy to correct its mistake at the earliest possible opportunity.

For queries or further information please contact the Copyright Team, First Floor, 9 Hills Road, Cambridge CB2 1GE.

OCR is part of the Cambridge Assessment Group; Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

# The Periodic Table of the Elements

0	4 He helium 2	20 <b>Ne</b> neon 10	40 <b>Ar</b> argon 18	84 Kr krypton 36	131 <b>Xe</b> xenon 54	[222] <b>Rn</b> radon 86	t fully
7		19 F fluorine 9	35.5 C <i>t</i> chlorine 17	80 Br bromine 35	127 I iodine 53	[210] At astatine 85	irted but no
9		16 0 oxygen 8	32 S sulfur 16	79 Se setenium 34	128 <b>Te</b> tellurium 52	[209] Po potentium 84	re been repc
2		14 N nitrogen 7	31 P phosphorus 15	75 As arsenic 33	122 Sb antimony 51	209 Bi bismuth 83	rs 112-116 hav authenticated
4		12 C carbon 6	28 Si silicon	73 <b>Ge</b> germanium 32	119 <b>Sn</b> tin 50	207 <b>Pb</b> tead 82	Elements with atomic numbers 112-116 have been reported but not fully authenticated
٣		11 <b>B</b> boron 5	27 Al aluminium 13	70 <b>Ga</b> gallium 31	115 In indium 49	204 T t thallium 81	nts with ator
	·			65 <b>Zn</b> zinc 30	112 Cd cadmium 48	201 Hg	Eleme
				63.5 Cu copper 29	108 <b>Ag</b> silver 47	197 <b>Au</b> gold 79	Rg roentgenium 111
				59 <b>Ni</b> nicket 28	106 Pd palladium 46	195 Pt platinum 78	Ds damstadtium 110
				59 Co cobalt 27	103 Rh rhodium 45	192 <b>Ir</b> iridium 77	[268] Mt meitnerium 109
	1 H hydrogen 1			56 <b>Fe</b> iron 26	101 Ru ruthenium 44	190 Os osmium 76	[277] Hs hassium 108
!				55 Mn manganese 25	[98] Tc technetium 43	186 Re rhenium 75	[264] Bh bohrium 107
		mass ool number		52 Cr chromium 24	96 Mo motybdenum 42	184 W tungsten 74	Sg seaborgium 106
	Key	relative atomic mass atomic symbol name atomic (proton) number		51 V vanadium 23	93 Nb niobium 41	181 Ta tantalum 73	[262]     Db     dubnium     105
		relati <b>atc</b> atomic		48 Ti titanium 22	91 Zr	178 Hf hafinium 72	[261] Rf rutherfordium 104
	·		•	45 Sc scandium 21	89 Y yttrium 39	139 La* lanthanum 57	[227] <b>Ac*</b> actinium 89
2		9 Be beryllium 4	24 Mg magnesium 12	40 <b>Ca</b> calcium 20	88 Sr strontium 38	137 <b>Ba</b> barium 56	[226] <b>Ra</b> radium 88
_		7 Li <sup>Utthium</sup> 3	23 Na sodium 11	39 K potassium 19	85 <b>Rb</b> rubidium 37	133 Cs caesium 55	[223] Fr francium 87

\* The lanthanoids (atomic numbers 58-71) and the actinoids (atomic numbers 90-103) have been omitted.

The relative atomic masses of copper and chlorine have not been rounded to the nearest whole number.