



Oxford Cambridge and RSA

June 2024 only

GCSE (9–1) Combined Science Physics B (Twenty First Century Science)

J260 03/07

Equation Sheet



INSTRUCTIONS

- Do **not** send this Equation Sheet for marking. Keep it in the centre or recycle it.

INFORMATION

- This Equation Sheet is for the June 2024 examination series only.
- This Equation Sheet has **4** pages.

Equations in physics

Key: HT = Higher Tier only

P1 Radiation and waves	
wave speed = frequency \times wavelength	$v = f\lambda$

P2 Sustainable energy	
energy transferred = power \times time	$E = Pt$
efficiency = $\frac{\text{useful energy transferred}}{\text{total energy transferred}}$	

P3 Electric circuits	
charge = current \times time	$Q = It$
potential difference = current \times resistance	$V = IR$
potential difference = $\frac{\text{work done (energy transferred)}}{\text{charge}}$	$V = \frac{W}{Q}$
power = $\frac{\text{energy transferred}}{\text{time}}$	$P = \frac{E}{t}$
energy transferred (work done) = charge \times potential difference	$E = QV$
power = potential difference \times current	$P = VI$
power = (current) ² \times resistance	$P = I^2R$
potential difference across primary coil \times current in primary coil = potential difference across secondary coil \times current in secondary coil	$V_p I_p = V_s I_s$
force = magnetic flux density \times current \times length of conductor	$F = BIl$
HT	

	P4 Explaining motion	
	weight = mass × gravitational field strength	$W = mg$
	average speed = $\frac{\text{distance}}{\text{time}}$	$v = \frac{s}{t}$
	acceleration = $\frac{\text{change in speed}}{\text{time taken}}$	$a = \frac{v - u}{t}$
	(final speed) ² – (initial speed) ² = 2 × acceleration × distance	$v^2 - u^2 = 2as$
HT	momentum = mass × velocity	$p = mv$
HT	change in momentum = resultant force × time for which it acts	$\Delta p = Ft$
	force = mass × acceleration	$F = ma$
	work done = force × distance (along the line of action of the force)	$W = Fs$
	kinetic energy = $\frac{1}{2}$ × mass × (speed) ²	$E = \frac{1}{2}mv^2$
	gravitational potential energy = mass × gravitational field strength × height	$E = mgh$
	power = $\frac{\text{energy transferred}}{\text{time}}$	$P = \frac{E}{t}$

ω

	P6 Matter – models and explanations	
	density = $\frac{\text{mass}}{\text{volume}}$	$\rho = \frac{m}{V}$
	change in internal energy = mass × specific heat capacity × change in temperature	$\Delta E = mc\Delta\theta$
	energy to cause a change of state = mass × specific latent heat	$E = ml$
	force exerted by a spring = spring constant × extension	$F = kx$
	energy stored in a stretched spring = $\frac{1}{2}$ × spring constant × (extension) ²	$E = \frac{1}{2}kx^2$

OCR

Oxford Cambridge and RSA

Copyright Information

OCR is committed to seeking permission to reproduce all third-party content that it uses in its assessment materials. OCR has attempted to identify and contact all copyright holders whose work is used in this paper. To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced in the OCR Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download from our public website (www.ocr.org.uk) after the live examination series. If OCR has unwittingly failed to correctly acknowledge or clear any third-party content in this assessment material, OCR will be happy to correct its mistake at the earliest possible opportunity.

For queries or further information please contact The OCR Copyright Team, The Triangle Building, Shaftesbury Road, Cambridge CB2 8EA.

OCR is part of Cambridge University Press & Assessment, which is itself a department of the University of Cambridge.