

# **Chemistry B**

General Certificate of Secondary Education

Unit **B741/02**: Modules C1, C2, C3 (Higher Tier)

## **Mark Scheme for January 2013**

---

OCR (Oxford Cambridge and RSA) is a leading UK awarding body, providing a wide range of qualifications to meet the needs of candidates of all ages and abilities. OCR qualifications include AS/A Levels, Diplomas, GCSEs, OCR Nationals, Functional Skills, Key Skills, Entry Level qualifications, NVQs and vocational qualifications in areas such as IT, business, languages, teaching/training, administration and secretarial skills.

It is also responsible for developing new specifications to meet national requirements and the needs of students and teachers. OCR is a not-for-profit organisation; any surplus made is invested back into the establishment to help towards the development of qualifications and support, which keep pace with the changing needs of today's society.

This mark scheme is published as an aid to teachers and students, to indicate the requirements of the examination. It shows the basis on which marks were awarded by examiners. It does not indicate the details of the discussions which took place at an examiners' meeting before marking commenced.




All examiners are instructed that alternative correct answers and unexpected approaches in candidates' scripts must be given marks that fairly reflect the relevant knowledge and skills demonstrated.

Mark schemes should be read in conjunction with the published question papers and the report on the examination.

OCR will not enter into any discussion or correspondence in connection with this mark scheme.

© OCR 2013

## Annotations


| Annotation  | Meaning                               |
|---|---------------------------------------|
|  | correct response                      |
|  | incorrect response                    |
| <b>BOD</b>  | benefit of the doubt                  |
| <b>NBOD</b>   | benefit of the doubt <b>not</b> given |
| <b>ECF</b>  | error carried forward                 |
|  | information omitted                   |
| <b>I</b>  | ignore                                |
| <b>L1</b>   | Level 1                               |
| <b>L2</b>   | Level 2                               |
| <b>L3</b>   | Level 3                               |
| <b>R</b>  | reject                                |
| <b>CON</b>  | contradiction                         |

Abbreviations, annotations and conventions used in the detailed Mark Scheme.

|               |   |   |
|---------------|---|---|
| /             | = | alternative and acceptable answers for the same marking point   |
| <b>(1)</b>    | = | separates marking points  |
| <b>allow</b>  | = | answers that can be accepted  |
| <b>not</b>    | = | answers which are not worthy of credit  |
| <b>reject</b> | = | answers which are not worthy of credit  |
| <b>ignore</b> | = | statements which are irrelevant   |
| ( )           | = | words which are not essential to gain credit  |
| <u>   </u>    | = | underlined words must be present in answer to score a mark (although not correctly spelt unless otherwise stated) |
| e.c.f.        | = | error carried forward   |
| AW            | = | alternative wording   |
| ora           | = | or reverse argument   |

| Question     |         | Answer  | Marks    | Guidance  |
|--------------|---------|---|----------|---|
| 1            | (a)     | <p><b>any two from:</b><br/> all the readily extractable resources will be used up in the future (1)</p> <p>will have to find replacements / AW (1)</p> <p>idea of not enough fuel to power vehicles or homes / make electricity / make chemicals (1)</p> <p>conflict between making petrochemicals and fuels (1)</p> <p>UK dependent on oil and gas from politically unstable countries / AW (1)</p> | 2        | <p><b>allow</b> (all) it / oil / coal / fossil fuels will run out / be used up (1)</p> <p><b>allow</b> crude oil will have to be extracted from more inaccessible areas (1)</p> <p><b>allow</b> crude oil will become very expensive / may lead to rationing / may lead to conflicts (1)</p>  |
|              | (b)     | bitumen (1)   | 1        | <b>allow</b> phonetic spelling  |
|              | (c) (i) | $C_4H_{10}$ (1)   | 1        | <p><b>not</b> <math>C_4H_{10}</math> / <math>C^4H^{10}</math></p> <p><b>allow</b> <math>H_{10}C_4</math></p>  |
|              | (ii)    | <p>propane and butane contain carbon and hydrogen (atoms) (1) only (1)</p> <p>has (carbon to carbon) single bonds <b>only</b> / contains single (covalent) bonds <b>only</b> (1)</p>  | 3        | <p><b>not</b> is a mixture of carbon and hydrogen (only)</p> <p><b>not</b> contains carbon and hydrogen molecules</p> <p>Only must be linked to first marking point and is not independent</p> <p><b>allow</b> has no (carbon to carbon) double bonds (1)</p> <p><b>allow</b> they are saturated compounds (1)</p> <p><b>allow</b> has general formula <math>C_nH_{2n+2}</math> (1)</p> <p><b>ignore</b> has the maximum amount of hydrogen atoms</p> |
| <b>Total</b> |         |   | <b>7</b> |   |

| Question     |  | Answer  | Marks    | Guidance   |
|--------------|--|---|----------|--|
| 2            |  | <b>C</b><br>because it is flexible, waterproof and breathable (2) | 2        | marks are for evaluation, not for the choice of <b>C</b><br>but for two marks properties must relate to correct choice of <b>C</b><br>for two marks <b>all three</b> properties must be listed<br><br><b>allow</b> one mark for choice of <b>C</b> with <b>two</b> properties listed<br><b>allow</b> one mark for <b>E</b> and because it is flexible and waterproof ignore reference to not breathable if <b>E</b> mentioned. |
| <b>Total</b> |  |   | <b>2</b> |  |

| Question     |         | Answer  | Marks    | Guidance   |
|--------------|---------|---|----------|--|
| 3            | (a) (i) | contains a double bond (between carbon atoms) (1)   | 1        | <b>not</b> double bond between carbon molecules<br><b>ignore</b> does not have the maximum amount of hydrogen atoms  |
|              | (b) (i) | addition reaction (1)   | 1        | <b>allow</b> bromination   |
|              | (ii)    | a dibromocompound (1)   | 1        | <b>allow</b> saturated / halogenocompound  |
|              | (c)     |  <p>correct repeat unit drawn with open bonds at both ends (1)</p> <p>correct use of brackets and n (1)</p> | 2        | <b>second mark is dependent on first mark</b><br><br><b>allow</b> multiples of this structure eg $-(\text{CH}_2\text{CH}_2\text{CH}_2\text{CH}_2)_n-$ for two marks<br><br><b>allow</b> one mark for a section of the polymer that has at least two repeat units with open ends at both ends |
| <b>Total</b> |         |   | <b>5</b> |  |

| Question | Answer  | Marks | Guidance   |
|----------|---|-------|--|
| 4        | <p><b>[Level 3]</b><br/>           Answer describes how an ester is made in a laboratory, including that the reactants must be mixed or heated together <b>AND</b> applies knowledge of safety and risk assessment to give at least two safety precautions used in the preparation of an ester, one involving the problems of heating a flammable liquid.<br/>           Quality of written communication does not impede communication of science at this level.<br/> <b>(5–6 marks)</b></p> <p><b>[Level 2]</b><br/>           Candidates recall the names of <u>both</u> reactants <b>AND</b> applies knowledge of safety and risk assessment to give two safety precautions used in the preparation of an ester.<br/>           Quality of written communication partly impedes communication of science at this level.<br/> <b>(3–4 marks)</b></p> <p><b>[Level 1]</b><br/>           Candidates recall the name of <u>one</u> reactant used to make an ester <b>OR</b> applies knowledge of safety and risk assessment to give at least one safety precaution used in the preparation of an ester.<br/>           Quality of written communication impedes communication of science at this level.<br/> <b>(1–2 marks)</b></p> <p><b>[Level 0]</b><br/>           Insufficient or irrelevant science such as repeating the question. Answer not worthy of credit.<br/> <b>(0 marks)</b></p> | 6     | <p><b>This question is targeted up to grade C</b></p> <p><b>Indicative scientific points may include:</b></p> <ul style="list-style-type: none"> <li>• safety precautions include use of safety glasses, gloves, safety screen, fire extinguisher, water bath, laboratory coats etc</li> <li>• reagents are heated together in a beaker or in a test tube in a water bath</li> <li>• reagents are heated together</li> <li>• the reagents are mixed together</li> <li>• alcohols react with acids to make ester</li> <li>• higher level answers may refer to methods that use refluxing and distillation</li> <li>• sulfuric acid added as a catalyst to the reaction mixture</li> <li>• reaction mixture is added to sodium carbonate solution</li> </ul> <p><b>Use the L1, L2, L3 annotations in scoris. Do not use ticks.</b></p> |
|          | <b>Total</b>  | 6     |  |

| Question     |     | Answer   | Marks    | Guidance   |
|--------------|-----|--|----------|--|
| 5            | (a) | hydrophilic end bonds to water molecule (1)<br>hydrophobic end bonds to oil molecule (1)   | 2        | <b>allow</b> attracted to / sticks into / joins to or forms intermolecular forces with as alternative to bonding<br><b>allow</b> head bonds to water molecule and tail bonds to oil molecule for two marks<br><b>allow</b> one mark for water molecules surround the hydrophilic end <b>and</b> oil molecules surround the hydrophobic end<br><b>allow</b> one mark for one end is bonded to water <b>and</b> the other to oil<br><b>allow</b> one mark for hydrophilic end stays in or likes water <b>and</b> hydrophobic stays in or likes oil<br><b>not</b> hydrophobic is bonded to water and hydrophilic is bonded to oil |
|              | (b) | shape of protein (molecules permanently) changes (1)   | 1        | <b>allow</b> protein (molecule) is denatured<br><b>allow</b> protein (molecule) is destroyed<br><b>ignore</b> enzyme is denatured  |
|              | (c) | $2\text{NaHCO}_3 \rightarrow \text{Na}_2\text{CO}_3 + \text{CO}_2 + \text{H}_2\text{O}$<br>formulae correct (1)<br>balancing (1) | 2        | balancing mark is dependent on correct formulae<br><b>allow</b> = instead of $\rightarrow$<br><b>allow</b> any correct multiples of this equation<br><b>allow</b> one mark for correct balanced equation with minor errors of superscripts, subscript or case.<br>eg $2\text{NAHCO}_3 \rightarrow \text{Na}_2\text{CO}_3 + \text{CO}^2 + \text{H}_2\text{O}$   |
| <b>Total</b> |     |  | <b>5</b> |  |



| Question     |     | Answer  | Marks    | Guidance   |
|--------------|-----|---|----------|--|
| 6            | (a) | <p><b>any two from:</b><br/> lithosphere includes the crust (1)<br/> lithosphere includes <b>outer part / upper part</b> of the mantle (1)</p> <p>lithosphere is (relatively) cold (1)<br/> lithosphere is rigid (1)<br/> lithosphere is made up of tectonic plates or correctly named plates continental / oceanic (1)</p> | 2        | <p><b>not</b> lithosphere includes the core<br/> <b>not</b> lithosphere includes the atmosphere</p>  |
|              | (b) | <p>to forecast future eruptions (1)</p> <p>to reveal information about the structure of the Earth (1)</p>   | 2        | <p><b>allow</b> to forecast the magnitude of the eruption<br/> <b>ignore</b> to forecast earthquakes</p> <p><b>allow</b> to find out how volcanoes work / to find out how lava moves</p> |
| <b>Total</b> |     |   | <b>4</b> |  |

| Question                     |  | Answer   | Marks | Guidance  |      |               |              |                |             |                  |                           |                              |            |               |               |  |                   |   |  |
|------------------------------|--|--|-------|---|------|---------------|--------------|----------------|-------------|------------------|---------------------------|------------------------------|------------|---------------|---------------|--|-------------------|---|--|
| 7                            | (a)  | <table border="1"> <thead> <tr> <th>acid</th> <th>base</th> <th>salt</th> </tr> </thead> <tbody> <tr> <td>sulfuric acid</td> <td>copper oxide</td> <td>copper sulfate</td> </tr> <tr> <td>nitric acid</td> <td>sodium carbonate</td> <td><b>sodium nitrate (1)</b></td> </tr> <tr> <td><b>hydrochloric acid (1)</b></td> <td>zinc oxide</td> <td>zinc chloride</td> </tr> <tr> <td>sulfuric acid</td> <td><b>magnesium oxide / magnesium hydroxide / magnesium carbonate (1)</b></td> <td>magnesium sulfate</td> </tr> </tbody> </table> | acid  | base  | salt | sulfuric acid | copper oxide | copper sulfate | nitric acid | sodium carbonate | <b>sodium nitrate (1)</b> | <b>hydrochloric acid (1)</b> | zinc oxide | zinc chloride | sulfuric acid | <b>magnesium oxide / magnesium hydroxide / magnesium carbonate (1)</b> | magnesium sulfate | 3 | <p><b>allow</b> correct formulae i.e. <math>\text{NaNO}_3</math> (1)</p> <p><math>\text{HCl}</math> (1)</p> <p><math>\text{MgO} / \text{Mg(OH)}_2 / \text{MgCO}_3</math> (1)</p> |
| acid                         | base   | salt   |       |   |      |               |              |                |             |                  |                           |                              |            |               |               |  |                   |   |  |
| sulfuric acid                | copper oxide   | copper sulfate   |       |   |      |               |              |                |             |                  |                           |                              |            |               |               |  |                   |   |  |
| nitric acid                  | sodium carbonate   | <b>sodium nitrate (1)</b>  |       |   |      |               |              |                |             |                  |                           |                              |            |               |               |  |                   |   |  |
| <b>hydrochloric acid (1)</b> | zinc oxide   | zinc chloride  |       |   |      |               |              |                |             |                  |                           |                              |            |               |               |  |                   |   |  |
| sulfuric acid                | <b>magnesium oxide / magnesium hydroxide / magnesium carbonate (1)</b> | magnesium sulfate  |       |   |      |               |              |                |             |                  |                           |                              |            |               |               |  |                   |   |  |
|                              | (b)  | $\text{CaCO}_3 + 2\text{HCl} \rightarrow \text{CaCl}_2 + \text{CO}_2 + \text{H}_2\text{O}$<br>formulae correct (1)<br>balancing (1)  | 2     | <p>balancing mark is dependent on correct formulae<br/> <b>but</b><br/> <b>allow</b> one mark for balanced equation with minor errors of subscripts, superscripts, etc eg<br/> <math>\text{CaCO}_3 + 2\text{HCl} \rightarrow \text{CaCl}^2 + \text{CO}_2 + \text{H}_2\text{O}</math></p> <p><b>not</b> and or &amp; for +<br/> <b>allow</b> = instead of <math>\rightarrow</math><br/> <b>allow</b> correct multiples eg<br/> <math>2\text{CaCO}_3 + 4\text{HCl} \rightarrow 2\text{CaCl}_2 + 2\text{CO}_2 + 2\text{H}_2\text{O}</math></p> |      |               |              |                |             |                  |                           |                              |            |               |               |  |                   |   |  |
|                              | (c)  | $\text{H}^+ + \text{OH}^- \rightarrow \text{H}_2\text{O}$ (1)  | 1     | <p>order of reactants unimportant<br/> <b>allow</b> <math>\text{OH}_2 / \text{HOH}</math><br/> <b>allow</b> correct multiples<br/>           subscripts and superscripts must be correct eg <math>\text{H}^2\text{O}</math> scores 0</p>  |      |               |              |                |             |                  |                           |                              |            |               |               |  |                   |   |  |

| Question | Answer  | Marks    | Guidance  |
|----------|---|----------|---|
| (d)      | <p><b>Level 1 (1 mark)</b><br/>                     idea that fertiliser or nitrates increase the growth of water plants <b>or</b> that the outcome is that living organisms in the water die.<br/>                     idea that fertilisers cause water to become toxic limits mark to a maximum of 1</p> <p><b>Level 2 (2 marks)</b><br/>                     idea that (algal bloom) / plant growth blocks off sunlight (from other plants which then die).</p> <p><b>Level 3 (3 marks)</b><br/>                     idea that in addition to level 2, (aerobic) bacteria use up the oxygen in the water.</p> | 3        | <p><b>Use ticks in this question</b><br/> <b>Mark scheme is hierarchical</b> – level 1 is required before level 2 can be awarded and levels 1 &amp; 2 required before level 3 can be awarded</p> <p><b>allow</b> algal bloom for increased growth of water plants</p> <p>idea that <b>fertiliser</b> kills or poisons fish (0)</p> <p><b>allow</b> idea that plants below surface cannot photosynthesis for level 2</p> <p><b>allow</b> decomposers or microbes or micro organisms for bacteria</p> |
|          | <b>Total</b>  | <b>9</b> |   |

| Question | Answer  | Marks | Guidance  |
|----------|---|-------|---|
| 8        | <p><b>[Level 3]</b><br/>All three metals are comprehensively evaluated<br/><b>AND</b><br/>metal A is chosen and justified.<br/>Quality of written communication does not impede communication of science at this level.<br/><b>(5–6 marks)</b></p> <p><b>[Level 2]</b><br/>An attempt is made to evaluate the strengths and weaknesses of at least two metals<br/><b>AND</b><br/>metal A or C is chosen with an attempt at a justification.<br/>Quality of written communication partly impedes communication of science at this level.<br/><b>(3–4 marks)</b></p> <p><b>[Level 1]</b><br/>An attempt is made to evaluate both the strengths or weaknesses of one metal.<br/>Quality of written communication impedes communication of science at this level.<br/><b>(1–2 marks)</b></p> <p><b>[Level 0]</b><br/>Insufficient or irrelevant science. Answer not worthy of credit.<br/><b>(0 marks)</b></p> <p style="text-align: right;"><b>Total</b></p> | 6     | <p><b>This question is targeted at grades up to A*.</b></p> <p><b>Indicative scientific points may include:</b></p> <ul style="list-style-type: none"> <li>• metal <b>A</b> has the lowest density and a high strength but is expensive</li> <li>• metal <b>B</b> has a high density, reasonable strength but is cheap</li> <li>• metal <b>C</b> has a high density but is cheap and is the strongest</li> <li>• metal <b>A</b> is the best choice</li> <li>• because it has the lowest density and good strength</li> <li>• metal <b>A</b> is expensive but not many aircraft will be made.</li> <li>• metal <b>B</b> has a low melting point as a disadvantage</li> </ul> <p><b>Use the L1, L2, L3 annotations in scoris. Do not use ticks.</b></p> |
|          | <b>Total</b>  | 6     |   |

| Question |     |      | Answer   | Marks    | Guidance  |
|----------|-----|------|--|----------|---|
| 9        | (a) | (i)  | increases / gets bigger / AW (1)   | 1        |   |
|          |     | (ii) | decreases / gets less / AW (1)   | 1        |   |
|          | (b) |      | idea of catalyst used to speed up the reaction or increase the rate of reaction (1)<br><br>70 atm used as is cheaper to generate than higher pressures (1)<br><br>300 °C is used to increase the rate of reaction but sacrifice percentage yield / it is a compromise or optimum temperature (1) | 3        | <b>allow</b> catalyst does not affect percentage yield (1)<br><br><b>allow</b> answer relating to the risks associated with high pressure (1)   |
|          | (c) |      | idea of <b>reduction</b> of wage bill / idea of <b>reduction</b> of number of workers (1)  | 1        | <b>ignore</b> rule out human error<br><b>ignore</b> to make the process work faster<br><b>ignore</b> references to safety<br><b>ignore</b> it is a continuous process<br><b>not</b> no labour costs |
|          |     |      | <b>Total</b>   | <b>6</b> |   |

| Question | Answer   | Marks    | Guidance  |
|----------|--|----------|---|
| 10 (a)   | 32 (g) of methanol makes 60 (g) of ethanoic acid /<br>10 moles of methanol is used / $32 \times 10 = 320$ (1)<br><br>So 320 (g) makes 600 (g) of ethanoic acid (1)   | 2        | <b>allow</b> two marks for the correct answer of 600g even if no working out  |
| (b)      | $\text{atom economy} = \frac{60}{60 + 18} / \frac{60}{46 + 32} / \frac{60}{78} \text{ (1)}$ <b>but</b><br>$\text{atom economy} = \frac{60}{60 + 18} \times 100 / \frac{60}{46 + 32} \times 100 /$ $\frac{60}{78} \times 100 \text{ (2)}$ | 2        | <b>allow</b> atom economy formula in words for one mark<br>i.e. atom economy = $\frac{\text{total Mr of desired products}}{\text{total Mr of all products}} \times 100$ (1)   |
| (c)      | $\text{percentage yield} = \frac{9.5}{9.8} \text{ (1)}$ <b>but</b><br>$\text{percentage yield} = \frac{9.5}{9.8} \times 100 \text{ (2)}$   | 2        | <b>allow</b> percentage yield formula in words for one mark<br>e.g. percentage yield = $\frac{\text{actual yield}}{\text{predicted yield}} \times 100$<br>or<br>percentage yield = $\frac{\text{am}}{\text{pm}} \times 100$ |
| (d) (i)  | more sustainable / makes less or no <b>waste</b> products (1)  | 1        | makes less waste is <b>not</b> sufficient<br><b>ignore</b> makes less products<br><b>ignore</b> it wastes less resources  |
| (ii)     | less waste of reactants (1)  | 1        | <b>allow</b> no need to recycle unreacted reactants<br><b>ignore</b> less waste / waste products<br><b>ignore</b> able to make more / more products made  |
|          | <b>Total</b>   | <b>8</b> |   |

| Question |     | Answer   | Marks | Guidance   |
|----------|-----|--|-------|--|
| 11       | (a) | bond breaking is endothermic / bond breaking takes in energy / bond breaking absorbs energy (1)<br><br>bond making is exothermic / bond making gives out energy / bond making releases energy (1)<br><br>more energy taken in than is released / more energy absorbed than given out (1) | 3     | <b>allow</b> heat instead of energy<br><br><b>ignore</b> more bonds are broken than are made |

| Question | Answer   | Marks    | Guidance   |
|----------|--|----------|--|
| (b)      | <p><b>[Level 3]</b><br/>Applies reacting particle model, including mention of collisions frequency and / or successful collisions, to explain the effect of temperature <b>AND</b> pressure on the rate of reaction.<br/>Quality of written communication does not impede communication of science at this level.<br/><b>(5-6 marks)</b></p> <p><b>[Level 2]</b><br/>Applies reacting particle theory, including mention of collisions, to explain the effect of temperature <b>OR</b> pressure on the rate of reaction.<br/>Quality of written communication partly impedes communication of science at this level.<br/><b>(3-4 marks)</b></p> <p><b>[Level 1]</b><br/>Applies reacting particle theory to explain the effect of temperature <b>OR</b> pressure on the rate of reaction.<br/>Quality of written communication impedes communication of science at this level.<br/><b>(1-2 marks)</b></p> <p><b>[Level 0]</b><br/>Insufficient or irrelevant science such as repeating the question. Answer not worthy of credit.<br/><b>(0 marks)</b></p> | 6        | <p><b>This question is targeted at grades up to A.</b></p> <p><b>Indicative scientific points may include:</b></p> <ul style="list-style-type: none"> <li>• Increasing pressure gives more crowded nitrogen and oxygen molecules / molecules are closer together / more nitrogen and oxygen molecules in the same volume so there is an increased number of collisions per second / collisions more often</li> <li>• Increasing temperature has nitrogen or oxygen molecules moving faster / molecules have more energy so more successful collisions per second / more energetic collisions.</li> </ul> <p><b>Use the L1, L2, L3 annotations in scoris. Do not use ticks.</b></p> |
|          | <b>Total</b>   | <b>9</b> |  |



| Question     |     | Answer  | Marks    | Guidance   |
|--------------|-----|---|----------|--|
| 12           | (a) | weak forces between the layers (1)<br><br>which are easy to break (so layers can slide over each other) (1) | 2        | <b>allow</b> van der Waals' forces between layers / weak intermolecular forces<br><b>not</b> weak covalent bonds between layers  |
|              | (b) | large number of strong (covalent) bonds (1)<br><br>needs lots of energy to break / AW (1)                   | 2        | <b>allow</b> giant molecular structure or giant covalent structure / large number of strong bonds (between atoms)<br><b>allow</b> heat for energy but <b>ignore</b> high temperature<br><br><b>any mention of intermolecular bonds / forces scores 0</b> |
| <b>Total</b> |     |   | <b>4</b> |  |

| Question     |     | Answer  | Marks    | Guidance   |
|--------------|-----|---|----------|--|
| 13           | (a) | energy = $100 \times 4.2 \times 9$ (1)<br><br>energy = 3780 (J) (1)   | 2        | <b>allow</b> full marks for correct answer with no working out   |
|              | (b) | no<br><br>energy released calculated for other value(s) / idea that temperature increase relates to the energy released (1)<br><br>because the one with most atoms or pentanol the temperature increase is not the highest / with most atoms does not release the most energy (1) | 2        | <b>allow</b> yes<br><br>with energy calculated for the other value(s) / idea that the temperature increase is related to the energy released (1)<br><br>and the last result is an anomaly (1)<br><br><b>allow</b> energy calculations based on using the mass of fuel (1.0g) |
| <b>Total</b> |     |   | <b>4</b> |  |

**OCR (Oxford Cambridge and RSA Examinations)**  
1 Hills Road  
Cambridge  
CB1 2EU

**OCR Customer Contact Centre**

**Education and Learning**

Telephone: 01223 553998

Facsimile: 01223 552627

Email: [general.qualifications@ocr.org.uk](mailto:general.qualifications@ocr.org.uk)

[www.ocr.org.uk](http://www.ocr.org.uk)

For staff training purposes and as part of our quality assurance programme your call may be recorded or monitored

**Oxford Cambridge and RSA Examinations**  
is a Company Limited by Guarantee  
Registered in England  
Registered Office; 1 Hills Road, Cambridge, CB1 2EU  
Registered Company Number: 3484466  
OCR is an exempt Charity

**OCR (Oxford Cambridge and RSA Examinations)**  
Head office  
Telephone: 01223 552552  
Facsimile: 01223 552553

© OCR 2013

