

**AS LEVEL**

**Specification**

# **PHYSICS B**

## **(ADVANCING PHYSICS)**

**H157**

For first assessment in 2016



---

## *Disclaimer*

Specifications are updated over time. Whilst every effort is made to check all documents, there may be contradictions between published resources and the specification, therefore please use the information on the latest specification at all times. Where changes are made to specifications these will be indicated within the document, there will be a new version number indicated, and a summary of the changes. If you do notice a discrepancy between the specification and a resource please contact us at: [resources.feedback@ocr.org.uk](mailto:resources.feedback@ocr.org.uk)

We will inform centres about changes to specifications. We will also publish changes on our website. The latest version of our specifications will always be those on our website ([ocr.org.uk](https://ocr.org.uk)) and these may differ from printed versions.

© 2024 OCR. All rights reserved.

### Copyright

OCR retains the copyright on all its publications, including the specifications. However, registered centres for OCR are permitted to copy material from this specification booklet for their own internal use.

Oxford Cambridge and RSA is a Company Limited by Guarantee. Registered in England. Registered company number 3484466.

---

*Registered office:*  
**The Triangle Building**  
**Shaftesbury Road**  
**Cambridge**  
**CB2 8EA**

*OCR is an exempt charity.*

# Contents

|   |           |
|---|-----------|
| Introducing... AS Level Physics B (Advancing Physics) (from September 2015) | ii        |
| Teaching and learning resources   | iii       |
| Professional Development  | iv        |
| <b>1 Why choose an OCR AS Level in Physics B (Advancing Physics)</b>        | <b>1</b>  |
| 1a. Why choose an OCR qualification?  | 1         |
| 1b. Why choose an OCR AS Level in Physics B (Advancing Physics)?            | 2         |
| 1c. What are the key features of this specification?                        | 3         |
| 1d. How do I find out more information?                                     | 4         |
| <b>2 The specification overview</b>   | <b>5</b>  |
| 2a. Overview of AS Level in Physics B (Advancing Physics) (H157)            | 5         |
| 2b. Content of AS Level in Physics B (Advancing Physics) (H157)             | 6         |
| 2c. Content of modules 1 to 4   | 7         |
| 2d. Prior knowledge, learning and progression                               | 21        |
| <b>3 Assessment of OCR AS Level in Physics B (Advancing Physics)</b>        | <b>22</b> |
| 3a. Forms of assessment   | 22        |
| 3b. Assessment objectives (AO)  | 23        |
| 3c. Total qualification time  | 23        |
| 3d. Qualification availability outside of England                           | 23        |
| 3e. Language  | 24        |
| 3f. Assessment availability   | 24        |
| 3g. Retaking the qualification  | 24        |
| 3h. Assessment of extended responses  | 24        |
| 3i. Synoptic assessment   | 24        |
| 3j. Calculating qualification results                                       | 24        |
| <b>4 Admin: what you need to know</b>                                       | <b>25</b> |
| 4a. Pre-assessment  | 25        |
| 4b. Accessibility and special consideration                                 | 26        |
| 4c. External assessment arrangements  | 26        |
| 4d. Results and certificates  | 27        |
| 4e. Post-results services   | 27        |
| 4f. Malpractice   | 27        |
| <b>5 Appendices</b>   | <b>28</b> |
| 5a. Overlap with other qualifications                                       | 28        |
| 5b. Avoidance of bias   | 28        |
| 5c. Physics B data sheet  | 29        |
| 5d. How Science Works (HSW)   | 38        |
| 5e. Mathematical requirements   | 39        |
| 5f. Health and Safety   | 46        |
| Summary of updates  | 47        |

## Introducing...

### AS Level Physics B (Advancing Physics) (from September 2015)

---

Our vision for Science is to create specifications with content that will be up to date, scientifically accurate, developed by subject experts, and allow clear progression pathways (from GCSE to AS/A Level through to higher education, or other post-16 courses and employment). Courses will provide a rewarding experience across the ability range, genuinely challenging the most able learners. The assessment burden will be reduced as much as possible for centres through:

- Carefully designed assessments (straightforward to use for all centre types, large to small)
- Well-laid-out specifications and question papers
- Friendly and prompt support from our team of Subject Advisors
- Quality resource materials that help support a variety of good teaching approaches, drawing on expertise from across the subject community.

Our AS Level Physics B specification takes a context-led approach to the course. Learners study physics within the distinctive 'Advancing Physics' approach. Learners are introduced to a wide variety of topics showing physics in action early in the course to encourage curiosity in the subject. They learn about fundamental physical concepts and how to apply these in everyday and technological settings. The course demonstrates the usefulness of the subject and illustrates the impact that discoveries in physics have had on the way people live.

We're striving for good science that's straightforward and engaging to teach, with fair, challenging and relevant assessment that works well in centres and promotes practical activity.

#### Contact the team

We have a dedicated team of people working on our AS Level Physics qualifications.

If you need specialist advice, guidance or support, get in touch as follows:

- **01223 553998**
- [scienceGCE@ocr.org.uk](mailto:scienceGCE@ocr.org.uk)
- [@OCR\\_science](https://twitter.com/OCR_science)



## Teaching and learning resources

---

We recognise that the introduction of a new specification can bring challenges for implementation and teaching. Our aim is to help you at every stage and we're working hard to provide a practical package of support in close consultation with teachers and other experts, so we can help you to make the change.

### Designed to support progression for all

Our resources are designed to provide you with a range of teaching activities and suggestions so you can select the best approach for your particular students. You are the experts on how your students learn and our aim is to support you in the best way we can.

### We want to...

- Support you with a body of knowledge that grows throughout the lifetime of the specification
- Provide you with a range of suggestions so you can select the best activity, approach or context for your particular students
- Make it easier for you to explore and interact with our resource materials, in particular to develop your own schemes of work
- Create an ongoing conversation so we can develop materials that work for you.

### Plenty of useful resources

You'll have four main types of subject-specific teaching and learning resources at your fingertips:

- Delivery Guides
- Transition Guides
- Topic Exploration Packs
- Lesson Elements.

Along with subject-specific resources, you'll also have access to a selection of generic resources that focus on skills development and professional guidance for teachers.

**Skills Guides** – we've produced a set of Skills Guides that are not specific to Physics, but each covers a topic that could be relevant to a range of qualifications – for example, communication, legislation and research. Download the guides at [ocr.org.uk/skillsguides](https://ocr.org.uk/skillsguides).

**Active Results** – a free online AS Level results analysis service to help you review the performance of individual students or your whole school. It provides access to detailed results data, enabling more comprehensive analysis of results in order to give you a more accurate measurement of the achievements of your centre and individual students. For more details refer to [ocr.org.uk/activeresults](https://ocr.org.uk/activeresults).

## Professional Development

---

Take advantage of our improved Professional Development Programme, designed with you in mind. Whether you want to come to face-to-face events, look at our new digital training or search for training materials, you can find what you're looking for all in one place at the CPD Hub.

### **An introduction to the new specifications**

We'll be running events to help you get to grips with our AS Level Physics B (Advancing Physics) qualification.

These events are designed to help prepare you for first teaching and to support your delivery at every stage.

Watch out for details at [cpdhub.ocr.org.uk](https://cpdhub.ocr.org.uk).

To receive the latest information about the training we'll be offering, please register for AS Level email updates at [ocr.org.uk/updates](https://ocr.org.uk/updates).

# 1 Why choose an OCR AS Level in Physics B (Advancing Physics)

## 1a. Why choose an OCR qualification?

Choose OCR and you've got the reassurance that you're working with one of the UK's leading exam boards. Our new AS Level in Physics B (Advancing Physics) course has been developed in consultation with teachers, employers and Higher Education to provide students with a qualification that's relevant to them and meets their needs.

We're part of the Cambridge Assessment Group, Europe's largest assessment agency and a department of the University of Cambridge. Cambridge Assessment plays a leading role in developing and delivering assessments throughout the world, operating in over 150 countries.

We work with a range of education providers, including schools, colleges, workplaces and other institutions in both the public and private sectors. Over 13,000 centres choose our A levels, GCSEs and vocational qualifications including Cambridge Nationals and Cambridge Technicals.

### Our specifications

We believe in developing specifications that help you bring the subject to life and inspire your students to achieve more.

We've created teacher-friendly specifications based on extensive research and engagement with the teaching community. They're designed to be straightforward and accessible so that you can tailor the delivery of the course to suit your needs. We aim to encourage learners to become responsible for their own learning, confident in discussing ideas, innovative and engaged.

We provide a range of support services designed to help you at every stage, from preparation through to the delivery of our specifications. This includes:

- A wide range of high-quality creative resources including:
  - delivery guides
  - transition guides
  - topic exploration packs
  - lesson elements
  - ...and much more.
- Access to Subject Advisors to support you through the transition and throughout the lifetime of the specifications.
- CPD/Training for teachers to introduce the qualifications and prepare you for first teaching.
- Active Results – our free results analysis service to help you review the performance of individual students or whole schools.
- [ExamBuilder](#) – our free online past papers service that enables you to build your own test papers from past OCR exam questions.

All AS level qualifications offered by OCR are accredited by Ofqual, the Regulator for qualifications offered in England. The accreditation number for OCR's AS Level in Physics B (Advancing Physics) is QN: 601/4744/1.



## 1b. Why choose an OCR AS Level in Physics B (Advancing Physics)?

We appreciate that one size doesn't fit all so we offer two suites of qualifications in each science:

**Physics A** – a content-led approach. A flexible approach where the specification is divided into topics, each covering different key concepts of physics. As learners progress through the course they will build on their knowledge of the laws of Physics, applying their understanding to solve problems on topics ranging from sub-atomic particles to the entire universe. For A level only, the Practical Endorsement will also support the development of practical skills.

**Physics B (Advancing Physics)** – a context-led approach. Learners study physics in a range of different contexts, conveying the excitement of contemporary physics. The course provides a distinctive structure within which candidates learn about fundamental physical concepts and about physics in everyday and technological settings. Practical skills are embedded within the specification and learners are expected to carry out practical work in preparation for a written examination that will specifically test these skills.

All of our specifications have been developed with subject and teaching experts. We have worked in close consultation with teachers and representatives from Higher Education (HE) with the aim of including

up-to-date relevant content within a framework that is interesting to teach and administer within all centres (large and small).

Our new AS Level in Physics qualification builds on our existing popular course. We've based the redevelopment of our A level sciences on an understanding of what works well in centres large and small and have updated areas of content and assessment where stakeholders have identified that improvements could be made. We've undertaken a significant amount of consultation through our science forums (which include representatives from learned societies, HE, teaching and industry) and through focus groups with teachers. Our papers and specifications have been trialled in centres during development to make sure they work well for all centres and learners.

The content changes are an evolution of our legacy offering and will be familiar to centres already following our courses, but are also clear and logically laid out for centres new to OCR, with assessment models that are straightforward to administer. We have worked closely with teachers and HE representatives to provide high quality support materials to guide you through the new qualifications.

### Aims and learning outcomes

OCR's AS Level in Physics B (Advancing Physics) specification encourages learners to:

- develop essential knowledge and understanding of different areas of the subject and how they relate to each other
- develop and demonstrate a deep appreciation of the skills, knowledge and understanding of scientific methods
- develop competence and confidence in a variety of practical, mathematical and problem solving skills
- develop their interest in and enthusiasm for the subject, including developing an interest in further study and careers associated with the subject
- understand how society makes decisions about scientific issues and how the sciences contribute to the success of the economy and society (as exemplified in 'How Science Works' (HSW)).

## 1c. What are the key features of this specification?

Our Physics B specification has been designed so learners study physics within the distinctive 'Advancing Physics' context-based approach. The specification:

- will enable learners to learn about fundamental physical concepts and how to apply these in everyday and technological settings
- is laid out clearly in a series of teaching modules with additional guidance added where required to clarify assessment requirements
- is co-teachable with the A level
- embeds practical requirements within the teaching modules. Whilst the Practical Endorsement is not part of AS level Physics B, opportunities for carrying out activities that would count towards the Practical Endorsement are indicated throughout the specification, in the additional guidance column, by the use of **PAG**, refer to the A level specification, Section 5i, for Practical Endorsement requirements
- exemplifies the mathematical requirements of the course (see Section 5e)
- highlights opportunities for the introduction of key mathematical requirements (see Section 5e and the additional guidance column for each module) into your teaching
- identifies, within the additional guidance how the skills, knowledge and understanding of How Science Works (HSW) can be incorporated within teaching.

### Teacher support

The extensive support offered alongside this specification includes:

- **delivery guides** – providing information on assessed content, the associated conceptual development and contextual approaches to delivery
- **transition guides** – identifying the levels of demand and progression for different key stages for a particular topic and going on to provide links to high quality resources and 'checkpoint tasks' to assist teachers in identifying learners 'ready for progression'
- **lesson elements** – written by experts, providing all the materials necessary to deliver creative classroom activities
- **Active Results** (see Section 1a)
- **ExamBuilder** (see Section 1a)
- **mock examinations service** – a free service offering a practice question paper and mark scheme (downloadable from a secure location).

Along with:

- Subject Advisors within the OCR science team to help with course queries
- teacher training
- *Science Spotlight* (our termly newsletter)
- OCR Science community
- a consultancy service (to advise on Practical Endorsement requirements)
- Practical Skills Handbook
- Maths Skills Handbook.

## 1d. How do I find out more information?

---

Whether new to our specifications, or continuing on from our legacy offerings, you can find more information on our webpages at: [www.ocr.org.uk](http://www.ocr.org.uk)

Visit our Subject pages to find out more about the assessment package and resources available to support your teaching. The science team also release a termly newsletter *Science Spotlight* (despatched to centres and available from our subject pages).

Find out more?

Contact the Subject Advisors:  
[ScienceGCE@ocr.org.uk](mailto:ScienceGCE@ocr.org.uk), 01223 553998.

Visit our Online Support Centre at [support.ocr.org.uk](http://support.ocr.org.uk)

Check what CPD events are available:  
[www.cpdhub.ocr.org.uk](http://www.cpdhub.ocr.org.uk)

Follow us on Twitter: [@ocr\\_science](https://twitter.com/ocr_science)



## 2 The specification overview

### 2a. Overview of AS Level in Physics B (Advancing Physics) (H157)

Learners must complete both components (01 and 02) to be awarded the OCR AS Level in Physics B.

| Content Overview   | Assessment Overview  |  |
|--|--|--|
| <p>Content is split into 4 teaching modules:</p> <ul style="list-style-type: none"><li>Module 1 – Development of practical skills in physics</li><li>Module 2 – Fundamental data analysis</li><li>Module 3 – Physics in action</li><li>Module 4 – Understanding processes</li></ul> <p>Both components assess content from all four modules.</p> | <p>Foundations of physics<br/>(01)</p> <p>70 marks<br/>1 hour 30 minutes<br/>written paper</p> | <p><b>50%</b><br/><br/>of total<br/>AS level</p> |
|  | <p>Physics in depth<br/>(02)</p> <p>70 marks<br/>1 hour 30 minutes<br/>written paper</p>       | <p><b>50%</b><br/><br/>of total<br/>AS level</p> |

Both components include synoptic assessment.

## 2b. Content of AS Level in Physics B (Advancing Physics) (H157)

The AS Level in Physics B (Advancing Physics) specification content is divided into four teaching modules. Each module is introduced with a summary of the physics it contains and each topic is also introduced with a short summary text. The assessable content is divided into two columns: **Learning outcomes** and **Additional guidance**.

The Learning outcomes may all be assessed in the examinations. The Additional guidance column is included to provide further advice on delivery and the expected skills required from learners.

References to HSW (Section 5d) are included in the guidance to highlight opportunities to encourage a wider understanding of science.

The mathematical requirements in Section 5e are also referenced by the prefix *M* to link the mathematical skills required for AS Level Physics to examples of the physics content where those mathematical skills could be linked to learning.

Module 1 of the specification content relates to the practical skills learners are expected to gain throughout the course, which are assessed throughout the written examinations.

Practical activities are embedded within the learning outcomes of the course to encourage practical activities in the classroom, enhancing learners' understanding of physics theory and practical skills.

The specification has been designed to be co-teachable with the A Level in Physics B (Advancing Physics) qualification. Learners studying the A level study modules 1 to 4 and then continue with the A level only modules 5 and 6 in year 13. The internally assessed Practical Endorsement skills also form part of the full A level (see module 1.2 in the A level specification).

The Data, Formulae and Relationships booklet in Section 5c will be available in examinations and learners are expected to become familiar with this booklet throughout the course.

A summary of the content for the AS level course is as follows:

### Module 1 – Development of practical skills in physics

#### 1.1 Practical skills assessed in a written examination

### Module 2 – Fundamental data analysis

### Module 3 – Physics in action

#### 3.1.1 Imaging and signalling

#### 3.1.2 Sensing

#### 3.2 Mechanical properties of materials

### Module 4 – Understanding processes

#### 4.1 Waves and quantum behaviour

#### 4.2 Space, time and motion.

## 2c. Content of modules 1 to 4

Learners are expected to be able to demonstrate and apply their knowledge and understanding of all the learning outcomes in this specification. The learning outcomes in modules 2 to 4 are split into four categories, labelled **(a)**, **(b)**, **(c)**, and **(d)**, to order the specification in a helpful way for planning teaching programmes and to help identify the knowledge required of learners taking the course.

The headings for these categories are:

- (a)** Describe and explain
- (b)** Make appropriate use of
- (c)** Make calculations and estimates involving
- (d)** Demonstrate and apply knowledge and understanding of the following practical activities.

2

### Module 1: Development of practical skills in physics

Physics is a practical subject and the development of practical skills is fundamental to understanding the nature of physics. Physics B gives learners many opportunities to develop the fundamental skills

needed to collect and analyse empirical data. Skills in planning, implementing, analysing and evaluating, as outlined in **1.1**, will be assessed in the written papers.

#### 1.1 Practical skills assessed in a written examination

Practical skills are embedded throughout the content of this specification.

Learners will be required to develop a range of practical skills throughout their course in preparation for the written examinations.

##### 1.1.1 Planning

| Learning outcomes   | Additional guidance   |
|---|---|
| <i>Learners should be able to demonstrate and apply their knowledge and understanding of:</i>   |   |
| <b>(a)</b> experimental design, including to solve problems set in a practical context          | Including selection of suitable apparatus, equipment and techniques for the proposed experiment.<br><br>Learners should be able to apply scientific knowledge based on the content of the specification to the practical context.<br>HSW3 |
| <b>(b)</b> identification of variables that must be controlled, where appropriate               |   |
| <b>(c)</b> evaluation that an experimental method is appropriate to meet the expected outcomes. | HSW6  |



### 1.1.2 Implementing

| Learning outcomes   | Additional guidance  |
|---|--|
| <i>Learners should be able to demonstrate and apply their knowledge and understanding of:</i> |  |
| (a) how to use a wide range of practical apparatus and techniques correctly                   | As outlined in the content of the specification and the skills required for the practical endorsement.<br>HSW4 |
| (b) appropriate units for measurements  | M0.1   |
| (c) presenting observations and data in an appropriate format.                                | HSW8   |

### 1.1.3 Analysis

| Learning outcomes   | Additional guidance   |
|---|---|
| <i>Learners should be able to demonstrate and apply their knowledge and understanding of:</i> |   |
| (a) processing, analysing and interpreting qualitative and quantitative experimental results  | Including reaching valid conclusions, where appropriate.<br>HSW5  |
| (b) use of appropriate mathematical skills for analysis of quantitative data                  | Refer to Section 5e for a list of mathematical skills that learners should have acquired competence in as part of their course.<br>HSW3 |
| (c) appropriate use of significant figures  | M1.1  |
| (d) plotting and interpreting suitable graphs from experimental results, including,           |   |
| (i) selection and labelling of axes with appropriate scales, quantities and units             | M3.2  |
| (ii) measurement of gradients and intercepts.   | M3.3, M3.4, M3.5  |

#### 1.1.4 Evaluation

| Learning outcomes   |   | Additional guidance   |
|---|---|---|
| <i>Learners should be able to demonstrate and apply their knowledge and understanding of:</i> |   |   |
| (a)   | how to evaluate results and draw conclusions  | Learners should be able to evaluate how the scientific community use results to validate new knowledge and ensure integrity<br>HSW6, 11 |
| (b)   | the identification of anomalies in experimental measurements  |   |
| (c)   | the limitations in experimental procedures  |   |
| (d)   | precision and accuracy of measurements and data, including margins of error, percentage errors and uncertainties in apparatus | M1.5  |
| (e)   | the refining of experimental design by suggestion of improvements to the procedures and apparatus.                            | HSW3  |

## Module 2: Fundamental data analysis

Physics B gives learners many opportunities to analyse data collected in practical sessions or provided for them. Learners should be exposed and trained in the techniques of analysis and the handling of experimental uncertainties throughout the course. In

particular, the early parts of the course give learners the chance to practise the handling and analysing data. The Physics B approach to data analysis builds on the practical skills in module 1.1 as detailed below.

| Learning outcomes  | Additional guidance  |
|--|--|
| <p>(a) <i>Describe and explain:</i></p> <ul style="list-style-type: none"> <li>(i) factors affecting accuracy and uncertainty of measurements</li> <li>(ii) the importance of recognising the largest source of uncertainty in a measurement.</li> </ul> <p>(b) <i>Make appropriate use of:</i></p> <ul style="list-style-type: none"> <li>(i) SI units and their prefixes, standard form, angles in degrees and radians</li> <li>(ii) the terms: accuracy, precision, resolution, sensitivity, response time, uncertainty, systematic error including zero error</li> </ul> <p><i>by sketching and interpreting:</i></p> <ul style="list-style-type: none"> <li>(iii) simple plots of the distribution of measured values to estimate the mean (or median) value and the spread and to identify potential outlying values and to suggest reasons to account for them</li> <li>(iv) a variety of different kinds of graphical plot and use of uncertainty bars to help establish the validity of measured data.</li> </ul> <p>(c) <i>Make calculations and estimates involving:</i></p> <ul style="list-style-type: none"> <li>(i) uncertainty of experimental data, the mean of results, range, spread and percentage uncertainties. Estimate of best fit gradients and intercepts with uncertainty</li> <li>(ii) estimating uncertainties when data are combined by addition, subtraction, multiplication, division and raising to powers</li> <li>(iii) estimated magnitudes of everyday quantities.</li> </ul> | <p>Learners may be required to convert degrees to radians and <i>vice versa</i> M0.1, M0.6, M4.7 as discussed in <i>The Language of Measurement</i> (ASE 2010)</p> <p>use of 'dot-plots' to estimate uncertainty</p> <p>including scatter graphs, pie-charts, log graphs</p> <p>M0.3, M1.2</p> <p>As set out in the ASE publication <i>Signs, Symbols and Systematics (The ASE Companion to 16–19 Science, 2000)</i>.<br/>a rigorous statistical treatment is not required; learners will be expected to re-calculate values of the required quantity using extreme values of the variable(s) with the greatest uncertainty<br/>M1.5</p> |



## Module 3: Physics in action

This module is intended to provide a graduated path from GCSE work into A level work, develop the skills and habits of independent working and show a wide range of ways in which physics is put to use. It includes many opportunities for practical work that will develop experimental and analytical skills. The

module covers a number of techniques and concepts from different areas of physics. This gives learners an early opportunity to appreciate the breadth of the subject and its practical, conceptual and mathematical demands.

### 3.1 Communication

These sections are about waves, images, simple optics and electric circuits. The physics of the imaging and signalling section is approached through how information is gathered, processed, transmitted and presented. Learners have opportunities to develop IT skills through the use of image processing, data capture and data analysis software. The material can be taught using contexts such as smart phones, data streaming, medical scanning and remote sensing. There are opportunities to address human and social concerns, for example, consequences of the growth

of worldwide digital communications (HSW9) and the ethical issues of sharing information (HSW10).

The sensing section covers the ideas involved in understanding electrical circuits, especially charge, current, potential difference, resistance, conductance and potential dividers. Some of this work will be in the context of sensors and instrumentation. There are many opportunities for gaining experimental experience and skills in these sections of the course.

#### 3.1.1 Imaging and signalling

| Learning outcomes   | Additional guidance   |
|---|---|
| <b>(a)</b> <i>Describe and explain:</i>   |   |
| <b>(i)</b> the formation of a real image by a thin converging lens, understood as the lens changing the curvature of the incident wave-front  | HSW9  |
| <b>(ii)</b> the storage of images in a computer as an array of numbers that may be manipulated to enhance the image (vary brightness and contrast, reduce noise, detect edges and use false colour) | Learners are not expected to carry out numerical manipulations in the examination; an understanding of the nature of the processes will be sufficient |
| <b>(iii)</b> digitising a signal (which may contain noise); advantages and disadvantages of digital signals   | HSW12   |
| <b>(iv)</b> evidence of the polarisation of electromagnetic waves.  |   |
| <b>(b)</b> <i>Make appropriate use of:</i>  |   |
| <b>(i)</b> the terms: pixel, bit, byte, focal length and power, magnification, resolution, sampling, signal, noise, polarisation  |   |

by sketching and interpreting:

- (ii) diagrams of the passage of light through a converging lens using both wave-fronts and rays
- (iii) diagrams of wave-forms.

**(c) Make calculations and estimates involving:**

- (i) the amount of information in an image  
= no. of pixels  $\times$  bits per pixel
- (ii) power of a converging lens  $P = 1/f$ , as change of curvature of wave-fronts produced by the lens HSW10
- (iii) use of  $\frac{1}{v} = \frac{1}{u} + \frac{1}{f}$  (Cartesian convention) restricted to thin converging lenses and real images; M0.3, M1.1, M2.2, M2.4, M3.2
- (iv) linear magnification  $m = \frac{\text{image height}}{\text{object height}} = \frac{v}{u}$
- (v)  $v = f\lambda$  including the use of  $f = 1/T$
- (vi) number of bits,  $b$ , provides  $N = 2^b$  alternatives;  $b = \log_2 N$  M0.5
- (vii) minimum rate of sampling  $> 2 \times$  maximum frequency of signal M2.1
- (viii) rate of transmission of digital information  
= samples per second  $\times$  bits per sample
- (ix) the graphical representation of the digitisation of an analogue signal for a given number of levels of resolution M3.1
- (x) use of  $b = \log_2 \frac{v_{\text{total}}}{v_{\text{noise}}}$ .

**(d) Demonstrate and apply knowledge and understanding of the following practical activities (HSW4):**

- (i) determination of power or focal length of converging lenses using **3.1.1c(iii)** links to **3.1.1c(ii)(iii)**
- (ii) observing polarising effects using microwaves and light. links to **3.1.1a(iv)**

### 3.1.2 Sensing

| Learning outcomes  | Additional guidance  |
|--|--|
| <b>(a)</b> <i>Describe and explain:</i>  |  |
| <b>(i)</b> current as the flow of charged particles  | HSW1, 7  |
| <b>(ii)</b> potential difference as energy per unit charge   |  |
| <b>(iii)</b> resistance and conductance, including series and parallel combinations  |  |
| <b>(iv)</b> the effect of internal resistance and the meaning of e.m.f.  | HSW9, 12   |
| <b>(v)</b> dissipation of power in electric circuits   | HSW9, 10, 12   |
| <b>(vi)</b> the relationship between potential difference and current in ohmic resistors (Ohm's law)   |  |
| <b>(vii)</b> the action of a potential divider   |  |
| <b>(viii)</b> simple electrical behaviour of metals, semiconductors and insulators in terms of the number density of mobile charge carriers  |  |
| <b>(ix)</b> conservation of charge and energy.   | as represented by Kirchhoff's first and second law<br>HSW1 |
| <b>(b)</b> <i>Make appropriate use of:</i>   |  |
| <b>(i)</b> the terms: e.m.f, potential difference, current, charge, resistance, conductance, series, parallel, internal resistance, load, resistivity, conductivity, charge carrier number density |  |
| <b>(ii)</b> and recognise standard circuit symbols   |  |
| <i>by sketching and interpreting:</i>  |  |
| <b>(iii)</b> graphs of current against potential difference and graphs of resistance or conductance against temperature for ohmic and non-ohmic devices or components.                             | M3.12<br>HSW11   |

(c) *Make calculations and estimates involving:*

(i)  $R = \frac{V}{I}, G = \frac{I}{V},$   
 $V = \frac{W}{Q} = \frac{P}{I},$   
 $P = IV = I^2 R,$   
 $W = VIt,$   
 $V = \mathcal{E} - Ir_{\text{internal}}$

(ii)  $I = \frac{\Delta Q}{\Delta t},$   
 $\frac{1}{G} = \frac{1}{G_1} + \frac{1}{G_2} + \dots \quad G = G_1 + G_2 + \dots$   
 $R = R_1 + R_2 + \dots \quad \frac{1}{R} = \frac{1}{R_1} + \frac{1}{R_2} + \dots$

(iii)  $R = \frac{\rho L}{A}; G = \frac{\sigma A}{L}$

(iv) simple cases of a potential divider in a circuit using:

$$V_{\text{out}} = \frac{R_2}{R_1 + R_2} \times V_{\text{in}} \quad \text{and} \quad \frac{V_1}{V_2} = \frac{R_1}{R_2}$$

(d) *Demonstrate and apply knowledge and understanding of the following practical activities (HSW4):*

(i) investigating electrical characteristics for a range of ohmic and non-ohmic components using voltmeters and ammeters

(ii) determining the resistivity or conductivity of a metal

(iii) use of potential divider circuits, which may include sensors such as thermistor, LDR

(iv) the calibration of a sensor or instrument

(v) determining the internal resistance of a chemical cell or other source of e.m.f.

Learners will also be expected to recall the equations for  $R$  and  $G$

*M0.1, M0.4, M0.5, M1.1, M2.3*

Epsilon is used as the symbol for e.m.f. to avoid confusion with  $E$  which is used for energy and electric field. The ASE guide 'Signs symbols and systematics' details  $E$  as the correct symbol for e.m.f. and this will be credited in all examinations.

*M1.4, M2.3, M4.3*

Learners will be expected to recall the proportionality of potential difference and resistance in a series circuit

links to **3.1.2a(vi), b(iii)**  
**PAG3**

links to **3.1.2c(iii)**  
**PAG3**

links to **3.1.2a(vii), c(iii)**  
**PAG4**

links to **3.1.2a(vii)**

links to **3.1.2a(iv)**

### 3.2 Mechanical properties of materials

This section is about materials and how their mechanical properties (and hence their applications) are related to their structures. The physics may be put into context through a study of materials in medicine and engineering. Human and cultural issues arise in considering the impact of materials on technology and society (HSW7, 9, 10, 11, 12).

It is not intended that learners acquire a detailed knowledge of a range of materials. Learners should have a reading comprehension of terms needed to understand accounts of structure, uses and properties of materials. Examples should include: a metal, a ceramic, and a long-chain polymer. Learners should be given opportunities to discuss and share their understanding of the uses and properties of these materials (HSW8).

| Learning outcomes  | Additional guidance   |
|--|---|
| <b>(a)</b> <i>Describe and explain:</i>  |   |
| <b>(i)</b> simple mechanical behaviour: elastic and plastic deformation and fracture   |   |
| <b>(ii)</b> direct evidence of the size of particles and their spacing   | Examples: Scanning Tunnelling Microscope images; Rayleigh's oil drop experiment<br>HSW7, 11 |
| <b>(iii)</b> behaviour/structure of classes of materials, limited to metals, ceramics and polymers; dislocations leading to slip in metals with brittle materials not having mobile dislocations; polymer behaviour in terms of chain entanglement/unravelling | HSW12   |
| <b>(iv)</b> one method of measuring Young modulus and fracture stress.   | M1.2  |
| <b>(b)</b> <i>Make appropriate use of:</i>   |   |
| <b>(i)</b> the terms: stress, strain, Young modulus, tension, compression, fracture stress and yield stress, stiff, elastic, plastic, ductile, hard, brittle, tough, strong, dislocation   |   |
| <i>by sketching and interpreting:</i>  |   |
| <b>(ii)</b> force–extension and stress–strain graphs up to fracture  | M3.1, M3.2, M3.12   |
| <b>(iii)</b> tables and diagrams comparing materials by properties   | M3.1  |
| <b>(iv)</b> images showing structures of materials.  | HSW7, 11  |
| <b>(c)</b> <i>Make calculations and estimates involving:</i>   |   |
| <b>(i)</b> Hooke's law, $F = kx$ ; energy stored in an elastic material (elastic strain energy) $= \frac{1}{2}kx^2$ ; energy as area under Force–extension graph for elastic materials   | M0.5, M2.2, M2.3, M3.8<br>(loading only)  |



(ii)  $\text{stress} = \frac{\text{tension}}{\text{cross-sectional area}},$

M0.3, M1.1, M1.4

$$\text{strain} = \frac{\text{extension}}{\text{original length}},$$

$$\text{Young modulus } E = \frac{\text{stress}}{\text{strain}}$$

2 (d) *Demonstrate and apply knowledge and understanding of the following practical activities:*

(i) plotting force–extension characteristics for arrangements of springs, rubber bands, polythene strips, etc.

links to **3.2a(iii), b(ii), c(i)**  
HSW4

(ii) determining Young modulus for a metal such as copper, steel or other wire.

links to **3.2a(iv), c(ii)**  
**PAG2**

## Module 4: Understanding Processes

This module provides progression from the application-oriented work in Physics in action. Understanding Processes is organised around different ways of describing and understanding processes of change: motion in space and time, wave motion, quantum behaviour. It provides a sound foundation in the classical physics of mechanics and waves and takes the story further, touching on the quantum probabilistic view.

Physical variables are extended from scalars to quantities that add like vectors.

Either section may be covered first. Some teachers may wish to introduce work on vector addition from **4.2** before embarking on work on combining phasors.

The first section of the module is mainly about superposition phenomena of waves with a brief account of the quantum behaviour of photons. This is a rich field for practical physics and learners will have many opportunities to extend their experimental and analytical skills. In addition, the topics provide a picture of the development of theories and understanding over time (HSW1, HSW2, HSW7). Quantum behaviour is discussed through considering possible photon paths, avoiding the wave/particle dichotomy.

### 4.1 Waves and quantum behaviour

| Learning outcomes   | Additional guidance   |
|---|---|
| <b>(a)</b> <i>Describe and explain:</i>   |   |
| <b>(i)</b> production of standing waves by waves travelling in opposite directions  | Including graphical treatment<br>HSW1, 2                                  |
| <b>(ii)</b> interference of waves from two slits  |   |
| <b>(iii)</b> refraction of light at a plane boundary in terms of the changes in the speed of light and explanation in terms of the wave model of light            | M0.2  |
| <b>(iv)</b> diffraction of waves passing through a narrow aperture  | HSW6  |
| <b>(v)</b> diffraction by a grating   |   |
| <b>(vi)</b> evidence that photons exchange energy in quanta $E = hf$ (for example, one of light-emitting diodes, photoelectric effect and line spectra)           | limitations of particle and wave models HSW7,11<br>M3.1, M3.2, M3.3, M3.4 |
| <b>(vii)</b> quantum behaviour: quanta have a certain probability of arrival; the probability is obtained by combining amplitude and phase for all possible paths | M1.3  |
| <b>(viii)</b> evidence from electron diffraction that electrons show quantum behaviour.   | HSW7, 11  |

(b) *Make appropriate use of:*

- (i) the terms: phase, phasor, amplitude, probability, interference, diffraction, superposition, coherence, path difference, intensity, electronvolt, refractive index, work function, threshold frequency.

(c) *Make calculations and estimates involving:*

- (i) wavelength of standing waves end corrections not required

- (ii) Snell's law,  $n = \frac{\sin i}{\sin r} = \frac{c_{\text{1st medium}}}{c_{\text{2nd medium}}}$  *M0.6, M4.5*

- (iii) path differences for double slits and diffraction grating, for constructive interference  $n\lambda = d \sin \theta$  (both limited to the case of a distant screen) angles may be given in degrees or radians, the use of the small angle approximation is expected  
*M0.6, M4.6, M4.7*

- (iv) the energy carried by photons across the spectrum,  $E = hf$  *M0.2, M2.3*

- (v) the wavelength of a particle of momentum  $p$ ,  $\lambda = \frac{h}{p}$ . As given by the de Broglie relationship  
*M0.2, M2.3*

(d) *Demonstrate and apply knowledge and understanding of the following practical activities (HSW4):*

- |  |   |
|--|---|
| (i) using an oscilloscope to determine frequencies   | links to <b>4.1a(i)</b><br><b>PAG5</b>                |
| (ii) determining refractive index for a transparent block                                      | links to <b>4.1c(ii)</b>                              |
| (iii) superposition experiments using vibrating strings, sound waves, light and microwaves     | links to <b>4.1a(i), b(i), c(i)</b><br><b>PAG5</b>    |
| (iv) determining the wavelength of light with a double-slit and diffraction grating            | links to <b>4.1a(ii), a(v), c(iii)</b><br><b>PAG5</b> |
| (v) determining the speed of sound in air by formation of stationary waves in a resonance tube | links to <b>4.1a(i), c(i)</b><br><b>PAG5</b>          |
| (vi) determining the Planck constant using different coloured LEDs.                            | links to <b>4.1a(vi), c(iv)</b><br><b>PAG6</b>        |

## 4.2 Space, time and motion

This section develops classical mechanics, including vectors. The conservation of momentum, the kinematics of uniformly accelerated motion and the dynamics of motion in two dimensions under a

constant force are covered. IT skills may be developed through a variety of data capture techniques and simple mathematical modelling (HSW3).

| Learning outcomes  | Additional guidance                         |
|--|---|
| <b>(a) Describe and explain:</b>   |   |
| <b>(i)</b> the use of vectors to represent displacement, velocity and acceleration   |   |
| <b>(ii)</b> the trajectory of a body moving under constant acceleration, in one or two dimensions  |   |
| <b>(iii)</b> the independent effect of perpendicular components of a force   |   |
| <b>(iv)</b> calculation of work done, including cases where the force is not parallel to the displacement  |   |
| <b>(v)</b> the principle of conservation of energy   | HSW1  |
| <b>(vi)</b> power as rate of transfer of energy  |   |
| <b>(vii)</b> measurement of displacement, velocity and acceleration  |   |
| <b>(viii)</b> Newton's laws of motion  | HSW7  |
| <b>(ix)</b> The principle of conservation of momentum; Newton's third law as a consequence.  | HSW2, 7                                     |
| <b>(b) Make appropriate use of:</b>  |   |
| <b>(i)</b> the terms: displacement, speed, velocity, acceleration, force, mass, vector, scalar, work, energy, power, momentum, impulse           |   |
| <i>by sketching and interpreting:</i>  |   |
| <b>(ii)</b> graphs of accelerated motion; slope of displacement-time and velocity-time graphs; area underneath the line of a velocity-time graph | M3.3, M3.4, M3.5, M3.6, M3.7, M3.12<br>HSW5 |
| <b>(iii)</b> graphical representation of addition of vectors and changes in vector magnitude and direction.                                      |   |

(c) *Make calculations and estimates involving:*

- |        |  |   |
|--------|--|---|
| (i)    | the resolution of a vector into two components at right angles to each other   | M4.5  |
| (ii)   | the addition of two vectors, graphically and algebraically   | algebraic calculations restricted to two perpendicular vectors<br>M4.1, M4.2, M4.4              |
| (iii)  | the kinematic equations for constant acceleration derivable from:<br>$a = \frac{v - u}{t}$ and average velocity = $\frac{v + u}{2}$ :<br>$v = u + at$ , $s = ut + \frac{1}{2}at^2$ , $v^2 = u^2 + 2as$ | M2.2, M2.4  |
| (iv)   | momentum $p = mv$  | M2.3  |
| (v)    | the equation $F = ma = \frac{\Delta(mv)}{\Delta t}$ where the mass is constant   | Learners will also be expected to recall the equation $F = ma$<br>M2.1                          |
| (vi)   | the principle of conservation of momentum  | one-dimensional problems only   |
| (vii)  | work done $\Delta E = F\Delta s$   | If displacement is at an angle $\theta$ to the force $\Delta E = F\Delta s \cos \theta$<br>M2.1 |
| (viii) | kinetic energy = $\frac{1}{2}mv^2$   | Learners will also be expected to recall this equation<br>M0.5                                  |
| (ix)   | gravitational potential energy = $mgh$   | Learners will also be expected to recall this equation<br>M2.3                                  |
| (x)    | force, energy and power:<br>power = $\frac{\Delta E}{t}$ , power = $Fv$  | M2.3  |
| (xi)   | modelling changes of displacement and velocity in small discrete time steps, using a computational model or graphical representation of displacement and velocity vectors.                             | calculations restricted to zero or constant resultant force<br>M3.9                             |

(d) *Demonstrate and apply knowledge and understanding of the following practical activities (HSW4):*

- |      |   |   |
|------|---|---|
| (i)  | investigating the motion and collisions of objects using trolleys, air-track gliders etc. with data obtained from ticker timers, light gates, data-loggers and video techniques | links to 4.2a(vii), b(ii), c<br><b>PAG1</b> |
| (ii) | determining the acceleration of free fall, using trapdoor and electromagnet arrangement, lightgates or video technique  | links to 4.2a(vii), b(ii), c<br><b>PAG1</b> |



- (iii) investigating terminal velocity with experiments such as dropping a ball-bearing in a viscous liquid or dropping paper cones in air.

links to **4.2a(vii), b(ii), c**  
**PAG1**

## 2d. Prior knowledge, learning and progression

This specification has been developed for learners who wish to continue with a study of Physics at Level 3. The AS level specification has been written to provide progression from GCSE Science, GCSE Additional Science, GCSE Further Additional Science or from GCSE Physics. Learners who have successfully taken other Level 2 qualifications in Science or Applied Science with appropriate physics content may also have acquired sufficient knowledge and understanding to begin the AS level Physics course.

There is no formal requirement for prior knowledge of physics for entry onto this qualification. Other learners without formal qualifications may have acquired sufficient knowledge of physics to enable progression onto the course.

Some learners may wish to follow a physics course for only one year as an AS, in order to broaden their curriculum, and to develop their interest and understanding of different areas of the subject. Others may follow a co-teachable route, completing the one-year AS course and/or then moving to the two-year A level developing a deeper knowledge and understanding of physics and its applications.

The A level Physics course will prepare learners for progression to undergraduate study, enabling them to enter a range of academic and vocational careers in Mathematics-related courses, Physical Sciences, Engineering, Medicine, Computing and related sectors. For learners wishing to follow an apprenticeship route or those seeking direct entry into physical science careers, this A level provides a strong background and progression pathway.

There are a number of Science specifications at OCR. Find out more at [www.ocr.org.uk](http://www.ocr.org.uk).

# 3 Assessment of OCR AS Level in Physics B (Advancing Physics)

## 3a. Forms of assessment

---

Both externally assessed components (01 and 02) contain some synoptic assessment. Component 02 contains some extended response questions.

### Foundations of physics (Component 01)

---

This component is worth 70 marks and assesses content from all teaching modules. Learners answer all questions.

**Section A** contains multiple choice questions. This section of the paper is worth 20 marks.

**Section B** includes short answer question styles (structured questions, problem solving, calculations,

practical). This section of the paper is worth approximately 20 marks.

**Section C** includes longer structured short answer question styles (problem solving, calculations, practical). This section of the paper is worth approximately 30 marks.

### Physics in depth (Component 02)

---

This component is worth 70 marks and assesses content from across all teaching modules. Learners answer all questions.

**Section A** includes short answer question styles (structured questions, problem solving, calculations, practical). This section of the paper is worth approximately 25 marks.

**Section B** includes short answer question styles (structured questions, problem solving, calculations,

practical) and extended response questions (section 3e). This section of the paper is worth approximately 30 marks.

**Section C** takes the form of a longer structured question (problem solving, calculations, practical, extended response) focusing on practical skills. This section of the paper is worth approximately 15 marks.

### 3b. Assessment objectives (AO)

There are three assessment objectives in OCR's AS level Physics B (Advancing Physics). These are detailed in the tables below.

Learners are expected to demonstrate their ability to:

|            | Assessment Objective   |
|------------|--|
| <b>AO1</b> | Demonstrate knowledge and understanding of scientific ideas, processes, techniques and procedures.   |
| <b>AO2</b> | Apply knowledge and understanding of scientific ideas, processes, techniques and procedures: <ul style="list-style-type: none"><li>• in a theoretical context</li><li>• in a practical context</li><li>• when handling qualitative data</li><li>• when handling quantitative data.</li></ul> |
| <b>AO3</b> | Analyse, interpret and evaluate scientific information, ideas and evidence, including in relation to issues, to: <ul style="list-style-type: none"><li>• make judgements and reach conclusions</li><li>• develop and refine practical design and procedures.</li></ul>                       |

### AO weightings in A Level in Physics B

The relationship between the assessment objectives and the components are shown in the following table:

| Component                        | % of AS Level in Physics B (H157) |              |              |
|----------------------------------|-----------------------------------|--------------|--------------|
|                                  | AO1                               | AO2          | AO3          |
| Foundations of physics (H157/01) | 22–24                             | 19–20        | 7–9          |
| Physics in depth (H157/02)       | 13–16                             | 21–24        | 13–14        |
| <b>Total</b>                     | <b>35–40</b>                      | <b>40–44</b> | <b>20–23</b> |

### 3c. Total qualification time

Total qualification time (TQT) is the total amount of time, in hours, expected to be spent by a learner to achieve a qualification. It includes both guided learning hours and hours spent in preparation, study, and

assessment. The total qualification time for AS Level Physics B is 180 hours. The total guided learning time is 180 hours.

### 3d. Qualification availability outside of England

This qualification is available in England. For Wales and Northern Ireland please check the Qualifications in Wales Portal (QIW) or the Northern Ireland Department of Education Performance Measures /

Northern Ireland Entitlement Framework Qualifications Accreditation Number (NIEFQAN) list to see current availability.

### 3e. Language

---

This qualification is available in English only. All assessment materials are available in English only and all candidate work must be in English.

### 3f. Assessment availability

---

There will be one examination series available each year in May/June for **all** learners.

This specification will be certificated from the June 2016 examination series onwards.

All examined components must be taken in the same examination series at the end of the course.

### 3g. Retaking the qualification

---

Learners can retake the qualification as many times as they wish.

They retake all examined components of the qualification.

### 3h. Assessment of extended responses

---

The assessment materials for this qualification provide learners with the opportunity to demonstrate their ability to construct and develop a sustained and

coherent line of reasoning and marks for extended responses are integrated into the marking criteria.

### 3i. Synoptic assessment

---

Synoptic assessment tests the learners' understanding of the connections between different elements of the subject.

Synoptic assessment involves the explicit drawing together of knowledge, understanding and skills learned in different parts of the AS level course. The emphasis of synoptic assessment is to encourage the development of the understanding of the subject as a discipline. Both components with Physics B (Advancing Physics) contain an element of synoptic assessment.

Synoptic assessment requires learners to make and use connections within and between different areas of physics, for example, by:

- applying knowledge and understanding of more than one area to a particular situation or context
- using knowledge and understanding of principles and concepts in planning experimental and investigative work and in the analysis and evaluation of data
- bringing together scientific knowledge and understanding from different areas of the subject and applying them.

### 3j. Calculating qualification results

---

A learner's overall qualification grade for AS Level in Physics B (Advancing Physics) will be calculated by adding together their marks from the two components taken to give their total weighted mark.

This mark will then be compared to the qualification level grade boundaries for the relevant exam series to determine the learner's overall qualification grade.

## 4 Admin: what you need to know

The information in this section is designed to give an overview of the processes involved in administering this qualification so that you can speak to your exams officer. All of the following processes require you to submit something to OCR by a specific deadline.

More information about the processes and deadlines involved at each stage of the assessment cycle can be found in the Administration area of the OCR website.

OCR's Admin overview is available on the OCR website at <http://www.ocr.org.uk/administration>.

### 4a. Pre-assessment

#### Estimated entries

Estimated entries are your best projection of the number of learners who will be entered for a qualification in a particular series.

Estimated entries should be submitted to OCR by the specified deadline. They are free and do not commit your centre in any way.

#### Final entries

Final entries provide OCR with detailed data for each learner, showing each assessment to be taken. It is essential that you use the correct entry code, considering the relevant entry rules.

Final entries must be submitted to OCR by the published deadlines or late entry fees will apply.

All learners taking AS Level in Physics B (Advancing Physics) must be entered using the entry code H157.

| Entry option |                               | Component |                       |                     |
|--------------|-------------------------------|-----------|-----------------------|---------------------|
| Entry code   | Title                         | Code      | Title                 | Assessment type     |
| H157         | Physics B (Advancing Physics) | 01        | Foundation of physics | External assessment |
|              |                               | 02        | Physics in depth      | External assessment |

#### Private candidates

Private candidates may enter for OCR assessments.

A private candidate is someone who pursues a course of study independently but takes an examination or assessment at an approved examination centre. A private candidate may be a part-time student, someone taking a distance learning course, or someone being tutored privately. They must be based in the UK.

Private candidates need to contact OCR approved centres to establish whether they are prepared to host them as a private candidate. The centre may charge for this facility and OCR recommends that the arrangement is made early in the course.

Further guidance for private candidates may be found on the OCR website: <http://www.ocr.org.uk>

## Head of centre annual declaration

---

The Head of Centre is required to provide a declaration to the JCQ as part of the annual NCN update, conducted in the autumn term, to confirm that the centre is meeting all of the requirements detailed in the specification.

Any failure by a centre to provide the Head of Centre Annual Declaration will result in your centre status being suspended and could lead to the withdrawal of our approval for you to operate as a centre.

## Collecting evidence of student performance to ensure resilience in the qualifications system

---

Regulators have published guidance on collecting evidence of student performance as part of long-term contingency arrangements to improve the resilience of the qualifications system. You should review and consider this guidance when delivering this qualification to students at your centre.

For more detailed information on collecting evidence of student performance please visit our website at: <https://www.ocr.org.uk/administration/general-qualifications/assessment/>

4

### 4b. Accessibility and special consideration

---

Reasonable adjustments and access arrangements allow learners with special educational needs, disabilities or temporary injuries to access the assessment and show what they know and can do, without changing the demands of the assessment.

Applications for these should be made before the examination series. Detailed information about eligibility for access arrangements can be found

in the JCQ *Access Arrangements and Reasonable Adjustments*.

Special consideration is a post-assessment adjustment to marks or grades to reflect temporary injury, illness or other indisposition at the time the assessment was taken. Detailed information about eligibility for special consideration can be found in the JCQ *A guide to the special consideration process*.

### 4c. External assessment arrangements

---

Regulations governing examination arrangements are contained in the JCQ *Instructions for conducting examinations*.

Learners are permitted to use a scientific or graphical calculator for both components. Calculators are subject to the rules in the document *Instructions for Conducting Examinations* published annually by JCQ ([www.jcq.org.uk](http://www.jcq.org.uk)).



## 4d. Results and certificates

### Grade scale

Advanced Subsidiary qualifications are graded on the scale: A, B, C, D, E, where A is the highest. Learners who fail to reach the minimum standard for E will be

Unclassified (U). Only subjects in which grades A to E are attained will be recorded on certificates.

### Results

Results are released to centres and learners for information and to allow any queries to be resolved **before** certificates are issued.

Centres will have access to the following results information for each learner:

- the grade for the qualification
- the raw mark for each component
- the total weighted mark for the qualification.

The following supporting information will be available:

- raw mark grade boundaries for each component
- weighted mark grade boundaries for each entry option.

Until certificates are issued, results are deemed to be provisional and may be subject to amendment. A learner's final results will be recorded on an OCR certificate.

The qualification title will be shown on the certificate as 'OCR Level 3 Advanced Subsidiary GCE in Physics B (Advancing Physics)'.

## 4e. Post-results services

A number of post-results services are available:

- **Review of results** – If you are not happy with the outcome of a learner's results, centres may request a review of marking.
- **Missing and incomplete results** – This service should be used if an individual subject result for a learner is missing, or the learner has been omitted entirely from the results supplied.
- **Access to scripts** – Centres can request access to marked scripts.

## 4f. Malpractice

Any breach of the regulations for the conduct of examinations and coursework may constitute malpractice (which includes maladministration) and must be reported to OCR as soon as it is detected.

Detailed information on malpractice can be found in the *Suspected Malpractice in Examinations and Assessments: Policies and Procedures* published by JCQ.

## 5 Appendices

### 5a. Overlap with other qualifications

---

There is a small degree of overlap between the content of this specification and those for other AS level/A level Sciences.

Examples of overlap include:

#### Chemistry

- Atomic structure.

#### Science

- Atomic structure.
- Electromagnetic spectrum.

### 5b. Avoidance of bias

---

The AS level qualification and subject criteria have been reviewed in order to identify any feature which could disadvantage learners who share a protected

characteristic as defined by the Equality Act 2010. All reasonable steps have been taken to minimise any such disadvantage.

## 5c. Physics B data sheet

### Data, Formulae and Relationships

The data, formulae and relationships in this data sheet will be printed for distribution with the examination papers.

#### Data

Values are given to three significant figures, except where more – or fewer – are useful.

#### Physical constants

|                              |                                |  |
|------------------------------|--------------------------------|--|
| speed of light               | $c$                            | $3.00 \times 10^8 \text{ m s}^{-1}$  |
| permittivity of free space   | $\epsilon_0$                   | $8.85 \times 10^{-12} \text{ C}^2 \text{ N}^{-1} \text{ m}^{-2}$ (or $\text{F m}^{-1}$ )                 |
| electric force constant      | $k = \frac{1}{4\pi\epsilon_0}$ | $8.98 \times 10^9 \text{ N m}^2 \text{ C}^{-2}$ ( $\approx 9 \times 10^9 \text{ N m}^2 \text{ C}^{-2}$ ) |
| permeability of free space   | $\mu_0$                        | $4\pi \times 10^{-7} \text{ N A}^{-2}$ (or $\text{H m}^{-1}$ )   |
| charge on an electron        | $-e$                           | $-1.60 \times 10^{-19} \text{ C}$  |
| mass of electron             | $m_e$                          | $9.11 \times 10^{-31} \text{ kg} = 0.000\,55 \text{ u}$  |
| mass of proton               | $m_p$                          | $1.673 \times 10^{-27} \text{ kg} = 1.007\,3 \text{ u}$  |
| mass of neutron              | $m_n$                          | $1.675 \times 10^{-27} \text{ kg} = 1.008\,7 \text{ u}$  |
| mass of alpha particle       | $m_\alpha$                     | $6.646 \times 10^{-27} \text{ kg} = 4.001\,5 \text{ u}$  |
| Avogadro constant            | $L, N_A$                       | $6.02 \times 10^{23} \text{ mol}^{-1}$   |
| Planck constant              | $h$                            | $6.63 \times 10^{-34} \text{ J s}$   |
| Boltzmann constant           | $k$                            | $1.38 \times 10^{-23} \text{ J K}^{-1}$  |
| molar gas constant           | $R$                            | $8.31 \text{ J mol}^{-1} \text{ K}^{-1}$   |
| gravitational force constant | $G$                            | $6.67 \times 10^{-11} \text{ N m}^2 \text{ kg}^{-2}$   |

## Other data

|   |       |   |
|---|-------|---|
| standard temperature and pressure (stp)                       |       | 273 K (0°C), $1.01 \times 10^5$ Pa (1 atmosphere) |
| molar volume of a gas at stp                                  | $V_m$ | $2.24 \times 10^{-2} \text{ m}^3$                 |
| gravitational field strength at the Earth's surface in the UK | $g$   | $9.81 \text{ N kg}^{-1}$                          |

## Conversion factors

|                          |              |                                      |
|--------------------------|--------------|--------------------------------------|
| unified atomic mass unit | 1 u          | $= 1.661 \times 10^{-27} \text{ kg}$ |
|                          | 1 day        | $= 8.64 \times 10^4 \text{ s}$       |
|                          | 1 year       | $\approx 3.16 \times 10^7 \text{ s}$ |
|                          | 1 light year | $\approx 10^{16} \text{ m}$          |

## Mathematical equations

$$e = 2.72 \quad \pi = 3.14 \quad 1 \text{ radian} = 57.3^\circ$$

$$\text{arc} = r\theta$$

$$\sin \theta \approx \tan \theta \approx \theta$$

and  $\cos \theta \approx 1$  for small  $\theta$

$$\ln(x^n) = n \ln x$$

$$\ln(e^{kx}) = kx$$

$$\text{circumference of circle} = 2\pi r$$

$$\text{area of circle} = \pi r^2$$

$$\text{surface area of cylinder} = 2\pi rh$$

$$\text{volume of cylinder} = \pi r^2 h$$

$$\text{surface area of sphere} = 4\pi r^2$$

$$\text{volume of sphere} = \frac{4}{3}\pi r^3$$

## Prefixes

|            |           |           |           |        |        |        |
|------------|-----------|-----------|-----------|--------|--------|--------|
| $10^{-12}$ | $10^{-9}$ | $10^{-6}$ | $10^{-3}$ | $10^3$ | $10^6$ | $10^9$ |
| p          | n         | $\mu$     | m         | k      | M      | G      |

## Formulae and relationships

### Imaging and signalling

|   |   |
|---|---|
| focal length                                | $\frac{1}{v} = \frac{1}{u} + \frac{1}{f}$   |
| linear magnification                        | $m = \frac{v}{u}$   |
| refractive index                            | $n = \frac{\sin i}{\sin r} = \frac{c_{\text{1st medium}}}{c_{\text{2nd medium}}}$ |
| noise limitation on maximum bits per sample | $b = \log_2 \left( \frac{V_{\text{total}}}{V_{\text{noise}}} \right)$             |
| alternatives, $N$ , provided by $b$ bits    | $N = 2^b, b = \log_2 N$   |

### Electricity

|                                   |   |
|-----------------------------------|---|
| current                           | $I = \frac{\Delta Q}{\Delta t}$   |
| potential difference              | $V = \frac{W}{Q}$   |
| power and energy                  | $P = IV = I^2 R, W = VIt$   |
| e.m.f and potential difference    | $V_{\text{load}} = \mathcal{E} - Ir$  |
| conductors in series and parallel | $\frac{1}{G} = \frac{1}{G_1} + \frac{1}{G_2} + \dots \quad G = G_1 + G_2 + \dots$ |
| resistors in series and parallel  | $R = R_1 + R_2 + \dots \quad \frac{1}{R} = \frac{1}{R_1} + \frac{1}{R_2} + \dots$ |
| potential divider                 | $V_{\text{out}} = \frac{R_2}{R_1 + R_2} V_{\text{in}}$                            |
| conductivity and resistivity      | $G = \frac{\sigma A}{L} \quad R = \frac{\rho L}{A}$                               |
| capacitance                       | $C = \frac{Q}{V}$   |
| energy stored in a capacitor      | $E = \frac{1}{2} QV = \frac{1}{2} CV^2$   |
| discharge of capacitor            | $\frac{dQ}{dt} = -\frac{Q}{RC} \quad Q = Q_0 e^{-t/RC} \quad \tau = RC$           |

## Materials

Hooke's law

$$F = kx$$

elastic strain energy

$$\frac{1}{2}kx^2$$

Young modulus

$$E = \frac{\text{stress}}{\text{strain}}$$

$$\text{stress} = \frac{\text{tension}}{\text{cross-sectional area}}, \text{ strain} = \frac{\text{extension}}{\text{original length}}$$

## Gases

kinetic theory of gases

$$pV = \frac{1}{3}Nm\overline{c^2}$$

ideal gas equation

$$pV = nRT = NkT$$

## Motion and forces

momentum

$$p = mv$$

impulse

$$F\Delta t$$

force

$$F = \frac{\Delta(mv)}{\Delta t}$$


work done

$$W = Fx \quad \Delta E = F\Delta s$$

power

$$P = Fv, P = \frac{\Delta E}{t}$$

components of a vector in two perpendicular directions



equations for uniformly accelerated motion

$$s = ut + \frac{1}{2}at^2$$

$$v = u + at$$

$$v^2 = u^2 + 2as$$

for circular motion

$$a = \frac{v^2}{r}, F = \frac{mv^2}{r} = mr\omega^2$$

## Energy and thermal effects

energy

$$\Delta E = mc\Delta\theta$$

average energy approximation

$$\text{average energy} \sim kT$$



Boltzmann factor

$$e^{-\frac{E}{kT}}$$

## Waves

wave formula

$$v = f\lambda$$

frequency and period

$$f = \frac{1}{T}$$

diffraction grating

$$n\lambda = d \sin \theta$$

## Oscillations

simple harmonic motion

$$\frac{d^2x}{dt^2} = a = -\left(\frac{k}{m}\right)x = -\omega^2 x$$

$$x = A \cos(\omega t)$$

$$x = A \sin(\omega t)$$

$$\omega = 2\pi f$$

periodic time

$$T = 2\pi \sqrt{\frac{m}{k}}$$

$$T = 2\pi \sqrt{\frac{L}{g}}$$

total energy

$$E = \frac{1}{2}kA^2 = \frac{1}{2}mv^2 + \frac{1}{2}kx^2$$

## Atomic and nuclear physics

radioactive decay

$$\frac{\Delta N}{\Delta t} = -\lambda N \quad N = N_0 e^{-\lambda t}$$

half life

$$T_{\frac{1}{2}} = \frac{\ln 2}{\lambda}$$

radioactive dose and risk

absorbed dose = energy deposited per unit mass

effective dose = absorbed dose  $\times$  quality factor

risk = probability  $\times$  consequence

mass–energy relationship

$$E_{\text{rest}} = mc^2$$

relativistic factor

$$\gamma = \frac{1}{\sqrt{1 - v^2/c^2}}$$

relativistic energy

$$E_{\text{total}} = \gamma E_{\text{rest}}$$

energy–frequency relationship for photons

$$E = hf$$

de Broglie

$$\lambda = \frac{h}{p}$$

## Field and potential

for all fields

$$\text{field strength} = -\frac{dV}{dr} \approx -\frac{\Delta V}{\Delta r}$$

gravitational fields

$$g = \frac{F}{m}, E_{\text{grav}} = -\frac{GmM}{r^2}$$

$$V_{\text{grav}} = -\frac{GM}{r}, F = -\frac{GMm}{r^2}$$

electric fields

$$E = \frac{F}{q} = \frac{V}{d}, \text{ electrical potential energy} = \frac{kQq}{r}$$

$$V_{\text{elec}} = \frac{kQ}{r}, F = \frac{kQq}{r^2}$$

## 5

## Electromagnetism

magnetic flux

$$\phi = BA$$

force on a current carrying conductor

$$F = ILB$$

force on a moving charge

$$F = qvB$$

induced e.m.f

$$\mathcal{E} = -\frac{d(N\phi)}{dt}$$

## Symbols and Units used in Question Papers

The following list illustrates the symbols and units which are used in the AS level question papers.

| Quantity                               | Usual symbol | Usual unit                     |
|--|--------------|--------------------------------|
| mass                                   | $m$          | kg                             |
| length                                 | $L$ or $l$   | m                              |
| time                                   | $t$          | s                              |
| electric current                       | $I$          | A                              |
| thermodynamic temperature              | $T$          | K                              |
| amount of substance                    | $n$          | mol                            |
| distance                               | $d$          | m                              |
| displacement                           | $x$ or $s$   | m                              |
| area                                   | $A$          | $\text{m}^2$                   |
| volume                                 | $V$          | $\text{m}^3$                   |
| density                                | $\rho$       | $\text{kg m}^{-3}$             |
| speed                                  | $u, v, c$    | $\text{m s}^{-1}$              |
| velocity                               | $u, v, c$    | $\text{m s}^{-1}$              |
| acceleration                           | $a$          | $\text{m s}^{-2}$              |
| acceleration of free fall              | $g$          | $\text{m s}^{-2}$              |
| force                                  | $F$          | N                              |
| momentum                               | $p$          | N s                            |
| work                                   | $W$          | J                              |
| energy                                 | $W, E$       | J                              |
| potential energy                       | $E_p$        | J                              |
| kinetic energy                         | $E_k$        | J                              |
| energy transferred thermally (heating) | $Q$          | J                              |
| power                                  | $P$          | W                              |
| pressure                               | $p$          | Pa                             |
| gravitational constant                 | $G$          | $\text{N kg}^{-2} \text{ m}^2$ |
| gravitational field strength           | $g$          | $\text{N kg}^{-1}$             |
| angle                                  | $\theta$     | $^\circ, \text{rad}$           |

| Quantity                       | Usual symbol     | Usual unit                            |
|--------------------------------|------------------|---------------------------------------|
| angular displacement           | $\theta$         | $^{\circ}$ , rad                      |
| angular velocity               | $\omega$         | rad s <sup>-1</sup>                   |
| period                         | $T$              | s                                     |
| frequency                      | $f$              | Hz                                    |
| angular frequency              | $\omega$         | rad s <sup>-1</sup>                   |
| wavelength                     | $\lambda$        | m                                     |
| speed of electromagnetic waves | $c$              | m s <sup>-1</sup>                     |
| electric charge                | $Q, q$           | C                                     |
| elementary charge              | $e$              | C                                     |
| electric potential             | $V$              | V                                     |
| electric potential difference  | $V$              | V                                     |
| electromotive force (e.m.f)    | $\mathcal{E}, E$ | V                                     |
| resistance                     | $R$              | $\Omega$                              |
| conductance                    | $G$              | S                                     |
| resistivity                    | $\rho$           | $\Omega \text{ m}$                    |
| conductivity                   | $\sigma$         | S m <sup>-1</sup>                     |
| electric field strength        | $E$              | N C <sup>-1</sup> , V m <sup>-1</sup> |
| permittivity of free space     | $\epsilon_0$     | F m <sup>-1</sup>                     |
| capacitance                    | $C$              | F                                     |
| time constant                  | $\tau$           | s                                     |
| magnetic flux                  | $\Phi$           | Wb                                    |
| magnetic flux density          | $B$              | T                                     |
| permeability of free space     | $\mu_0$          | H m <sup>-1</sup>                     |
| stress                         |                  | Pa                                    |
| strain                         |                  | fraction or percent                   |
| spring constant                | $k$              | N m <sup>-1</sup>                     |
| Young modulus                  | $E$              | Pa                                    |
| Celsius temperature            | $\theta$         | $^{\circ}\text{C}$                    |
| specific heat capacity         | $c$              | J kg <sup>-1</sup> K <sup>-1</sup>    |



| Quantity                                | Usual symbol      | Usual unit                        |
|---|-------------------|-----------------------------------|
| specific latent heat                    | $L$               | $\text{J kg}^{-1}$                |
| molar gas constant                      | $R$               | $\text{J K}^{-1} \text{mol}^{-1}$ |
| Boltzmann constant                      | $k$               | $\text{J K}^{-1}$                 |
| Avogadro constant                       | $L, N_A$          | $\text{mol}^{-1}$                 |
| number                                  | $N, n$            |                                   |
| number density (number per unit volume) | $n$               | $\text{m}^{-3}$                   |
| Planck constant                         | $h$               | $\text{J s}$                      |
| work function energy                    | $W$               | $\text{J, eV}$                    |
| activity of radioactive source          | $A$               | $\text{Bq}$                       |
| decay constant                          | $\lambda$         | $\text{s}^{-1}$                   |
| half-life                               | $T_{\frac{1}{2}}$ | $\text{s}$                        |
| atomic mass                             | $m_a$             | $\text{kg, u}$                    |
| electron mass                           | $m_e$             | $\text{kg, u}$                    |
| neutron mass                            | $m_n$             | $\text{kg, u}$                    |
| proton mass                             | $m_p$             | $\text{kg, u}$                    |
| proton number                           | $Z$               |                                   |
| nucleon number                          | $A$               |                                   |
| neutron number                          | $N$               |                                   |

## 5d. How Science Works (HSW)

Incorporating Section 8 (the skills, knowledge and understanding of *How Science Works*) of the DfE criteria for science into the specification.

How Science Works was conceived as being a wider view of science in context, rather than just straightforward scientific enquiry. It was intended to develop learners as critical and creative thinkers, able to solve problems in a variety of contexts.

Developing ideas and theories to explain the operation of the entirety of our existence, from the sub-atomic particles to the Universe, is the basis of Physics. How Science Works develops the critical analysis and linking of evidence to support or refute ideas and theories. Learners should be aware of the importance that peer review and repeatability have in giving confidence to this evidence.

Learners are expected to understand the variety of sources of data available for critical analysis to provide evidence and the uncertainty involved in its measurement. They should also be able to link that evidence to contexts influenced by culture, politics and ethics.

Understanding How Science Works requires an understanding of how scientific evidence can influence ideas and decisions for individuals and society, which is linked to the necessary skills of communication for audience and for purpose with appropriate scientific terminology.

The examples and guidance within the specification are not exhaustive but give a flavour of opportunities for integrating HSW within the course. These references, written in the form HSW1, link to the statements as detailed below:

- **HSW1** Use theories, models and ideas to develop scientific explanations
- **HSW2** Use knowledge and understanding to pose scientific questions, define scientific problems, present scientific arguments and scientific ideas
- **HSW3** Use appropriate methodology, including information and communication technology (ICT), to answer scientific questions and solve scientific problems
- **HSW4** Carry out experimental and investigative activities, including appropriate risk management, in a range of contexts
- **HSW5** Analyse and interpret data to provide evidence, recognising correlations and causal relationships
- **HSW6** Evaluate methodology, evidence and data, and resolve conflicting evidence
- **HSW7** Know that scientific knowledge and understanding develops over time
- **HSW8** Communicate information and ideas in appropriate ways using appropriate terminology
- **HSW9** Consider applications and implications of science and evaluate their associated benefits and risks
- **HSW10** Consider ethical issues in the treatment of humans, other organisms and the environment
- **HSW11** Evaluate the role of the scientific community in validating new knowledge and ensuring integrity
- **HSW12** Evaluate the ways in which society uses science to inform decision making.

## 5e. Mathematical requirements

In order to be able to develop their skills, knowledge and understanding in AS level Physics, learners need to have been taught, and to have acquired competence in, the appropriate areas of mathematics relevant to the subject as indicated in the table of coverage below.

The assessment of quantitative skills will include at least 40% Level 2 (or above) mathematical skills for physics (see later for a definition of Level 2 mathematics). These skills will be applied in the context of the relevant physics.

All mathematical content will be assessed within the lifetime of the specification.

This list of examples is not exhaustive and is not limited to Level 2 examples. These skills could be developed in other areas of specification content from those indicated. For the mathematical requirements for A Level in Physics B (Advancing Physics) see the A level specification.

Additional guidance on the assessment of mathematics within physics is available on the OCR website.

|  | Mathematical skill to be assessed                           | Exemplification of the mathematical skill in the context of AS Level Physics B (assessment is not limited to the examples below)   | Areas of the specification which exemplify the mathematical skill (assessment is not limited to the examples below) |
|--|---|--|---|
| <b>M0 – Arithmetic and numerical computation</b> |   |  |   |
| <i>M0.1</i>                                      | Recognise and make use of appropriate units in calculations | Learners may be tested on their ability to: <ul style="list-style-type: none"> <li>identify the correct units for physical properties such as <math>\text{m s}^{-1}</math>, the unit for velocity;</li> <li>convert between units with different prefixes e.g. <math>\text{cm}^3</math> to <math>\text{m}^3</math>.</li> </ul> | 1.1.2(b), 2 (b)(i), 3.1.2(c)(i)   |
| <i>M0.2</i>                                      | Recognise and use expressions in decimal and standard form  | Learners may be tested on their ability to: <ul style="list-style-type: none"> <li>use physical constants expressed in standard form such as <math>c = 3.00 \times 10^8 \text{ m s}^{-1}</math>.</li> </ul>  | 1.1.3(c), 4.1(a)(iii), 4.1(c)(iv), 4.1(c)(v)  |
| <i>M0.3</i>                                      | Use ratios, fractions and percentages                       | Learners may be tested on their ability to: <ul style="list-style-type: none"> <li>calculate efficiency of devices;</li> <li>calculate percentage uncertainties in measurements.</li> </ul>  | 2(c)(i), 3.1.1(c)(iii), 3.2(c)(ii)  |

|                           | Mathematical skill to be assessed  | Exemplification of the mathematical skill in the context of AS Level Physics B (assessment is not limited to the examples below)   | Areas of the specification which exemplify the mathematical skill (assessment is not limited to the examples below) |
|---------------------------|--|--|---|
| M0.4                      | Estimate results   | Learners may be tested on their ability to: <ul style="list-style-type: none"> <li>estimate the effect of changing experimental parameters on measurable values.</li> </ul>  | 1.1.1(b), 1.1.3(a), 3.1.2(c)(i)   |
| M0.5                      | Use calculators to find and use power functions  | Learners may be tested on their ability to: <ul style="list-style-type: none"> <li>calculate kinetic energy.</li> </ul>  | 3.1.1(c)(vi), 3.1.2(c)(i), 3.2(c)(i), 3.2(c)(ii), 4.2(c)(viii)  |
| M0.6                      | Use calculators to handle $\sin x$ , $\cos x$ and $\tan x$ when $x$ is expressed in degrees or radians | Learners may be tested on their ability to: <ul style="list-style-type: none"> <li>calculate the direction of resultant vectors.</li> </ul>  | 2(b)(i), 4.1(c)(ii), 4.1(c)(iii)  |
| <b>M1 – Handling data</b> |  |  |   |
| M1.1                      | Use an appropriate number of significant figures   | Learners may be tested on their ability to: <ul style="list-style-type: none"> <li>report calculations to an appropriate number of significant figures given raw data quoted to varying numbers of significant figures;</li> <li>understand that calculated results can only be reported to the limits of the least accurate measurement.</li> </ul> | 3.1.1(c)(iii), 3.1.2(c)(i), 3.2(c)(ii)  |
| M1.2                      | Find arithmetic means  | Learners may be tested on their ability to: <ul style="list-style-type: none"> <li>calculate a mean value for repeated experimental readings.</li> </ul>   | 1.1.3(c), 2(c)(i), 3.2(a)(iv)   |
| M1.3                      | Understand simple probability  | Learners may be tested on their ability to: <ul style="list-style-type: none"> <li>Describe and explain quantum behaviour</li> </ul>   | 4.1(a)(vii)   |



|                     | Mathematical skill to be assessed   | Exemplification of the mathematical skill in the context of AS Level Physics B (assessment is not limited to the examples below)   | Areas of the specification which exemplify the mathematical skill (assessment is not limited to the examples below) |
|---------------------|---|--|---|
| M1.4                | Make order of magnitude calculations  | Learners may be tested on their ability to: <ul style="list-style-type: none"> <li>evaluate equations with variables expressed in different orders of magnitude.</li> </ul>  | 3.1.2(c)(iii), 3.2(c)(ii)   |
| M1.5                | Identify uncertainties in measurements and use simple techniques to determine uncertainty when data are combined by addition, subtraction, multiplication, division and raising to powers | Learners may be tested on their ability to: <ul style="list-style-type: none"> <li>determine the uncertainty where two readings for length need to be added together.</li> </ul>   | 1.1.4(d), 2(c)(ii)  |
| <b>M2 – Algebra</b> |   |  |   |
| M2.1                | Understand and use the symbols: $=, <, \ll, \gg, >, \propto, \approx, \Delta$   | Learners may be tested on their ability to: <ul style="list-style-type: none"> <li>recognise the significance of the symbols in the expression <math>F \propto \Delta p / \Delta t</math>.</li> </ul>  | 3.1.1(c)(vii), 4.2(c)(v), 4.2(c)(vi)  |
| M2.2                | Change the subject of an equation, including non-linear equations   | Learners may be tested on their ability to: <ul style="list-style-type: none"> <li>rearrange <math>E = mc^2</math> to make <math>m</math> the subject.</li> </ul>  | 3.1.1(c)(iii), 3.2(c)(i), 4.2(c)(iii)   |
| M2.3                | Substitute numerical values into algebraic equations using appropriate units for physical quantities  | Learners may be tested on their ability to: <ul style="list-style-type: none"> <li>calculate the momentum <math>p</math> of an object by substituting the values for mass <math>m</math> and velocity <math>v</math> into the equation <math>p = mv</math>.</li> </ul> | 3.1.1(c)(iii), 3.1.2(c)(i), 3.2(c)(i), 4.1(c)(iv), 4.1(c)(v), 4.2(c)(iv), 4.2(c)(ix)                                |
| M2.4                | Solve algebraic equations, including quadratic equations  | Learners may be tested on their ability to: <ul style="list-style-type: none"> <li>solve kinematic equations for constant acceleration such as <math>v = u + at</math> and <math>s = ut + \frac{1}{2}at^2</math>.</li> </ul>   | 3.1.1(c)(iii), 3.1.2(c)(iii), 4.2(c)(iii)   |

|                    | Mathematical skill to be assessed   | Exemplification of the mathematical skill in the context of AS Level Physics B (assessment is not limited to the examples below)  | Areas of the specification which exemplify the mathematical skill (assessment is not limited to the examples below) |
|--------------------|---|---|---|
| <b>M3 – Graphs</b> |   |   |   |
| M3.1               | Translate information between graphical, numerical and algebraic forms        | Learners may be tested on their ability to: <ul style="list-style-type: none"> <li>calculate Young modulus for materials using stress–strain graphs.</li> </ul>   | 1.1.3(d), 3.1.1(c)(ix), 3.2(b)(ii), 4.1(a)(vi)  |
| M3.2               | Plot two variables from experimental or other data                            | Learners may be tested on their ability to: <ul style="list-style-type: none"> <li>plot graphs of extension of a wire against force applied.</li> </ul>   | 1.1.3(d), 3.1.1(c)(iii), 3.2(b)(ii), 4.1(a)(vi)   |
| M3.3               | Understand that $y = mx + c$ represents a linear relationship                 | Learners may be tested on their ability to: <ul style="list-style-type: none"> <li>rearrange and compare <math>v = u + at</math> with</li> <li><math>y = mx + c</math> for velocity–time graphs in constant acceleration problems.</li> </ul> | 1.1.3(d), 4.2(b)(ii), 4.1(a)(vi)  |
| M3.4               | Determine the slope and intercept of a linear graph                           | Learners may be tested on their ability to: <ul style="list-style-type: none"> <li>read off and interpret intercept point from a graph e.g. the initial velocity in a velocity–time graph.</li> </ul>   | 1.1.3(d), 4.1(a)(vi), 4.2(b)(ii)  |
| M3.5               | Calculate rate of change from a graph showing a linear relationship           | Learners may be tested on their ability to: <ul style="list-style-type: none"> <li>calculate acceleration from a linear velocity–time graph.</li> </ul>   | 4.2(b)(ii)  |
| M3.6               | Draw and use the slope of a tangent to a curve as a measure of rate of change | Learners may be tested on their ability to: <ul style="list-style-type: none"> <li>draw a tangent to the curve of a displacement–time graph and use the gradient to approximate the velocity at a specific time.</li> </ul>                   | 4.2(b)(ii)  |

|                                       | Mathematical skill to be assessed   | Exemplification of the mathematical skill in the context of AS Level Physics B (assessment is not limited to the examples below)   | Areas of the specification which exemplify the mathematical skill (assessment is not limited to the examples below) |
|---------------------------------------|---|--|---|
| M3.7                                  | Distinguish between instantaneous rate of change and average rate of change   | Learners may be tested on their ability to: <ul style="list-style-type: none"> <li>understand that the gradient of the tangent of a displacement–time graph gives the velocity at a point in time which is a different measure to the average velocity.</li> </ul> | 4.2(b)(ii)  |
| M3.8                                  | Understand the possible physical significance of the area between a curve and the x axis and be able to calculate it or estimate it by graphical methods as appropriate   | Learners may be tested on their ability to: <ul style="list-style-type: none"> <li>determine energy stored in an elastic material.</li> </ul>  | 3.2(c)(i), 4.2(b)(ii)   |
| M3.9                                  | Apply the concepts underlying calculus (but without requiring the explicit use of derivatives or integrals) by solving equations involving rates of change, e.g. $\Delta x/\Delta t = -\lambda x$ using a graphical method or spreadsheet modelling | Learners may be tested on their ability to: <ul style="list-style-type: none"> <li>determine <math>g</math> from distance–time plot, projectile motion.</li> <li></li> </ul>   | 4.2(c)(xi)  |
| M3.12                                 | Sketch relationships which are modelled by $y = k/x$ , $y = kx^2$ , $y = k/x^2$ , $y = kx$ , $y = \sin x$ , $y = \cos x$  | Learners may be tested on their ability to: <ul style="list-style-type: none"> <li>sketch relationships of current against potential difference.</li> </ul>  | 3.1.2(b)(iii), 3.2(b)(ii), 3.1.2(b)(iii), 4.2(b)(ii)  |
| <b>M4 – Geometry and trigonometry</b> |   |  |   |
| M4.1                                  | Use angles in regular 2D and 3D structures  | Learners may be tested on their ability to: <ul style="list-style-type: none"> <li>interpret force diagrams to solve problems.</li> </ul>  | 4.2(c)(ii)  |
| M4.2                                  | Visualise and represent 2D and 3D forms including two-dimensional representations of 3D objects   | Learners may be tested on their ability to: <ul style="list-style-type: none"> <li>draw force diagrams to solve mechanics problems.</li> </ul>   | 4.2(c)(ii)  |

|      | Mathematical skill to be assessed  | Exemplification of the mathematical skill in the context of AS Level Physics B (assessment is not limited to the examples below)  | Areas of the specification which exemplify the mathematical skill (assessment is not limited to the examples below) |
|------|--|---|---|
| M4.3 | Calculate areas of triangles, circumferences and areas of circles, surface areas and volumes of rectangular blocks, cylinders and spheres                              | Learners may be tested on their ability to: <ul style="list-style-type: none"> <li>calculate the area of the cross section to work out the resistance of a conductor given its length and resistivity.</li> </ul> | 3.1.2(c)(iii)   |
| M4.4 | Use Pythagoras' theorem, and the angle sum of a triangle   | Learners may be tested on their ability to: <ul style="list-style-type: none"> <li>calculate the magnitude of a resultant vector, resolving forces into components to solve problems.</li> </ul>                  | 4.2(c)(ii)  |
| M4.5 | Use sin, cos and tan in physical problems  | Learners may be tested on their ability to: <ul style="list-style-type: none"> <li>resolve forces into components.</li> </ul>   | 4.1(c)(ii), 4.2(c)(i)   |
| M4.6 | Use of small angle approximations including $\sin \theta \approx \theta$ , $\tan \theta \approx \theta$ , $\cos \theta \approx 1$ for small $\theta$ where appropriate | Learners may be tested on their ability to: <ul style="list-style-type: none"> <li>calculate fringe separations in interference patterns.</li> </ul>  | 4.1(c)(iii)   |
| M4.7 | Understand the relationship between degrees and radians and translate from one to the other  | Learners may be tested on their ability to: <ul style="list-style-type: none"> <li>convert angle in degrees to angle in radians.</li> </ul>   | 2(b)(i), 4.1(c)(iii)  |

## Definition of Level 2 mathematics

---

Within AS Level Physics, 40% of the marks available within written examinations will be for assessment of mathematics (in the context of physics) at a Level 2 standard, or higher. Lower level mathematical skills will still be assessed within examination papers but will not count within the 40% weighting for physics.

The following will be counted as Level 2 (or higher) mathematics:

- application and understanding requiring choice of data or equation to be used
- problem solving involving use of mathematics from different areas of maths and decisions about direction to proceed
- questions involving use of A level mathematical content (as of 2012), e.g. use of logarithmic equations.

The following will not be counted as Level 2 mathematics:

- simple substitution with little choice of equation or data
- structured question formats using GCSE mathematics (based on 2012 GCSE mathematics content).

Additional guidance on the assessment of mathematics within physics is available on the OCR website as a separate resource, the Maths Skills Handbook.

## 5f. Health and Safety

In UK law, health and safety is primarily the responsibility of the employer. In a school or college the employer could be a local education authority, the governing body or board of trustees. Employees (teachers/lecturers, technicians etc), have a legal duty to cooperate with their employer on health and safety matters. Various regulations, but especially the COSHH Regulations 2002 (as amended) and the Management of Health and Safety at Work Regulations 1999, require that before any activity involving a hazardous procedure or harmful microorganisms is carried out, or hazardous chemicals are used or made, the employer must carry out a risk assessment. A useful summary of the requirements for risk assessment in school or college science can be found at <http://www.ase.org.uk/resources/health-and-safety-resources/risk-assessments/>

5

For members, the CLEAPSS® guide, *PS90, Making and recording risk assessments in school science*<sup>1</sup> offers appropriate advice.

Most education employers have adopted nationally available publications as the basis for their Model Risk Assessments.

Where an employer has adopted model risk assessments an individual school or college then has to review them, to see if there is a need to modify or adapt them in some way to suit the particular conditions of the establishment.

Such adaptations might include a reduced scale of working, deciding that the fume cupboard provision was inadequate or the skills of the candidates were insufficient to attempt particular activities safely. The significant findings of such risk assessment should then be recorded in a “*point of use text*”, for example on schemes of work, published teachers guides, work sheets, etc. There is no specific legal requirement that detailed risk assessment forms should be completed for each practical activity, although a minority of employers may require this.

Where project work or investigations, sometimes linked to work-related activities, are included in specifications this may well lead to the use of novel procedures, chemicals or microorganisms, which are not covered by the employer’s model risk assessments. The employer should have given guidance on how to proceed in such cases. Often, for members, it will involve contacting CLEAPSS®.

<sup>1</sup> These, and other CLEAPSS® publications, are on the CLEAPSS® Science Publications website [www.cleapss.org.uk](http://www.cleapss.org.uk). Note that CLEAPSS® publications are only available to members. For more information about CLEAPSS® go to [www.cleapss.org.uk](http://www.cleapss.org.uk).

## Summary of updates

| Date          | Version | Section     | Title of section  | Change   |
|---------------|---------|-------------|---|--|
| May 2018      | 1.1     | Front cover | Disclaimer  | Addition of Disclaimer   |
| May 2020      | 1.2     | 1d          | How do I find out more information?                         | Insertion of Online support centre link  |
|               |         | 4e          | Post-results services                                       | Enquiries about results changed to Review of results<br><br>Update to specification covers to meet digital accessibility standards |
| February 2024 | 1.3     | 3           | Assessment of OCR AS Level in Physics B (Advancing Physics) | Insertion of new section 3c. Total qualification time.   |
|               |         | 3d, 3e      | Qualification availability, Language                        | Inclusion of disclaimer regarding availability and language  |
|               |         | 4a          | Assessment  | Update to include resilience guidance  |
|               |         | Appendix 5c | Physics B Data Sheet  | Typographical correction   |
|               |         | Checklist   |   | Inclusion of Teach Cambridge   |
| October 2024  | 1.4     | 5c          | Physics B Data Sheet  | Correction of typographical errors   |





---

# YOUR CHECKLIST

---

*Our aim is to provide you with all the information and support you need to deliver our specifications.*

- ☐ Bookmark [OCR website](#) for all the latest information and news on AS and A Level Physics B (Advancing Physics)
  - ☐ Sign up for [Teach Cambridge](#): our personalised and secure website that provides teachers with access to all planning, teaching and assessment support materials
  - ☐ Be among the first to hear about support materials and resources as they become available – register for [Physics updates](#)
  - ☐ Find out about our [professional development](#)
  - ☐ View our range of [skills guides](#) for use across subjects and qualifications
  - ☐ Discover our new online [past paper service](#)
  - ☐ Learn more about [Active Results](#)
  - ☐ Visit our [Online Support Centre](#)
-

## Download high-quality, exciting and innovative AS and A Level Physics resources from [ocr.org.uk/alevelphysicsb](https://ocr.org.uk/alevelphysicsb)

Free resources and support for our AS Level Physics qualification, developed through collaboration between our Physics Subject Advisors, teachers and other subject experts, are available from our website. You can also contact our Physics Subject Advisors for specialist advice, guidance and support, giving you individual service and assistance whenever you need it.

Contact the team at:

01223 553998

[scienceGCE@ocr.org.uk](mailto:scienceGCE@ocr.org.uk)

[@OCR\\_science](https://twitter.com/OCR_science)

To stay up to date with all the relevant news about our qualifications, register for email updates at [ocr.org.uk/updates](https://ocr.org.uk/updates)

Visit our Online Support Centre at [support.ocr.org.uk](https://support.ocr.org.uk)



[facebook.com/  
ocrexams](https://facebook.com/ocrexams)



[linkedin.com/  
company/ocr](https://linkedin.com/company/ocr)



[@OCRexams](https://twitter.com/OCRexams)



[youtube.com/  
ocrexams](https://youtube.com/ocrexams)



**CAMBRIDGE**  
UNIVERSITY PRESS & ASSESSMENT

OCR is part of Cambridge University Press & Assessment, a department of the University of Cambridge.

For staff training purposes and as part of our quality assurance programme your call may be recorded or monitored. ©OCR 2024 Oxford Cambridge and RSA Examinations is a Company Limited by Guarantee. Registered in England. Registered office The Triangle Building, Shaftesbury Road, Cambridge, CB2 8EA. Registered company number 3484466. OCR is an exempt charity.

OCR operates academic and vocational qualifications regulated by Ofqual, Qualifications Wales and CCEA as listed in their qualifications registers including A Levels, GCSEs, Cambridge Technicals and Cambridge Nationals.

Cambridge University Press & Assessment is committed to making our documents accessible in accordance with the WCAG 2.1 Standard. We're always looking to improve the accessibility of our documents. If you find any problems or you think we're not meeting accessibility requirements, please [contact us](#).