

GCE

Mathematics (MEI)

Unit **4772**: Decision Mathematics 2

Advanced GCE

Mark Scheme for June 2014

OCR (Oxford Cambridge and RSA) is a leading UK awarding body, providing a wide range of qualifications to meet the needs of candidates of all ages and abilities. OCR qualifications include AS/A Levels, Diplomas, GCSEs, Cambridge Nationals, Cambridge Technicals, Functional Skills, Key Skills, Entry Level qualifications, NVQs and vocational qualifications in areas such as IT, business, languages, teaching/training, administration and secretarial skills.

It is also responsible for developing new specifications to meet national requirements and the needs of students and teachers. OCR is a not-for-profit organisation; any surplus made is invested back into the establishment to help towards the development of qualifications and support, which keep pace with the changing needs of today's society.


This mark scheme is published as an aid to teachers and students, to indicate the requirements of the examination. It shows the basis on which marks were awarded by examiners. It does not indicate the details of the discussions which took place at an examiners' meeting before marking commenced.

All examiners are instructed that alternative correct answers and unexpected approaches in candidates' scripts must be given marks that fairly reflect the relevant knowledge and skills demonstrated.

Mark schemes should be read in conjunction with the published question papers and the report on the examination.

OCR will not enter into any discussion or correspondence in connection with this mark scheme.

© OCR 2014

Question	Answer	Marks	Guidance
<p>1 (i) (ii)</p>	 <p>EMV is £399920, by not insuring.</p>	<p>M1 A1 M1 A1 M1 A1 B1 B1</p>	<p>Decision node (with labels) insure chance nodes (with labels) (can show just one arc) ~insure chance node (with labels) EMV course of action</p>
<p>(iii)</p>	<p>£80</p>	<p>B1</p>	
<p>(iv)</p>	<p>Insuring has a utility of $\sqrt{399900} = 632.3765$ Not insuring has a utility of $0.9998 \times \sqrt{400000} = 632.329$ So utility is maximised by insuring.</p>	<p>M1 A1 B1</p>	<p>$\text{prob} \times \sqrt{\text{value}}$ not $\sqrt{\text{prob} \times \text{value}}$ both utilities (cao) www</p>

Question	Answer	Marks	Guidance
(v)	<p>(can show 399900 with probability 1)</p>	B1	<i>p</i> used on ~ insure branch
(vi)	<p>The condition for insurance to be worthwhile is that $399900 > 400000(1-p)$ i.e. $p > 0.00025$.</p>	M1 A1	cao
(vii)	<p>The EMV analysis does not take adequate account of the loss caused by destruction. That is why the concept of utility is needed.</p>	B1	

Question			Answer	Marks	Guidance
2	(a)	(i)	Either the ball hit the bat or it did not. If it hit the bat then the batsman is out caught. If it did not hit the bat then he is out LBW. In both cases he is out, and there is no other possibility.	M1 A1 A1	or equivalent
		(ii)	$\sim lb \Rightarrow b$	B1	
		(iii)	$\sim c \Rightarrow \sim b$	B1	
		(iv)	$\sim o \Rightarrow (\sim lb \wedge \sim c) \Rightarrow (b \wedge \sim b)$	B1	
		(v)	$\sim(b \wedge \sim b) \Rightarrow o$	M1 A1	

Question			Answer	Marks	Guidance																																																																																																																																																																										
2	(b)	(i)	$d \Rightarrow (a \vee b \vee c)$, or equivalent	B1																																																																																																																																																																											
2	(b)	(ii)	<table border="1" style="border-collapse: collapse; text-align: center;"> <thead> <tr> <th>a</th><th>b</th><th>c</th><th>d</th><th>(d</th><th>\Rightarrow</th><th>(a\veeb\veec))</th><th>\wedge</th><th>\sim</th><th>(b\veec)</th> </tr> </thead> <tbody> <tr><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>1</td><td>0</td><td>1</td><td>1</td><td>0</td></tr> <tr><td>0</td><td>0</td><td>0</td><td>1</td><td>1</td><td>0</td><td>0</td><td>0</td><td>1</td><td>0</td></tr> <tr><td>0</td><td>0</td><td>1</td><td>0</td><td>0</td><td>1</td><td>1</td><td>0</td><td>0</td><td>1</td></tr> <tr><td>0</td><td>0</td><td>1</td><td>1</td><td>1</td><td>1</td><td>1</td><td>0</td><td>0</td><td>1</td></tr> <tr><td>0</td><td>1</td><td>0</td><td>0</td><td>0</td><td>1</td><td>1</td><td>0</td><td>0</td><td>1</td></tr> <tr><td>0</td><td>1</td><td>0</td><td>1</td><td>1</td><td>1</td><td>1</td><td>0</td><td>0</td><td>1</td></tr> <tr><td>0</td><td>1</td><td>1</td><td>0</td><td>0</td><td>1</td><td>1</td><td>0</td><td>0</td><td>1</td></tr> <tr><td>0</td><td>1</td><td>1</td><td>1</td><td>1</td><td>1</td><td>1</td><td>0</td><td>0</td><td>1</td></tr> <tr><td>1</td><td>0</td><td>0</td><td>0</td><td>0</td><td>1</td><td>1</td><td>1</td><td>1</td><td>0</td></tr> <tr><td>1</td><td>0</td><td>0</td><td>1</td><td>1</td><td>1</td><td>1</td><td>1</td><td>1</td><td>0</td></tr> <tr><td>1</td><td>0</td><td>1</td><td>0</td><td>0</td><td>1</td><td>1</td><td>0</td><td>0</td><td>1</td></tr> <tr><td>1</td><td>0</td><td>1</td><td>1</td><td>1</td><td>1</td><td>1</td><td>0</td><td>0</td><td>1</td></tr> <tr><td>1</td><td>1</td><td>0</td><td>0</td><td>0</td><td>1</td><td>1</td><td>0</td><td>0</td><td>1</td></tr> <tr><td>1</td><td>1</td><td>0</td><td>1</td><td>1</td><td>1</td><td>1</td><td>0</td><td>0</td><td>1</td></tr> <tr><td>1</td><td>1</td><td>1</td><td>0</td><td>0</td><td>1</td><td>1</td><td>0</td><td>0</td><td>1</td></tr> <tr><td>1</td><td>1</td><td>1</td><td>1</td><td>1</td><td>1</td><td>1</td><td>0</td><td>0</td><td>1</td></tr> </tbody> </table>	a	b	c	d	(d	\Rightarrow	(a \vee b \vee c))	\wedge	\sim	(b \vee c)	0	0	0	0	0	1	0	1	1	0	0	0	0	1	1	0	0	0	1	0	0	0	1	0	0	1	1	0	0	1	0	0	1	1	1	1	1	0	0	1	0	1	0	0	0	1	1	0	0	1	0	1	0	1	1	1	1	0	0	1	0	1	1	0	0	1	1	0	0	1	0	1	1	1	1	1	1	0	0	1	1	0	0	0	0	1	1	1	1	0	1	0	0	1	1	1	1	1	1	0	1	0	1	0	0	1	1	0	0	1	1	0	1	1	1	1	1	0	0	1	1	1	0	0	0	1	1	0	0	1	1	1	0	1	1	1	1	0	0	1	1	1	1	0	0	1	1	0	0	1	1	1	1	1	1	1	1	0	0	1	<p>M1</p> <p>A1</p> <p>A1</p> <p>A1</p>	<p>16 rows covering all possibilities</p> <p>$d \Rightarrow (a \vee b \vee c)$</p> <p>$\sim(b \vee c)$</p> <p>overall conjunction \surd</p>
a	b	c	d	(d	\Rightarrow	(a \vee b \vee c))	\wedge	\sim	(b \vee c)																																																																																																																																																																						
0	0	0	0	0	1	0	1	1	0																																																																																																																																																																						
0	0	0	1	1	0	0	0	1	0																																																																																																																																																																						
0	0	1	0	0	1	1	0	0	1																																																																																																																																																																						
0	0	1	1	1	1	1	0	0	1																																																																																																																																																																						
0	1	0	0	0	1	1	0	0	1																																																																																																																																																																						
0	1	0	1	1	1	1	0	0	1																																																																																																																																																																						
0	1	1	0	0	1	1	0	0	1																																																																																																																																																																						
0	1	1	1	1	1	1	0	0	1																																																																																																																																																																						
1	0	0	0	0	1	1	1	1	0																																																																																																																																																																						
1	0	0	1	1	1	1	1	1	0																																																																																																																																																																						
1	0	1	0	0	1	1	0	0	1																																																																																																																																																																						
1	0	1	1	1	1	1	0	0	1																																																																																																																																																																						
1	1	0	0	0	1	1	0	0	1																																																																																																																																																																						
1	1	0	1	1	1	1	0	0	1																																																																																																																																																																						
1	1	1	0	0	1	1	0	0	1																																																																																																																																																																						
1	1	1	1	1	1	1	0	0	1																																																																																																																																																																						
2	(b)	(iii)	Either A, or (A and D), or none of them	B1 B1 B1	Disallowed by the stem, but allowed by the table!																																																																																																																																																																										

Question	Answer	Marks	Guidance																																																																																																																																								
3 (i)	<p>Let a be the number of kg of A ...</p> <p>Line 1 $\Leftrightarrow \max (7-3)a+(5-2)b+(4-3)c \Leftrightarrow 4a+3b+c$</p> <p>Line 2 $\Leftrightarrow 10a+5b+12c \leq 12000$ (availability of X)</p> <p>Line 3 $\Leftrightarrow 5a+5b+7c \leq 12000$ (availability of Y)</p> <p>Line 4 $\Leftrightarrow 5a+3b+5c \leq 9000$ (availability of Z)</p>	<p>B1</p> <p>B1</p> <p>B1</p> <p>B1</p> <p>B1</p> <p>B1</p>	<p>variable defs.</p> <p>objective</p> <p>(7-3) ...</p> <p>identifying constraints</p> <p>LHS (used)</p> <p>$\leq +$ RHS (available)</p>																																																																																																																																								
3 (ii)	<table border="1" data-bbox="331 549 958 1023"> <thead> <tr> <th>P</th> <th>a</th> <th>b</th> <th>c</th> <th>s1</th> <th>s2</th> <th>s3</th> <th>RHS</th> </tr> </thead> <tbody> <tr><td>1</td><td>-4</td><td>-3</td><td>-1</td><td>0</td><td>0</td><td>0</td><td>0</td></tr> <tr><td>0</td><td>10</td><td>5</td><td>12</td><td>1</td><td>0</td><td>0</td><td>12000</td></tr> <tr><td>0</td><td>5</td><td>5</td><td>7</td><td>0</td><td>1</td><td>0</td><td>12000</td></tr> <tr><td>0</td><td>5</td><td>3</td><td>5</td><td>0</td><td>0</td><td>1</td><td>9000</td></tr> <tr><td>1</td><td>0</td><td>-1</td><td>3.8</td><td>0.4</td><td>0</td><td>0</td><td>4800</td></tr> <tr><td>0</td><td>1</td><td>0.5</td><td>1.2</td><td>0.1</td><td>0</td><td>0</td><td>1200</td></tr> <tr><td>0</td><td>0</td><td>2.5</td><td>1</td><td>-0.5</td><td>1</td><td>0</td><td>6000</td></tr> <tr><td>0</td><td>0</td><td>0.5</td><td>-1</td><td>-0.5</td><td>0</td><td>1</td><td>3000</td></tr> </tbody> </table> <p style="text-align: center;">or</p> <table border="1" data-bbox="331 874 1581 1023"> <tbody> <tr><td>1</td><td>2</td><td>0</td><td>6.2</td><td>0.6</td><td>0</td><td>0</td><td>7200</td><td>1</td><td>0</td><td>0</td><td>4.2</td><td>0.2</td><td>0.4</td><td>0</td><td>7200</td></tr> <tr><td>0</td><td>2</td><td>1</td><td>2.4</td><td>0.2</td><td>0</td><td>0</td><td>2400</td><td>0</td><td>1</td><td>0</td><td>1</td><td>0.2</td><td>-0.2</td><td>0</td><td>0</td></tr> <tr><td>0</td><td>-5</td><td>0</td><td>-5</td><td>-1</td><td>1</td><td>0</td><td>0</td><td>0</td><td>0</td><td>1</td><td>0.4</td><td>-0.2</td><td>0.4</td><td>0</td><td>2400</td></tr> <tr><td>0</td><td>-1</td><td>0</td><td>-2.2</td><td>-0.6</td><td>0</td><td>1</td><td>1800</td><td>0</td><td>0</td><td>0</td><td>-1.2</td><td>-0.4</td><td>-0.2</td><td>1</td><td>1800</td></tr> </tbody> </table> <p>Make 2400 kg of B at a profit of £7200 with 1.8kg of Z left</p>	P	a	b	c	s1	s2	s3	RHS	1	-4	-3	-1	0	0	0	0	0	10	5	12	1	0	0	12000	0	5	5	7	0	1	0	12000	0	5	3	5	0	0	1	9000	1	0	-1	3.8	0.4	0	0	4800	0	1	0.5	1.2	0.1	0	0	1200	0	0	2.5	1	-0.5	1	0	6000	0	0	0.5	-1	-0.5	0	1	3000	1	2	0	6.2	0.6	0	0	7200	1	0	0	4.2	0.2	0.4	0	7200	0	2	1	2.4	0.2	0	0	2400	0	1	0	1	0.2	-0.2	0	0	0	-5	0	-5	-1	1	0	0	0	0	1	0.4	-0.2	0.4	0	2400	0	-1	0	-2.2	-0.6	0	1	1800	0	0	0	-1.2	-0.4	-0.2	1	1800	<p>B1</p> <p>M1A1</p> <p>B1</p> <p>M1</p> <p>A1</p> <p>B1</p> <p>B1</p>	<p>Pivot</p> <p>Pivot \checkmark</p> <p>cao</p> <p>must refer to kg</p>
P	a	b	c	s1	s2	s3	RHS																																																																																																																																				
1	-4	-3	-1	0	0	0	0																																																																																																																																				
0	10	5	12	1	0	0	12000																																																																																																																																				
0	5	5	7	0	1	0	12000																																																																																																																																				
0	5	3	5	0	0	1	9000																																																																																																																																				
1	0	-1	3.8	0.4	0	0	4800																																																																																																																																				
0	1	0.5	1.2	0.1	0	0	1200																																																																																																																																				
0	0	2.5	1	-0.5	1	0	6000																																																																																																																																				
0	0	0.5	-1	-0.5	0	1	3000																																																																																																																																				
1	2	0	6.2	0.6	0	0	7200	1	0	0	4.2	0.2	0.4	0	7200																																																																																																																												
0	2	1	2.4	0.2	0	0	2400	0	1	0	1	0.2	-0.2	0	0																																																																																																																												
0	-5	0	-5	-1	1	0	0	0	0	1	0.4	-0.2	0.4	0	2400																																																																																																																												
0	-1	0	-2.2	-0.6	0	1	1800	0	0	0	-1.2	-0.4	-0.2	1	1800																																																																																																																												
3 (iii)	<p>Either ... It means that the second constraint is coincidentally exactly satisfied at the solution.</p> <p>or ... It means that product A is in the solution, but at zero value.</p> <p>(Candidates may refer to degeneracy, which will earn the mark.)</p>	<p>B1</p>																																																																																																																																									

Question	Answer											Marks	Guidance																																																																													
(iv)	<table border="1" data-bbox="338 245 1043 501"> <thead> <tr> <th>Q</th> <th>P</th> <th>a</th> <th>b</th> <th>c</th> <th>s1</th> <th>s2</th> <th>s3</th> <th>s4</th> <th>f</th> <th>RHS</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>0</td> <td>1</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>-1</td> <td>0</td> <td>500</td> </tr> <tr> <td>0</td> <td>1</td> <td>-4</td> <td>-3</td> <td>-1</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> </tr> <tr> <td>0</td> <td>0</td> <td>10</td> <td>5</td> <td>12</td> <td>1</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>12000</td> </tr> <tr> <td>0</td> <td>0</td> <td>5</td> <td>5</td> <td>7</td> <td>0</td> <td>1</td> <td>0</td> <td>0</td> <td>0</td> <td>12000</td> </tr> <tr> <td>0</td> <td>0</td> <td>5</td> <td>3</td> <td>5</td> <td>0</td> <td>0</td> <td>1</td> <td>0</td> <td>0</td> <td>9000</td> </tr> <tr> <td>0</td> <td>0</td> <td>1</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>-1</td> <td>1</td> <td>500</td> </tr> </tbody> </table> <p data-bbox="331 520 898 592">Minimise Q until 0 (if feasible). Then drop Q and f and proceed to optimum.</p> <p data-bbox="331 632 757 667">Allow up to 3 out of 5 for big M.</p>											Q	P	a	b	c	s1	s2	s3	s4	f	RHS	1	0	1	0	0	0	0	0	-1	0	500	0	1	-4	-3	-1	0	0	0	0	0	0	0	0	10	5	12	1	0	0	0	0	12000	0	0	5	5	7	0	1	0	0	0	12000	0	0	5	3	5	0	0	1	0	0	9000	0	0	1	0	0	0	0	0	-1	1	500	<p data-bbox="1626 300 1671 331">B1</p> <p data-bbox="1626 344 1671 376">B1</p> <p data-bbox="1626 389 1671 421">B1</p> <p data-bbox="1626 555 1671 587">B1</p> <p data-bbox="1626 600 1671 632">B1</p>	<p data-bbox="1736 300 1966 421">new objective surplus+artificial new constraint</p>
Q	P	a	b	c	s1	s2	s3	s4	f	RHS																																																																																
1	0	1	0	0	0	0	0	-1	0	500																																																																																
0	1	-4	-3	-1	0	0	0	0	0	0																																																																																
0	0	10	5	12	1	0	0	0	0	12000																																																																																
0	0	5	5	7	0	1	0	0	0	12000																																																																																
0	0	5	3	5	0	0	1	0	0	9000																																																																																
0	0	1	0	0	0	0	0	-1	1	500																																																																																

Question	Answer	Marks	Guidance																																																	
4 (a) (i)	Dijkstra starting at A working values order of labelling labels 4 more starting points on 5, 4, 3, 2 vertices (or more likely and tediously 5 more, each on 6 vertices).	B1 B1 B1 B1 M1 A2	update at D working values order of labelling labels -1 each error																																																	
4 (a) (ii)	<table border="1" style="margin-left: auto; margin-right: auto;"> <tr> <td></td> <td>A</td> <td>B</td> <td>C</td> <td>D</td> <td>E</td> <td>F</td> </tr> <tr> <td>A</td> <td>-</td> <td>5</td> <td>8</td> <td>8</td> <td>2</td> <td>3</td> </tr> <tr> <td>B</td> <td>5</td> <td>-</td> <td>3</td> <td>8</td> <td>7</td> <td>8</td> </tr> <tr> <td>C</td> <td>8</td> <td>3</td> <td>-</td> <td>5</td> <td>10</td> <td>6</td> </tr> <tr> <td>D</td> <td>8</td> <td>8</td> <td>5</td> <td>-</td> <td>6</td> <td>10</td> </tr> <tr> <td>E</td> <td>2</td> <td>7</td> <td>10</td> <td>6</td> <td>-</td> <td>5</td> </tr> <tr> <td>F</td> <td>3</td> <td>8</td> <td>6</td> <td>10</td> <td>5</td> <td>-</td> </tr> </table>		A	B	C	D	E	F	A	-	5	8	8	2	3	B	5	-	3	8	7	8	C	8	3	-	5	10	6	D	8	8	5	-	6	10	E	2	7	10	6	-	5	F	3	8	6	10	5	-	B2	- 1 each error
	A	B	C	D	E	F																																														
A	-	5	8	8	2	3																																														
B	5	-	3	8	7	8																																														
C	8	3	-	5	10	6																																														
D	8	8	5	-	6	10																																														
E	2	7	10	6	-	5																																														
F	3	8	6	10	5	-																																														
4 (a) (iii)	Max of a row or a column Minimum of the maxima A, B, or A or B	M1 M1 A1	dependent on both Ms																																																	
4 (a) (iv)	From a point on AB the route to D is via A or B, and from part (ii) therefore exceeds 8.	B1																																																		
4 (b) (i)	A 2 E 6 D 5 C 3 B 9 F 3 A So F A E D C B with total length 19	M1A1 B1																																																		
4 (b) (ii)	B 3 C 5 D 6 E 2 A 3 F 9 B so F B C D E A - 19 C 3 B 5 A 2 E 6 D 10 F 6 C so F C B A E D - 22 D 5 C 3 B 5 A 2 E stuck E 2 A 3 F 6 C 3 B 9 D 6 E so D E A F C B - 20 F 3 A 2 E 6 D 5 C 3 B 8 F so F A E D C B - 19 So 19 is min length with either listing given.	B3 B1	- 1 for each error, including failing to stop when starting from D																																																	

OCR (Oxford Cambridge and RSA Examinations)
1 Hills Road
Cambridge
CB1 2EU

OCR Customer Contact Centre

Education and Learning

Telephone: 01223 553998

Facsimile: 01223 552627

Email: general.qualifications@ocr.org.uk

www.ocr.org.uk

For staff training purposes and as part of our quality assurance programme your call may be recorded or monitored

Oxford Cambridge and RSA Examinations
is a Company Limited by Guarantee
Registered in England
Registered Office; 1 Hills Road, Cambridge, CB1 2EU
Registered Company Number: 3484466
OCR is an exempt Charity

OCR (Oxford Cambridge and RSA Examinations)
Head office
Telephone: 01223 552552
Facsimile: 01223 552553

© OCR 2014

