

Monday 16 May 2016 – Afternoon

LEVEL 1/2 CAMBRIDGE NATIONAL AWARD/ CERTIFICATE IN ENGINEERING DESIGN

R105/01 Design briefs, design specifications and user requirements

Candidates answer on the Question Paper.

OCR supplied materials:

None

Other materials required:

None

Duration: 1 hour



Candidate forename				Candidate surname			
Centre number				Candidate nu	ımber		

INSTRUCTIONS TO CANDIDATES

- Use black ink. HB pencil may be used for graphs and diagrams only.
- Complete the boxes above with your name, centre number and candidate number.
- Answer all the questions.
- Write your answer to each question in the space provided. Additional paper may be used if necessary but you must clearly show your candidate number, centre number and question number(s).
- Do not write in bar codes.

INFORMATION FOR CANDIDATES

- The total number of marks for this paper is 60.
- The number of marks for each question is given in brackets [] at the end of each question or part question.
- Dimensions are in millimetres unless stated otherwise.
- Your quality of written communication will be assessed in questions marked with an asterisk (*).
- This document consists of 16 pages. Any blank pages are indicated.



Answer **all** the questions.

1	The design	cycle is a	process used b	y many	designers to	help	them crea	ate new	products.

(a)	(i)	Complete the table below by adding the missing phases of the design cycle in the correct
		order.

Phase 1 has been completed for you.

	optimi	se phase	design phase	validate phase	
	Phase 1	identify phas	se		
	Phase 2				
	Phase 3				
	Phase 4				
					[3]
(ii)	Complete the	statement belo	OW.		
	During the ide	entify phase of	the design cycle,	designers will firstly d	iscuss and create a
	design		with the client. The	ey will then carry out	
	to assess the	needs of the u	iser.		[2]
(b) (i)	State one accepted.	tivity carried o	ut by the designer	during the validate p	
					[1]
(ii)				vhen designing a new	
	1				
	2				

(c)	Explain why many designers use the design cycle.
	ro1
	[2]

	4
A d	esign specification must identify details of user needs and product requirements.
(a)	State two other requirements that must be included in a design specification.
	1
	2
	[2]
(b)	Give two product requirements that should be included in a design specification for the scissors shown in Fig. 1.
	Fig. 1
	1
	2
	[2]

2

(c) Fig. 2 shows the *British Standard Kitemark*™.



Fig. 2

	Explain what the British Standard Kiten	park™ means when displayed on a product.
		[2]
(d)	Fig. 3 shows two symbols.	
	(C)	TM
		IIVI
	Symbol 1	Symbol 2
	Fig	g. 3
	State the names of these two symbols.	
	Symbol 1	

© OCR 2016 Turn over

Symbol 2

[2]

(e)	Explain why companies would apply for a patent when creating a new product.	
		[C]

3 The table below shows a comparison of six modern materials.

Madara	Factors to consider							
Modern material	Ease of storage	Easy to process	Lightweight	Strength	Cost			
Α	3	3	5	7	2			
В	7	2	1	1	4			
С	2	8	5	5	8			
D	4	4	2	7	4			
E	6	4	9	8	4			
F	2	2	6	6	9			

10 = excellent and 1 = very poor

(a)	Give two reasons why material E would be suitable for the production of a body shell for a racing car.
	1
	2
	[2
(b)	Explain why the availability of a material might be an important consideration when planning to mass-produce a product.
	[2

© OCR 2016 Turn over

(c) Fig. 4 shows a single-piece, cast-iron frying pan requiring no assembly of parts or finishing, thus reducing manufacturing costs.



Fig. 4


Give **four** ways in which the design of the frying pan has been influenced by manufacturing considerations.

1		
•••	Г	

(d) Shown below are three scales of production.

Join each scale of production to the example given.

One has been done for you.



© OCR 2016 Turn over

[2]

4	(a)	State two factors that should be considered in the design of new engineered products to ensure sustainable disposal.
		1
		2
		[2]
	(b)	Explain what is meant by the term 'resource depletion'.
		[2]
	(c)	Explain, using a specific example, how the use of renewable resources may influence the design of an engineered product.
		[31]

(d)	Explain what is meant by the term 'product life cycle'.
	LO.

(a)	Nuts and bolts are used as fasteners in engine assemblies.
	Give one other standard component and its application in an engineered product.
	[2]
(b)	Give two advantages of using standard components in the maintenance of engineered products.
	1
	2
	[2]
(c)	Fig. 5 shows a diameter dimension with a tolerance.
	\emptyset 11.5 ± 0.3
	Fig. 5
	Explain the meaning of the tolerance in Fig. 5.
	[2]

(d)	Explain how allowing tolerances on the critical dimensions of engineered products can help to control production costs.
	[4]

Erg (a)	onomics is an important area of consideration when designing new products. Define what is meant by the term 'ergonomics'.
(b)	Fig. 6 shows a remote control.
	Fig. 6
	Give two ergonomic user needs that would be considered during the design of a remote control.
	1
	2
	[2]

Discuss the ways in which ergonomics have to be considered when designing products.

END OF QUESTION PAPER

PLEASE DO NOT WRITE ON THIS PAGE



Copyright Information

OCR is committed to seeking permission to reproduce all third-party content that it uses in its assessment materials. OCR has attempted to identify and contact all copyright holders whose work is used in this paper. To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced in the OCR Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download from our public website (www.ocr.org.uk) after the live examination series.

If OCR has unwittingly failed to correctly acknowledge or clear any third-party content in this assessment material, OCR will be happy to correct its mistake at the earliest possible opportunity.

For queries or further information please contact the Copyright Team, First Floor, 9 Hills Road, Cambridge CB2 1GE.

OCR is part of the Cambridge Assessment Group; Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

© OCR 2016