

# **Tuesday 13 June 2017 – Afternoon**

# A2 GCE CHEMISTRY B (SALTERS)

F334/01 Chemistry of Materials

Candidates answer on the Question Paper.

#### **OCR** supplied materials:

• Data Sheet for Chemistry B (Salters) (inserted)

#### Other materials required:

Scientific calculator

**Duration:** 1 hour 30 minutes



Candidate forename					Candidate surname				
Centre numb	er					Candidate nu	umber		

### **INSTRUCTIONS TO CANDIDATES**

- The Insert will be found inside this document.
- Write your name, centre number and candidate number in the boxes above. Please write clearly and in capital letters.
- Use black ink. HB pencil may be used for graphs and diagrams only.
- Answer all the questions.
- Read each question carefully. Make sure you know what you have to do before starting your
- Write your answer to each question in the space provided. If additional space is required, you should use the lined page(s) at the end of this booklet. The question number(s) must be clearly shown.
- Do not write in the barcodes.

#### INFORMATION FOR CANDIDATES

- The number of marks is given in brackets [] at the end of each question or part question.
- Where you see this icon you will be awarded marks for the quality of written communication in your answer.

This means for example you should:

- ensure that text is legible and that spelling, punctuation and grammar are accurate so that meaning is clear
- organise information clearly and coherently, using specialist vocabulary when appropriate.
- You may use a scientific calculator.
- A copy of the Data Sheet for Chemistry B (Salters) is provided as an Insert with this Question Paper.
- You are advised to show all the steps in any calculations.
- The total number of marks for this paper is **90**.
- This document consists of 24 pages. Any blank pages are indicated.



## Answer all the questions.

1 Fusidic acid is used in medicines for treating bacterial eye infections. Scientists believe it could also be used in skin treatments.

fusidic acid

(a)	Which three questions about the medicine need to be answered before it can be used to tr skin infections?							
(b)	(i)	One functional group in fusidic acid is the carboxyl group.						
		Name three other functional groups in fusidic acid.						
		1						
		2						
		3	[2]					
	(ii)	Fusidic acid has many asymmetric carbon atoms.						
		Circle <b>four</b> of them on the structure of fusidic acid above.	[1]					

(iii)	A student predicts that the bond angle, labelled <b>A</b> , in the structure of fusidic acid is 120°.
	State whether you agree with this prediction or not. Give your reasoning.
	[3]
(iv)	The molecular formula of fusidic acid is $C_{31}H_{48}O_6$ , ( $M_r$ 517). Another organic compound has a different formula from fusidic acid but also has a $M_r$ of 517.
	Explain how and why high resolution mass spectra can distinguish between these compounds.
	[3]

(c) Fusidic acid ( $M_{\rm r}$  517) reacts with hydrogen in two different ways depending on the catalyst used.

In the presence of a **palladium** catalyst, the  $M_{\rm r}$  of the product is 519. The number of asymmetric carbon atoms present in the product is the same as in fusidic acid.

In the presence of a **platinum** catalyst, the  $M_{\rm r}$  of the product is 521. The number of asymmetric carbon atoms present in the product is now **two** more than in fusidic acid.

Suggest an explanation for these observations. Give all your reasoning.
TA1

- (d) Fusidic acid hydrolyses in aqueous acid. Two organic products form.
  - (i) On the diagram above suggest the bond in fusidic acid which breaks during acid hydrolysis.

Label this bond with a **B**. [1]

The infrared and mass spectra of compound <b>C</b> are shown below.	
Item removed due to third party copyright restrictions.	

fusidic acid

Give the **name** of compound **C**.

Give your full reasoning from the structural formula of fusidic acid and the two spectra.

In your answer, you should make it clear how your points link together.
[4]
[Total: 20]

Nitrosyl chloride, ClNO, is used as an oxidising agent to improve flour in bread-making.

(a)	(i)	Draw an electron 'dot-and-cross' diagram for a ClNO molecule.  Show outer electrons only.
		State, with a reason, whether its shape is linear or bent.
		[2]
	(ii)	In the baking of bread, CINO forms the colourless gas NO.
		Explain, in terms of oxidation states, why nitrosyl chloride is acting as an oxidising agent in this reaction.
		[2]
(b)		osyl chloride, a yellow gas, can be made by the direct combination of chlorine gas and ogen monoxide gas.
		2NO + $Cl_2 \rightarrow 2ClNO$
	(i)	A student studies the rate of this reaction. The student tries to measure the concentration of $ClNO$ in a sealed gas cuvette in a colorimeter.
		Suggest why the student finds the method is not very suitable.
		[2]

2

(ii) Using a different method, the student obtains the data given below.

Experiment carried out at 50 °C	Initial [NO] /moldm <sup>-3</sup>	Initial [Cl <sub>2</sub> ] /mol dm <sup>-3</sup>	Initial rate /moldm <sup>-3</sup> s <sup>-1</sup>		
1	0.15	0.10	2.06 × 10 <sup>-7</sup>		
2	0.15	0.20	4.12 × 10 <sup>-7</sup>		
3	0.30	0.20	1.65 × 10 <sup>-6</sup>		

From	

(iii)

- Write down the rate equation for the reaction.
- Calculate the rate constant, *k*, for the reaction at 50 °C.
- Calculate the rate of ClNO formation at 50 °C when [NO] and [Cl2] are both  $0.10\,\mathrm{mol\,dm^{-3}}$ .

Give v	vour a	nswers	to an	appropriate	number	٥f	significant	figures
OIVE 1	youi a	113W513	wan	appiopiate	HUHHDEL	OI.	Sidillicant	iiuui <del>c</del> o.

Rate equation: Rate = k ×
<i>k</i> = units
rate of reaction = $mol dm^{-3} s^{-1}$ [5
The student used some of the working from part <b>(b)(ii)</b> to comment on the mechanism of the reaction.
What conclusion can be made about the mechanism? Give your reasoning.

(c)	ClNO is also an electrophilic reagent for alkene addition reactions.									
	(i)	Suggest a formula for the electrophile formed from ClNO.								
	(ii)	,								
	Also draw the structure of the product formed when ClNO reacts with Z-but-2-ended and the structure of the product formed when ClNO reacts with Z-but-2-ended and the structure of the product formed when ClNO reacts with Z-but-2-ended and the structure of the product formed when ClNO reacts with Z-but-2-ended and the structure of the product formed when ClNO reacts with Z-but-2-ended and the structure of the product formed when ClNO reacts with Z-but-2-ended and the structure of the product formed when ClNO reacts with Z-but-2-ended and the structure of the product formed when ClNO reacts with Z-but-2-ended and the structure of									
		7-hut-2-ene	product							

[2]

[Total: 17]

# 11 BLANK PAGE

PLEASE DO NOT WRITE ON THIS PAGE


(a) (i	What is meant by the term condensing?
	[2
(ii	The monomer <b>D</b> is formed when 2-hydroxypropanoic acid is condensed with valine. Monomer <b>D</b> is an ester with a free NH <sub>2</sub> group.
	OH $OH$ $OH$ $OH$ $OH$ $OH$ $OH$ $OH$
	OH OH  2-hydroxypropanoic acid valine
	Draw the <b>skeletal</b> structure of <b>D</b> below.
	ra
(iii	[1] A PEA polymer chain is made by condensing molecules of <b>D</b> .
(	
	Draw the structural formula of <b>two</b> repeating units of this polymer.  Show the bonds where the units join to the rest of the polymer chain.
	[1
(iv	E and F.
(v	[1] Give the name of each linkage.
	E
	F
	[2

(b)	A student hydrolyses a different PEA polymer in acid.				
	A pure solid sample of an amino acid is obtained from the hydrolysis.				

The student thinks this amino acid is either valine or alanine.

	Describe how the student would use paper chromatography to identify which amino acid has been obtained.
	[5
:)	Suggest why chemists researching PEA polymers thought that the polymers might be biodegradable.
	[1]

(d) Polymers made using alanine instead of valine have a higher degree of crystallinity.



(i)	What is meant by the term crystallinity?	
		[2]
(ii)	Suggest a reason why polymers made with valine have a lower degree of crystall than those using alanine.	inity
		[1]
(iii)	Predict, with a reason, which of the two polymers would have the higher $T_{\rm m}$ value.	
		[1]
(iv)	Give <b>two</b> ways of modifying polymers to make them more crystalline.	
	1	
	2	
		[2]

[Total: 19]

4	Domestic water systems often use copper tubing. When using water from the mains in these
	pipes, there is no damaging corrosion.

There is no damaging corrosion because a thin red-brown copper(I) oxide layer forms on the inside of the pipe as the copper reacts with dissolved oxygen. This is followed by a second oxide layer, black in colour, formed from the copper(I) oxide. Both layers are insoluble and protect the pipe from any further corrosion.

(a)	(i)	Write equations for the formation of the two oxide layers.
		Include state symbols.

1 <sup>st</sup> layer	$\rightarrow$
2 <sup>nd</sup> layer	$\rightarrow$

[2]

(ii) A drum made from new copper is filled with mains water and left to stand.

Oxide layers do not form on the inside of the drum but oxide layers form inside new copper tubes used for domestic water systems.

Suggest a reason for this difference.	
	[1]

(iii) Complete the electron configurations for the copper species listed below.

		[2]
Cu <sup>2+</sup>	1s <sup>2</sup> 2s <sup>2</sup> 2p <sup>6</sup>	
Cu <sup>+</sup>	1s <sup>2</sup> 2s <sup>2</sup> 2p <sup>6</sup>	
Cu	1s <sup>2</sup> 2s <sup>2</sup> 2p <sup>6</sup>	

Turn over © OCR 2017

(b) Problems with corrosion of copper pipes can arise if the water becomes too acidic. The

	prol	blem is referred to as 'Blue Water'.	
	(i)	On adding hydrochloric acid to blue water, the colour of the water changes to gre because of the formation of a complex anion containing chlorine.	en
		Give the formula of the ion responsible for the green colour.  State, with reasons, the <b>type</b> of reaction taking place.	
		formula	
		type of reaction	
		reasoning	
			[3]
	(ii)	Describe how a student would use a colorimeter to measure the concentration of the i causing the blue colour in the water.	on
		In your answer you should use appropriate technical terms, spelled correctly.	
Œ			
			4]
c)		rosion inhibitors are often added to water systems that have copper pipes. e inhibitor is compound ${\bf G}$ , ${\rm HOCH_2CH_2NH_2}$ .	
	Give	e the systematic name of compound <b>G</b> .	
			[1]

(d)	d) Compound <b>G</b> forms a complex ion with copper(II) ions. The formula of the complex $[Cu(HOC_2H_4NH_2)_3]^{2+}$ and it has an octahedral shape.			
	(i)	What is the coordination number of the complex ion?		
		[1]		
	(ii)	Draw a diagram to show how <b>one</b> molecule of compound ${\bf G}$ bonds to a ${\rm Cu}^{2^+}$ ion. Show any relevant lone pairs.		
		[2]		
	(iii)	Name the type of bond which joins compound <b>G</b> to the Cu <sup>2+</sup> ion.		
		[1]		
		[Total: 17]		

- 5 The TV and Film industries use potassium manganate(VII) to paint objects. The manganate(VII) is easily converted to brown manganese(IV) oxide which makes the objects look older.
  - (a) Table 5.1 lists some electrode potential data.

Half-reaction	E <sup>e</sup> /V
$2CO_2 + 2H^+ + 2e^- \rightarrow H_2C_2O_4$	-0.49
$MnO_4^- + 8H^+ + 5e^- \rightarrow Mn^{2+} + 4H_2O$	+1.51
$MnO_4^- + 4H^+ + 3e^- \rightarrow MnO_2 + 2H_2O$	+1.70
$S_2O_8^{2-} + 2e^- \rightarrow 2SO_4^{2-}$	+2.01

Table 5.1

(i)	Use data from table 5.1 to choose a suitable reagent and conditions for reacting with ${\rm KMnO_4}$ to produce ${\rm MnO_2}.$
	formula of reagent
	systematic name of reagent
	conditions
	reasoning
	[4]
(ii)	Give a balanced equation for the formation of MnO <sub>2</sub> using your reagent from part (a)(i).
	$\rightarrow$
	[1]

(b)	The concentration of a $\mathrm{MnO_4}^-$ solution can be found by titration with a standard solution of	of
	Mohr's salt, $(NH_4)_2$ Fe $(SO_4)_2$ •6 $H_2$ O. $(M_r 392)$	

A solution of Mohr's salt was made by dissolving 9.80 g of the hydrated salt in water and making the solution up to  $250\,\mathrm{cm}^3$ .

 $10.00\,\mathrm{cm^3}$  of this solution of Mohr's salt reacts with  $17.50\,\mathrm{cm^3\,MnO_4}^-$  solution.

The equation for the reaction is:

$$\begin{aligned} 10(\text{NH}_4)_2 \text{Fe}(\text{SO}_4)_2(\text{aq}) + 2\text{KMnO}_4(\text{aq}) + 8\text{H}_2 \text{SO}_4(\text{aq}) &\longrightarrow 2\text{MnSO}_4(\text{aq}) + 10(\text{NH}_4)_2 \text{SO}_4(\text{aq}) \\ &\quad + 5\text{Fe}_2(\text{SO}_4)_3(\text{aq}) + \text{K}_2 \text{SO}_4(\text{aq}) + 8\text{H}_2 \text{O(I)} \end{aligned}$$

Calculate the concentration of the  $\mathrm{MnO_4}^-$  solution.

	$[MnO_4^-] = \dots moldm^{-3}$ [5]
(c)	Describe how a student would carry out a single titration in part (b).

(d)	(i)		sodium e(SO <sub>4</sub> ) <sub>2</sub> •6	hydroxide H <sub>2</sub> O.	solution	is	added	to	а	solution	of	Mohr's	salt,
		What wo	uld be ob	served?									
													[2]
	(ii)	Give an	ionic equ	ation for the	reaction in	n pa	rt <b>(d)(i)</b> .						
					$\rightarrow$								
													[1]
(e)		olution of i	` ,	ılfate is read	ily oxidise	ed by	/ air. Add	ditior	of	acid to the	e sol	ution pre	vents
	_	gest why n readily c		nonium ions n air.	present i	n a	solution	of I	Moh	r's salt pr	evei	nt iron(II)	ions
													[1]
												[Tota	l: 17]

## **END OF QUESTION PAPER**

## 21

## ADDITIONAL ANSWER SPACE

If additional space is required, you should use the following lined page(s). The question number(s) must be clearly shown in the margin(s).							
•••••							

•••••	


 ,	 	
 <u> </u>	 	



#### Copyright Information

OCR is committed to seeking permission to reproduce all third-party content that it uses in its assessment materials. OCR has attempted to identify and contact all copyright holders whose work is used in this paper. To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced in the OCR Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download from our public website (www.ocr.org.uk) after the live examination series.

If OCR has unwittingly failed to correctly acknowledge or clear any third-party content in this assessment material, OCR will be happy to correct its mistake at the earliest possible opportunity.

 $For queries \ or \ further \ information \ please \ contact \ the \ Copyright \ Team, \ First \ Floor, 9 \ Hills \ Road, \ Cambridge \ CB2 \ 1GE.$ 

OCR is part of the Cambridge Assessment Group; Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.