

GCE

Physics A

Unit **H556/02**: Exploring physics

Advanced GCE

Mark Scheme for June 2018

OCR (Oxford Cambridge and RSA) is a leading UK awarding body, providing a wide range of qualifications to meet the needs of candidates of all ages and abilities. OCR qualifications include AS/A Levels, Diplomas, GCSEs, Cambridge Nationals, Cambridge Technicals, Functional Skills, Key Skills, Entry Level qualifications, NVQs and vocational qualifications in areas such as IT, business, languages, teaching/training, administration and secretarial skills.

It is also responsible for developing new specifications to meet national requirements and the needs of students and teachers. OCR is a not-for-profit organisation; any surplus made is invested back into the establishment to help towards the development of qualifications and support, which keep pace with the changing needs of today's society.

This mark scheme is published as an aid to teachers and students, to indicate the requirements of the examination. It shows the basis on which marks were awarded by examiners. It does not indicate the details of the discussions which took place at an examiners' meeting before marking commenced.

All examiners are instructed that alternative correct answers and unexpected approaches in candidates' scripts must be given marks that fairly reflect the relevant knowledge and skills demonstrated.

Mark schemes should be read in conjunction with the published question papers and the report on the examination.

© OCR 2018

Annotations available in RM Assessor

	Annotation	Meaning
	Correct response	Used to indicate the point at which a mark has been awarded (one tick per mark awarded).
×	Incorrect response	Used to indicate an incorrect answer or a point where a mark is lost.
A		Do not allow the mark where the error occurs. Then follow through the working/calculation giving full subsequent ECF if there are no further errors.
BOD	Benefit of doubt given	Used to indicate a mark awarded where the candidate provides an answer that is not totally satisfactory, but the examiner feels that sufficient work has been done.
BP	Blank page	Use BP on additional page(s) to show that there is no additional work provided by the candidates.
CON	Contradiction	No mark can be awarded if the candidate contradicts himself or herself in the same response.
ECF	Error carried forward	Used in <u>numerical answers only</u> , unless specified otherwise in the mark scheme. Answers to later sections of numerical questions may be awarded up to full credit provided they are consistent with earlier incorrect answers. Within a question, ECF can be given for AE, TE and POT errors but not for XP.
L1	Level 1	L1 is used to show 2 marks awarded and L1^ is used to show 1 mark awarded.
L2	Level 2	L2 is used to show 4 marks awarded and L2^ is used to show 3 marks awarded.
L3	Level 3	L3 is used to show 6 marks awarded and L3^ is used to show 5 marks awarded.
РОТ	Power of 10 error	This is usually linked to conversion of SI prefixes. Do not allow the mark where the error occurs. Then follow through the working/calculation giving ECF for subsequent marks if there are no further errors.
SEEN	Seen	To indicate working/text has been seen by the examiner.
SF	Error in number of significant figures	Where more SFs are given than is justified by the question, do not penalise. Fewer significant figures than necessary will be considered within the mark scheme. Penalised only once in the paper.
TE	Transcription error	This error is when there is incorrect transcription of the correct data from the question, graphical read-off, formulae booklet or a previous answer. Do not allow the relevant mark and then follow through the working giving ECF for subsequent marks.
XP	Wrong physics or equation	Used in <u>numerical answers only</u> , unless otherwise specified in the mark scheme. Use of an incorrect equation is wrong physics even if it happens to lead to the correct answer.
٨	Omission	Used to indicate where more is needed for a mark to be awarded (what is written is not wrong but not enough).

H556/02 Mark Scheme June 2018

Abbreviations, annotations and conventions used in the detailed Mark Scheme (to include abbreviations and subject-specific conventions).

Annotation	Meaning
/	alternative and acceptable answers for the same marking point
Reject	Answers which are not worthy of credit
Not	Answers which are not worthy of credit
Ignore	Statements which are irrelevant
Allow	Answers that can be accepted
()	Words which are not essential to gain credit
	Underlined words must be present in answer to score a mark
ECF	Error carried forward
AW	Alternative wording
ORA	Or reverse argument

SECTION A

Question	Answer	Marks	Guidance
1	A	1	
2	С	1	
3	С	1	
4	В	1	
5	A	1	
6	С	1	
7	В	1	
8	A	1	
9	D	1	
10	С	1	
11	D	1	
12	В	1	
13	В	1	
14	С	1	
15	Α	1	
	Total	15	

SECTION B

Q	uesti	ion	Answer	Marks	Guidance
16	(a)		$(R = \frac{V}{I} = \frac{W}{QI}; Q = It)$		Allow other correct methods
			charge \rightarrow A s or energy \rightarrow kg m s ⁻² × m or kg m ² s ⁻²	C1	Allow Q or C or coulomb for 'charge'; E or W or joule or J or work done for 'energy'
			(base units) kg m ² A ⁻² s ⁻³	A 1	Allow 1 mark for J s ⁻¹ A ⁻²
					Allow $\frac{\text{kg m}^2}{\text{A}^2 \text{s}^3}$ or kg m ² /(A ² s ³)
					Not kg $m^2 / A^2 / s^3$ or kg $m^2 / s^3 / A^2$
	(b)	(i)	$(R =) \frac{6.0}{0.150}$	M1	Allow any correct value of $V (\pm 0.1 \text{ V})$ divided by the correct
			$R = 40 \Omega$	Α0	value of I (\pm 10 mA) from the straight line for ${f R}$
		(ii)1			Allow full credit for other correct methods
			$(V_L =) 1.4 \text{ (V)} \text{ or } (V_R =) 4.0 \text{ (V)} \text{ or } (R_T =) 6.0/0.1 \text{ (}\Omega)$	C1	Possible ECF from (i) Allow \pm 0.1 V for the value of p.d. from the graph
			$(V_{\text{terminal}} =) 5.4 \text{ (V)} \text{ or } (V_{\text{r}} =) 0.6 \text{ (V)} \text{ or } (r =) 60 - 54 \text{ (}\Omega)$	C1	Note getting to this stage will also secure the first C1 mark
			$r = 6.0 (\Omega)$	A 1	Allow 1 SF answer here without any SF penalty
		(ii)2	$\rho = \frac{40 \times 2.4 \times 10^{-6}}{8.0 \times 10^{-3}}$ (Any subject)	C1	Allow ECF
			$ ho$ = 0.012 (Ω m)	A1	Allow 1 mark for either 0.018 for using 60 Ω , 0.016(2) for using 54 Ω or for 0.0018 for 6.0 Ω
		(ii)3	$n = \frac{6.5 \times 10^{17}}{2.4 \times 10^{-6} \times 0.008} \text{or} n = 3.385 \times 10^{25} \text{ (m}^{-3)}$	C1	
			$V = \frac{3.188}{2.4 \times 10^{-6} \times 3.385 \times 10^{25} \times 1.60 \times 10^{-19}}$ (Any subject)	C 1	Note do not penalise again for the same POT error
			$v = 7.7 \times 10^{-3} \text{ (m s}^{-1})$	A 1	Allow 1 mark for $4(.0) \times 10^5$ (m s ⁻¹); $n = 6.5 \times 10^{17}$ used
			Total	11	

Question	Answer	Marks	Guidance
17*	Level 3 (5–6 marks) Clear explanation, some description and both resistance values correct There is a well-developed line of reasoning which is clear and logically structured. The information presented is relevant and substantiated. Level 2 (3–4 marks) Some explanation, limited or no description and both resistance values correct OR Clear explanation, limited or no description and calculations mostly correct / one correct calculation OR Clear explanation, some description and no calculations There is a line of reasoning presented with some structure. The information presented is in the most-part relevant and supported by some evidence.	B1 × 6	Indicative scientific points may include: Explanation of trace The 'trace' is because of light reaching and not reaching LDR Resistance of LDR varies with (intensity) of light In light resistance of LDR is low p.d. across LDR is low p.d. across resistor (or V) is high current in circuit is large In darkness resistance of LDR is high p.d. across LDR is high p.d. across LDR is high p.d. across resistor (or V) is low current in circuit is small V _{max} = 4.0 V; V _{min} = 2.0 V Potential divider equation quoted Substitution into potential divider equation
	Level 1 (1–2 marks) Some explanation OR Some description OR Some calculation There is an attempt at a logical structure with a line of reasoning. The information is in the most part relevant. O marks No response or no response worthy of credit		 Description of determining frequency Time between pulses is constant because of constant speed Time between pulses = 0.4 (s) f = 1/T frequency = 2.5 (Hz) Calculations Resistance of LDR is 150 (Ω) in light Resistance of LDR is 1500 (Ω) in darkness
	Total	6	

Q	uestion	Answer	Marks	Guidance
18	(a)	$1.00 \times \sin 56.3 = 1.50 \times \sin r$ (Any subject)	M1	Allow with or without the 1.00
		r = 33.7°	A1	Allow 34°
		Correct working / reasoning leading to 90.0° (e.g. $\theta = 180 - (56.3 + 33.7)$, therefore $\theta = 90.0^{\circ}$)	A 1	
	(b)	Use a polaroid / polarising filter	B1	
		Rotation will change intensity	B1	Allow brightness / light
	(c)	distance = 6.0/cos 33.7 or 7.2 (cm) OR		Allow 34°
		$v = 3.00 \times 10^8 / 1.50$ or $2.00 \times 10^8 \text{ (m s}^{-1}\text{)}$	C1	Allow 2 × 10 ⁸
		$t = 7.2 \times 10^{-2} / 2.00 \times 10^{8}$		
		$t = 3.6 \times 10^{-10} \text{ (s)}$	A1	
		Total	7	

Q	uestio	n Answer	Marks	Guidance
19	(a)	Any <u>two</u> from: Reflection Diffraction Interference / superposition	B1 × 2	Allow correct annotation of Fig. 19.1 for each effect
	(b)	Interference / superposition (of microwaves along PQ) Maximum (signal) / constructive (interference) when waves are in phase Minimum (signal) / destructive (interference) when waves are in anti-phase	B1 B1	Allow constructive when phase difference is $n \times 360^{\circ}$ (n is an integer) / 0° / 360° Allow destructive phase difference is $[2n + 1] \times 180^{\circ}$ (n is an integer) / 180° Not 'out of phase' Special case - allow 1 mark from the last two B1 marks, for signal linked to path difference and wavelength
		Total	5	

C	Questi	on	Answer	Marks	Guidance
20	(a)	(i)	A straight line with non-zero V_0 intercept	B1	Ignore spread of data points on either side of the line Allow Intercept > 0 and < 1.0 V
			gradient = 1.3×10^{-6}	B1	Allow (1.10 to 1.60) \times 10 ⁻⁶ ; no need to check calculation
		(ii)	gradient = $\frac{hc}{e}$ (Any subject)	C1	
			$h = \frac{1.3 \times 10^{-6} \times 1.60 \times 10^{-19}}{3.00 \times 10^{9}}$ (Any subject)	C1	Possible ECF from (i)
			$h = 6.9 \times 10^{-34} \text{ (J s)}$	A 1	Note the answer must be given 2 SF only
		(iii)	difference = $\frac{6.9 \times 10^{-34} - 6.6(3) \times 10^{-34}}{6.6(3) \times 10^{-34}} \times 100 \%$		Possible ECF from (ii) Ignore sign
			difference = 4.1 %	B1	Not division by value from (ii) Allow 1 SF answer
		(iv)	Random (error) / data points are spread about line	B1	
			Systematic (error) / line does not pass through origin	B1	
			Take (many) repeat readings (of V_0) and average	B1	
			Conduct the experiment in a darkroom / use (black) tube over the LED to view when it is lit / use a (digital) voltmeter with no zero error	B1	Allow other sensible suggestion Not faulty voltmeter

Question	Answer	Marks	Guidance
(b)			Allow f for frequency, λ for wavelength and ϕ for work function throughout Allow 'overcome' / 'met' / 'reached' when describing > or < Allow photon <u>s</u>
	Any <u>one</u> from: Energy of visible light photon < work function (of zinc) (frequency of) visible (light/photon) < threshold frequency	В1	Not f_0 for threshold frequency Allow equivalent statement with wavelength
	Any <u>one</u> from: Energy of UV photon > work function (of zinc) (frequency of) UV (radiation/photon) > threshold frequency	B1	Allow = instead of > or < throughout for UV Allow equivalent statement with wavelength
	 Any <u>two</u> from: Collapse of leaf linked to removal of electrons One-to-one interaction of photon and (surface) electron 	B1 × 2	Ignore stem / plate / leaf / electroscope becoming positive
	Photon energy is independent of intensity / Intensity linked to rate of photons (incident on the zinc plate) Total	14	

Q	uesti	on	Answer	Marks	Guidance	
21	(a)	(i)	The gradient is maximum / maximum rate of change of B/maximum rate of change of flux (linkage)	B1	Allow slope instead of gradient	
		(ii)	Tangent drawn to curve at $B = 0$	C1		
			gradient = 12.5 (maximum e.m.f. = $12.5 \times 14 \times 10^{-4} \times 85$)	C1	Allow 11.70 to 13.30; no need to check calculation Allow fraction if calculated value is within the range	
			maximum e.m.f. = 1.5 (V)	A 1	Allow ECF from the gradient value if value is outsirange	ide the
					Alternative:	
					$E = BAN\omega$ C1	
					$E = 40 \times 10^{-3} \times 14 \times 10^{-4} \times 85 \times 2\pi \times 50$ C1 maximum e.m.f. = 1.5 (V)	
	(b)		Sinusoidal curve with the same peak e.m.f.	B1	Note curve must show at least half a period Allow ± 1 small square for e.m.f. Ignore phase	
			Sinusoidal curve with half period	B1	Note graph must show at least half a period Allow \pm 1 small square for t	
			Total	6		

22 (a) (b)*	$(V = V_0 e^{-t/CR})$ $\ln(V/V_0) = -t/CR$ or $\ln V = \ln V_0 - t/CR$ $\ln V = \ln V_0 - t/CR$ and $y = mx + c$ / gradient = -1/CR	B1 B1	Note the minus sign is necessary
/b*			
(D)	Clear description and correct value of <i>C</i> There is a well-developed line of reasoning which is clear and logically structured. The information presented is relevant and substantiated. Level 2 (3–4 marks) Clear description and some correct working OR Some description and correct value for <i>C</i> There is a line of reasoning presented with some structure. The information presented is in the most-part relevant and supported by some evidence.	B1×6	 Indicative scientific points may include: Description C = εA/d A = area (of overlap) and d = separation. Use ruler to measure the side / radius / diameter (and hence the area A) Ensure total overlap of plates. Measure the thickness / d of paper using micrometer / (vernier) caliper. Take several readings of thickness and determine an average value for d
	Level 1 (1–2 marks) Some description OR Some working There is an attempt at a logical structure with a line of reasoning. The information is in the most part relevant. O marks No response or no response worthy of credit Total	8	 Calculation of capacitance gradient ≈ 85 C≈ 1.2 × 10⁻⁸ (F)

Q	uestic	on	Answer	Marks	Guidance
23	(a)	(i)	(<i>N</i> at 15°/ <i>N</i> at 150° =) $10^{5.1} \div 10^{1.5}$ or $10^{3.6}$ (≈ 4000)	B1	
		(ii)	Most of the (alpha) particles went through without (much) deflection, hence the atom is mostly empty / space / vacuum	B1	Allow Many / Majority / Lots of the alpha particles
			Some of the (alpha) particles were scattered (through large angles / greater than 90°), hence there must be a <u>nucleus</u> (at the centre of the atom).	B1	Allow Few(er) / Small(er) number of the alpha particles
			Any <u>one</u> from:The nucleus is very small compared with the atom	B1	
			Positive charge at the centre / nucleus is positive		
			 Most of the mass (of the atom) is at centre / dense nucleus 		
	(b)	(i)	Kinetic energy (of proton) changes to potential (energy) or Potential energy increases as the kinetic energy (of the proton) decreases or Potential energy increases as work is done against the field / against repulsion / positive charge	B1	Allow 'it' / PE for (electric) potential energy Allow KE / E _k
		(ii)	energy = $0.52 \times 10^6 \times 1.60 \times 10^{-19}$ or $8.3(2) \times 10^{-14}$ (J)	C1	
			$\frac{1.60\times 10^{-19}\times 27\times 1.60\times 10^{-19}}{4\pi\varepsilon_0 R}=8.32\times 10^{-14}$	C1	
			$R = 7.5 \times 10^{-14} \text{ (m)}$	A1	Allow 2 mark for 1.6×10^{-13} (m); $Z = 59$ used Allow 2 mark for 8.9×10^{-14} (m); $Z = 32$ used Allow 1 mark for 2.8×10^{-15} (m); $Z = 1$ used Allow 1 mark for 1.2×10^{-32} (m); energy $= 5.2 \times 10^{5}$ used
			Total	8	

Question		on	Answer	Marks	Guidance
24	(a)	(i)	alpha-particle / 4_2 He / 4_2 α	B1	
		(ii)	nucleon number for Bi = 209	B1	
			antineutrino / $^{(o)}_{(0)} ar{v}_{(e)}$	B1	Note: Do not allow incorrect subscript and superscript
	(b)	(i)	Aluminium (sheet placed between source and detector) The count (rate) reduces	M1 A1	Allow count (rate) drop to background / zero
			or		Allow 2 marks for 'the range in air is a few m'
			Magnetic / electric field used Electrons identified from correct deflection / motion in field	M1 A1	
		(ii)	$(\lambda =) \ln 2/3.3 \text{ (h}^{-1})$ or $(\lambda =) 0.21 \text{ (h}^{-1})$	C1	Allow credit for alternative methods
			$(A_0 =) 12 \times 10^3 / e^{-(0.21 \times 7.0)}$ or $(A_0 =) 5.219 \times 10^4$ (Bq)	C1	Note this is the same as $12 \times 10^3 \div (0.5)^{7.0/3.3}$
			$(N_0 =) 5.219 \times 10^4 / 5.835 \times 10^{-5}$	C1	
			number of nuclei = 8.9×10^8	A1	Note 9.0 × 10 ⁸ can score full marks if numbers are rounded
			Or		Tourided
			$(\lambda =) \ln 2/[3.3 \times 3600] (s^{-1})$ or $(\lambda =) 5.835 \times 10^{-5} (s^{-1})$	C1	
			$(N=) 1.2 \times 10^4 / 5.835 \times 10^{-5}$ or 2.057×10^8	C1	Possible ECF for incorrect conversion of time
			$(N_0 =) 2.057 \times 10^8/e^{-(0.21 \times 7.0)}$	C1	Note this is the same as $2.057 \times 10^8 \div (0.5)^{7.0/3.3}$
			number of nuclei = 8.9×10^8	A 1	
			Total	9	

Question		on	Answer	Marks	Guidance
25	(a)	(i)	Proton is repelled (by nucleus)	B1	
			(High-speed) proton can get close to (oxygen) nucleus	B1	Allow 'proton can experience the strong (nuclear) force' Not 'collide / hit nucleus'
		(ii)	$E = [0.25 - (2.24 - 2.20)] \times 10^{-11} \text{ (J)} \text{or} 0.21 \times 10^{-11} \text{ (J)}$ $\lambda = \frac{6.63 \times 10^{-34} \times 3.00 \times 10^{8}}{0.21 \times 10^{-11}} \text{(Any subject)}$	C1	
			$\lambda = {0.21 \times 10^{-11}} \qquad \text{(Any subject)}$	C1	
			$\lambda = 9.5 \times 10^{-14} \text{ (m)}$	A1	Allow 2 marks for 6.9×10^{-14} ; $E = 0.29 \times 10^{-11}$ used Allow 1 mark for a value correctly calculated based on any other incorrect value for E (e.g. $8(.0) \times 10^{-14}$ for $E = 0.25 \times 10^{-11}$ and $5(.0) \times 10^{-13}$ for $E = 0.04 \times 10^{-11}$)
		(iii)	Used in PET (scans)	M1	
			Any <u>one</u> from: Used to diagnose function of organ / brain / body Detection of cancer / tumour Non-invasive / no surgery / no infection 3D (image)	A1	
	(b)		X-ray (tube) moves around the patient	B1	Allow 'X-rays passed through different angles.'
			A thin (fan-shaped X-ray) beam is used	B1	
			(Images / scans of) cross-sections through the patient are taken	B1	Allow 'slice(s)'
			Any <u>one</u> from:	B1	
			A three-dimensional image is produced(Soft) tissues can be identified		Allow 'good contrast image'
			Tota	I 11	

OCR (Oxford Cambridge and RSA Examinations) The Triangle Building **Shaftesbury Road** Cambridge **CB2 8EA**

OCR Customer Contact Centre

Education and Learning

Telephone: 01223 553998 Facsimile: 01223 552627

Email: general.qualifications@ocr.org.uk

www.ocr.org.uk

For staff training purposes and as part of our quality assurance programme your call may be recorded or monitored

Oxford Cambridge and RSA Examinations is a Company Limited by Guarantee Registered in England Registered Office; The Triangle Building, Shaftesbury Road, Cambridge, CB2 8EA Registered Company Number: 3484466 **OCR** is an exempt Charity

OCR (Oxford Cambridge and RSA Examinations)

Head office

Telephone: 01223 552552 Facsimile: 01223 552553



