



GCSE (9–1)

Food Preparation and Nutrition

J309/01: Food preparation and nutrition

General Certificate of Secondary Education

Mark Scheme for June 2019

OCR (Oxford Cambridge and RSA) is a leading UK awarding body, providing a wide range of qualifications to meet the needs of candidates of all ages and abilities. OCR qualifications include AS/A Levels, Diplomas, GCSEs, Cambridge Nationals, Cambridge Technicals, Functional Skills, Key Skills, Entry Level qualifications, NVQs and vocational qualifications in areas such as IT, business, languages, teaching/training, administration and secretarial skills.










It is also responsible for developing new specifications to meet national requirements and the needs of students and teachers. OCR is a not-for-profit organisation; any surplus made is invested back into the establishment to help towards the development of qualifications and support, which keep pace with the changing needs of today's society.

This mark scheme is published as an aid to teachers and students, to indicate the requirements of the examination. It shows the basis on which marks were awarded by examiners. It does not indicate the details of the discussions which took place at an examiners' meeting before marking commenced.

All examiners are instructed that alternative correct answers and unexpected approaches in candidates' scripts must be given marks that fairly reflect the relevant knowledge and skills demonstrated.

Mark schemes should be read in conjunction with the published question papers and the report on the examination.

© OCR 2019

Annotation	Meaning
	Level 1
	Level 2
	Level 3
	Noted but no credit given
	Tick
	Blank page
	Repeat
	Benefit of the doubt
	Incorrect/No credit given

Question		Answer	Mark	Guidance												
1	(a)	(i)	2	2 x 1 mark Do not accept - body building/growth of muscles												
1	(a)	(ii)	2	1 x 2 marks Must state ' all the essential ' For two marks to be awarded the candidates must refer to both high and low biological value proteins.												
1	(b)	<table border="1"> <thead> <tr> <th>Micronutrient</th> <th>Function of the micronutrient</th> </tr> </thead> <tbody> <tr> <td>Vitamin B1/ Thiamine</td> <td> <ul style="list-style-type: none"> Helps body to grow Normal function of nervous system Releases energy from carbohydrates </td> </tr> <tr> <td>Vitamin B2 / Riboflavin</td> <td> <ul style="list-style-type: none"> Healthy skin Normal / structure of mucous membranes Normal growth Releases energy from carbohydrates Transport / metabolism of iron </td> </tr> <tr> <td>Vitamin B3 / Niacin</td> <td> <ul style="list-style-type: none"> Healthy skin / mucous membranes / nerves Metabolism growth Release of energy </td> </tr> <tr> <td>Vitamin B12 / cobalamin</td> <td> <ul style="list-style-type: none"> Energy production Formation of red blood cells Normal functioning of nervous system </td> </tr> <tr> <td>Vitamin D</td> <td> <ul style="list-style-type: none"> Enables calcium absorption Helps calcium to be deposited in bones and teeth </td> </tr> </tbody> </table>	Micronutrient	Function of the micronutrient	Vitamin B1/ Thiamine	<ul style="list-style-type: none"> Helps body to grow Normal function of nervous system Releases energy from carbohydrates 	Vitamin B2 / Riboflavin	<ul style="list-style-type: none"> Healthy skin Normal / structure of mucous membranes Normal growth Releases energy from carbohydrates Transport / metabolism of iron 	Vitamin B3 / Niacin	<ul style="list-style-type: none"> Healthy skin / mucous membranes / nerves Metabolism growth Release of energy 	Vitamin B12 / cobalamin	<ul style="list-style-type: none"> Energy production Formation of red blood cells Normal functioning of nervous system 	Vitamin D	<ul style="list-style-type: none"> Enables calcium absorption Helps calcium to be deposited in bones and teeth 	4	4 x 1 mark Nutrient and functions must match Do not have to write the word vitamin - can just say B1/B2/B3/B12. Do not accept - B alone.
Micronutrient	Function of the micronutrient															
Vitamin B1/ Thiamine	<ul style="list-style-type: none"> Helps body to grow Normal function of nervous system Releases energy from carbohydrates 															
Vitamin B2 / Riboflavin	<ul style="list-style-type: none"> Healthy skin Normal / structure of mucous membranes Normal growth Releases energy from carbohydrates Transport / metabolism of iron 															
Vitamin B3 / Niacin	<ul style="list-style-type: none"> Healthy skin / mucous membranes / nerves Metabolism growth Release of energy 															
Vitamin B12 / cobalamin	<ul style="list-style-type: none"> Energy production Formation of red blood cells Normal functioning of nervous system 															
Vitamin D	<ul style="list-style-type: none"> Enables calcium absorption Helps calcium to be deposited in bones and teeth 															

		Iron	<ul style="list-style-type: none"> • Carry Oxygen in the blood • Prevents anaemia • Production of haemoglobin(in red blood cells) 		
		Phosphorus	<ul style="list-style-type: none"> • Energy production • Muscle function • Strong / hard bones and teeth • Works with calcium 		
1	(c)		<ul style="list-style-type: none"> • Add colour • Add flavour/seasoning/spices/improve taste • Adds moisture/prevents drying • So the meat is more tender/softens(when it is cooked) 	2	2 x 1 mark
1	(d)		<ul style="list-style-type: none"> • Appetising smell is produced - volatile / aromatic substances are released • Changes colour /from red to brown /pink to white - changes in myoglobin / brown colour develops above 65°C/with heat. • Fat melts (in dry methods of cooking) - keeps lean meat moist / fat content is reduced in dry methods of cooking. • Fat melts (moist methods of cooking) - will rise to the top of the dish • Meat juices are squeezed out - as protein / collagen contracts / nutrients in juices are lost / meat loses weight / juices go into the gravy in moist methods of cooking • Texture changes / becomes firmer / muscle fibres shrinks - protein coagulates / above 50 °C • Bacteria killed- high temperatures kill bacteria. • Makes it more tender – easier to chew/digest. 	2	2 x 1 mark 1 mark for statement and one mark for the explanation. Statements are in bold, explanations unbold.

Question	Answer	Mark	Guidance	Level of response
2*	<p><i>Production of Fairtrade products benefits the food producers and their workers, the local community and the environment.</i></p> <p>Food Producers/Workers Fairer trade for producers/ addresses injustices of trade - traditionally the poorest weakest workers discriminated against /exploited. Ensures workers and producers receive fair price for products and labour. Allows a producer to improve their standard of living – have more control over their lives/decent working and living conditions/feel secure. Fair terms of trade for producers/farmers and workers – requiring companies to pay sustainable prices (which must never fall lower than the market price). Better and fairer prices for crops and labour. Improved working conditions – related to age of workers/amount of time they work/conditions in factories/on farms / have a say in how the work place is run. Protect workers' basic rights – health & safety standards, no discrimination, no bonded or illegal child labour. Tackle poverty – producers get better prices for their products / fair stable price ,this is passed onto workers who get better pay. Women workers – empowerment/equality Producers/farmers have access to training - resulting in higher production levels/profit. Regular work/regular income – covers cost of living/workers feel secure/content.</p>	12	<p>To be awarded marks in band three candidates must make reference to food producers and their workers, the local community and the environment.</p> <p>No ticks</p> <p>Level of response annotation in left hand column at end of answer</p>	<p>Band 3 (9–12 marks) An excellent well-balanced answer showing thorough understanding and the ability to analyse and evaluate how production of Fairtrade products benefits food producers and their workers, the local community and the environment.</p> <p>There is a well-developed line of reasoning which is clear and logically structured. The information presented is relevant and substantiated.</p> <p>Band 2 (5–8 marks) A good well-balanced answer showing good knowledge and clear understanding. There may be an attempt to analyse and/or evaluate how the production of Fairtrade products benefits food producers and their workers and/or the local community and/or the environment.</p> <p>There is a line of reasoning presented with some structure, which is in the most part relevant.</p> <p>Band 1 (1–4 marks) Some demonstration of knowledge and/or understanding of how the production of Fairtrade products benefits food producers and/or their workers and/or the local community and/or the environment.</p>

		<p><u>Community/Environment</u></p> <p>Encourages modern farming methods- improve soil fertility/ preserve valuable ecosystems/limits the use of harmful chemicals / management of water.</p> <p>Environmentally friendly farming- using fewer chemicals and effective irrigation.</p> <p>Better for the environment - supports sustainable practices /farming that minimises our environmental footprint/damage to the environment.</p> <p>Fairtrade premium paid- Premium pay means costs are covered and some left over to invest in local community projects/ education/ health.</p> <p>Community involved – in the decisions about farming/production/sales/investments.</p> <p>Place/time/resources to grow crops for own consumption- providing food for family/community.</p> <p>Improved local facilities – money given to local projects linked to health, education, housing.</p> <p>Local sustainability issues. Education/training enables crops to be continued to be grown/do not fail/crop rotation/farming methods.</p> <p>Access to training- providing education.</p> <p>Establishing cooperatives – whole community have an investment/interest in the work.</p> <p>Some foods are considered to taste better / fresher as produced in small quantities – producers/farmers are involved and invested in the entire production process. More sustainable profit= stable community.</p>			<p>The information is basic and communicated in an unstructured way. The information is supported by limited evidence and the relationship to the evidence may not be clear.</p> <p>0 Marks: no response worthy of credit</p>
--	--	--	--	--	--

Question		Answer	Mark	Guidance
3	(a)	<ul style="list-style-type: none"> • Air is beaten into the mixture - to form an air-in-fat foam. • The fat is broken down into smaller particles by the sugar grains / crystals - air is then trapped. 	2	1 x 2 marks Either of the two statements with explanation for two marks. Statements are in bold.
3	(b)	<ul style="list-style-type: none"> • By adding raising agent /SR flour creates carbon dioxide/air bubbles/gas • Air / steam / carbon dioxide expand when heated causing the cake to rise/gases from raising agent. • Fat melts and is absorbed by the starch / flour. • The proteins (in the egg and flour/gluten) coagulate/ set mixture in risen state/structure. • Sugar melts /forms syrup that softens gluten. • The cake browns due maillard reaction/dextrinization. 	4	2 x 2 marks Must show scientific knowledge/ must explain the change. Scientific knowledge shown in bold.
3	(c)	<ul style="list-style-type: none"> • Even texture / airy texture / small and even air bubbles • Golden (brown) colour • Light (texture) • Moist • Straight sides • Sweet • Well risen / good volume / even rising / level top • Two even layers • Little or no crust 	2	2 x 1 mark Do not allow: <ul style="list-style-type: none"> • Fluffy or fluffy sponge. • Air bubbles/holes without qualification of 'small/even'. Allow 1 mark for 'light' if given as 'light and fluffy'.
3	(d)	<p>E.g.: Nuts / chocolate / 100s and 1000s / sweets / chocolate vermicelli /icing / butter cream / fondant icing /icing techniques / fruit / chocolate curls / moulded decorations / edible flowers / icing sugar dusting / frosting/Birthday numbers/special occasion decoration e.g. Christmas/anniversary.</p>	3	3 x 1 mark Accept 3 different acceptable ways to decorate top or sides of a Victoria sandwich. Do not credit a filling as this is not a decoration.

Question			Answer	Mark	Guidance
4	(a)	(i)	<ul style="list-style-type: none"> Banana / plantain Bread / any named bread A named cereal e.g. oats /noodles / bulgar wheat / semolina /pearl barley / buck wheat /quinoa Couscous Pasta / named type of pasta Polenta Potatoes / sweet potato / yams Pulse vegetables / peas / beans / lentils Rice Parsnip / pumpkin / butternut squash / maize(corn) 	3	3 x 1 mark Must state a food do not accept whole grains on its own. Do not accept– cakes /pastry/biscuits as not good sources. Breakfast cereals – can accept porridge oats but no other as many are not good sources.
4	(a)	(ii)	<ul style="list-style-type: none"> Broken down slowly therefore provides slow release energy. Provide a full feeling - adds bulk to our diet/higher in fibre . Provides energy over a long period of time provides slow release energy. Take longer to digest - than sugars . 	2	1 x 2 marks Can mix and match One statement =1 mark One explanation=1 mark c Statements are in bold.
4	(b)		<ul style="list-style-type: none"> Amount of food we eat balances - with the amount of energy we use If the amount of food consumed is greater than the energy used - then weight increases If the amount of food consumed is less than the energy used - then weight is lost Relation between intake of food/calories and output of work /energy 	2	1 x 2 marks
4	(c)	(i)	<ul style="list-style-type: none"> Rate at which the body uses energy/calories when you are resting The energy required for basic bodily functions e.g. breathing , heart beating etc/calories required to keep body functioning. 	1	1 mark
4	(c)	(ii)	<ul style="list-style-type: none"> Measurement/amount/level of the energy used for all activities/movement (other than basic body functions) Way to express a person's daily physical activity as a number 	1	1 mark

Question		Answer	Mark	Guidance
5	(a)	<p>Mashed potato</p> <ul style="list-style-type: none"> • Bubble and squeak • Croquettes • Fish pie • Potato cakes • Potato scones • Rissoles • Scones • Shepherd's / cottage pie • Fish cakes <p>Cooked peas and green beans</p> <ul style="list-style-type: none"> • Curry • Pasta bake • Pasta Salad • Pie • Risotto • Samosa • Soup <p>Cooked chicken</p> <ul style="list-style-type: none"> • Caesar salad / chicken salad • Chicken and pasta bake / salad • Chicken curry • Chicken pie / pasties • Chicken risotto • Chicken sandwich / wrap • Chicken soup • Chicken stew / casserole • Chicken Stir-fry • Coronation chicken 	3	<p>3 x 1 mark</p> <p>Do not accept the same dish twice.</p> <p>Accept any named dish which uses the food in the question.</p> <p>Do not allow name of leftover food being added to a meal e.g.</p> <ul style="list-style-type: none"> • Roast dinner with peas and beans • Sausage with mash potatoes • Salmon and beans

Question		Answer	Mark	Guidance	Level of response
5	(b)*	<p><i>Ways consumers could reduce the amount of their food waste.</i></p> <p>Check date marks on food /use /understand date marks</p> <ul style="list-style-type: none"> • using up the oldest food first in the fridge / freezer . • if not going to be used within date - use them in meals / make dishes and freeze them for later . • check dates when shopping to make sure they won't go out of date before you plan to use them. <p>Plan meals:</p> <ul style="list-style-type: none"> • so you can make a shopping list and buy only what is needed. • make dishes everyone likes - can use less food than cooking several different dishes. • Check on who is going to be in for meals - so you don't make too much. • Avoid cooking too much food for the number eating the meal - weigh out portions to help. <p>Shopping for food:</p> <ul style="list-style-type: none"> • avoid buying special offers e.g. one get one free (BOGOF) - as these encourage wastage if the second item is not needed. If you do buy ensure the second item is stored second item or can store / freeze it. 	8	<p>Do not accept any reference to reusing/leftover food as this is given in the question.</p> <p>Question asking how to reduce food waste, not what can be done with food that could go to waste.</p> <p>Do not accept Foodbanks Feeding pets Compost Feeding homeless Donations etc.</p> <p>No ticks</p> <p>Level of response annotation in left hand column at end of answer</p>	<p>Band 3 (6–8 marks) There is a well-developed line of reasoning which is clear and logically structured. The information presented is relevant and substantiated, clearly explaining how other than reusing food consumers can reduce their amount of food waste. Specialist terms are used appropriately and correctly.</p> <p>Band 2 (3-5 marks) There is a line of reasoning presented with some structure that is in the most part relevant and supported by some evidence explaining how other than reusing food consumers can reduce their amount of food waste. There will be some specialist terms used although these may not always be used appropriately.</p> <p>Band 1 (1-2 marks) The information is basic and communicated in an unstructured way. The candidate shows limited knowledge/understanding of how other than reusing food consumers can reduce their amount of food waste. Answers may be ambiguous or disorganised.</p> <p>(0) marks: no response worthy of credit</p>

		<ul style="list-style-type: none">• avoid panic buying due to weather forecast / media reports on food shortages / scares - relevant examples.• Avoid buying large packs of food because it seems better value - if it is not all going to be used. Could freeze excess if suitable.• Shop on-line - less tempting to overstock, buy on impulse.• Check sizes / portions / pack size of food so you don't overbuy . <p>Correct storage of food - read labels to store correctly /rotate so nothing goes out of date before it can be used.</p> <p>Freeze leftovers so it can be used for another day.</p> <p>Use gluts of fruits etc. to produce preserved products.</p>			
--	--	--	--	--	--

Question		Answer	Mark	Guidance
6	(a)	<ul style="list-style-type: none"> • Fibre • Iron • Vitamin C / ascorbic acid 	2	2 x 1 mark
	(b)	<ul style="list-style-type: none"> • Add salad / tomatoes to cheese sandwich • Change butter to vegetable / low fat spread • Change chips to jacket potato / salad / vegetables • Change crisps to unsalted nuts / raw fruit or vegetables / dried fruit • Remove crisps from packed lunch • Change biscuits to a healthy snacks e.g. unsalted nuts / raw fruit or vegetables / dried fruit • Change fizzy drinks to water / milk / low sugar drinks / low calorie • Change squash to fresh orange/ smoothie • Change white bread to wholemeal bread • Pizza - add extra vegetables to the topping / serve with vegetables or salad • Change doughnut to fresh fruit or vegetables, named product lower in calories / lower in sugar/ museli bar. 	3	3 x 1 mark Candidates must make it explicit the foods which are being changed. Do not accept the same answer twice. Do not accept brown bread
	(c)	<ul style="list-style-type: none"> • Cost of meat is expensive • Health reasons / medical reasons / reduce animal fat/ cholesterol /maintain healthy weight • Do not like (the taste/ texture of) meat • Environmental reasons/better for the environment - amount of land required to produce meat • Family traditions/parental preference • Food scares e.g. BSE • Moral reasons /ethical reasons/ wrong to kill animals / concerned about animal welfare / animal production systems • Peer pressure / Media pressure/trend • Religious reasons / Buddhist / Hindu / Sikh • Wide range of vegetarian product available 	3	3 x1 mark Do not accept to lose weight.

Question		Answer	Mark	Guidance
7	(a)	<ul style="list-style-type: none"> • Stick blender / blender / hand blender/Immersion blender • Electric (hand) whisk • Food processor 	3	3 x 1 mark
	(b)	<ul style="list-style-type: none"> • Easy to digest/protein unlikely to overcook • Food is light in texture • No added fat/healthier than frying/roasting • Retains nutrients found in foods/less loss of nutrients • Saves fuel as several products can be steamed at once • Wide range of foods can be steamed 	4	4 x 1 mark Do not allow faster/quick/easy.
	(c)	<ul style="list-style-type: none"> • Amount of time available / time of day - linked to work / family commitments / choice of quick methods of cooking instead of longer methods or longer complex methods. • Cultural traditions/family traditions -methods of cooking linked to culture ,religion / traditional cooking equipment linked to different cultures. • Energy conservation - energy is expensive for many /use of whole oven • Equipment facilities available - relevant example given • Health reasons - reducing fat choosing to grill instead of fry / steaming - not addition of fat. • Media / publicity of dishes - increase in number of TV chefs / books / media / apps • Sensory qualities wanted - clearly links a sensory quality with a method of cooking • Type of food being cooked - some foods not suitable for some methods of cooking / relevant examples given 	4	2 x 2 marks

Question		Answer	Mark	Guidance
8	(a)	<p>Two year old</p> <ul style="list-style-type: none"> • Semi skimmed • Full fat milk • Whole milk <p>Lactose intolerant adult</p> <ul style="list-style-type: none"> • Almond • Soya/soy • Oatley/oat • Lactofree milk/Lactose free • Hemp milk • Rice milk • Coconut milk <p>Vegan</p> <ul style="list-style-type: none"> • Almond • Soya/soy • Oatley/oat • Hemp milk • Rice milk • Coconut milk 	3	<p>3 x 1 mark</p> <p>Do not accept the same response for two different consumers.</p>
	(b)	<ul style="list-style-type: none"> • Milk is pasteurised • Milk is homogenised • Milk is incubated and the harmless bacteria are added • Bacteria converts lactose to lactic acid • Yogurt is left to set/clot /thicken/ until the correct acidity levels are reached • Fruit and/ or flavourings can be added <p>OR</p> <p>Homemade method</p> <ul style="list-style-type: none"> • Heat milk but do not allow to boil • Cool milk • Stir in live yoghurt • Place in sterilised sealed jar and leave in a warm place for 4-6 hours to ferment/set\clot\thicken • Fruit and /or flavourings can be added 	4	<p>4 x 1 mark</p> <p>Must follow a logical sequence.</p> <p>Do not allow to mix and match of methods.</p>

Question		Answer	Mark	Guidance	
8	(c)	<ul style="list-style-type: none"> • Could cause food poisoning / illness • High protein content • May be unsafe to eat • Moist food • Yogurt is a high risk food • Legal requirement/mandatory/by law 	1	1 mark Do not accept goes off.	
Question		Answer	Mark	Guidance	
9	(a)	Type 1 diabetes	2	1 x 2 marks	
		Often diagnosed in childhood			Type 2 diabetes
		Usually diagnosed in over 30 year olds			Often associated with excess body weight/can be prevented
		Not associated with excess body weight/cannot be prevented			can be prevented by a healthy lifestyle /often associated with high blood pressure and/or cholesterol levels at diagnosis
		cannot be prevented			Is treated by losing weight/increase in exercise/medication
		Treated with insulin injections or insulin pump			Sometimes possible to come off diabetes medication/non insulin dependant
Cannot be controlled without taking insulin	Body does not produce enough insulin/body does not use insulin properly/insulin resistance				
		Body produces little or no insulin			

Question	Answer	Mark	Guidance	Level of response
9	<p data-bbox="398 209 1003 272"><i>Dietary advice that you would give to a person who has type 2 diabetes.</i></p> <p data-bbox="398 312 1039 443">Eat a diet low in sugar - diabetes is made worse with constant increases in sugar intake. Sugar causes fluctuations in blood sugar – linked to hyper- or hypoglycaemia.</p> <p data-bbox="398 483 1032 579">Follow the guidance of the Eatwell Guide/eat a wide range of foods /low salt/low fat - large proportion of starchy foods/fruits and vegetables.</p> <p data-bbox="398 619 1032 715">Read food labels carefully - many ready meals and commercially produced products contain hidden sugars these foods should be avoided.</p> <p data-bbox="398 754 1016 850">Reduce the amount of sugar in recipes - e.g. use less sugar in recipes / replace sugar with naturally sweet foods (i.e.) fruit.</p> <p data-bbox="398 890 1032 986">Regular small meals/don't skip meals - avoids peaks and troughs in blood sugar – more stable blood sugar, better control of the condition.</p> <p data-bbox="398 1026 1039 1185">Where possible use wholemeal products/complex carbohydrates slow break down of glucose means that the body has time to deal with the increase blood sugar/glucose helping to manage the condition.</p> <p data-bbox="398 1225 1016 1321">Avoid high sugar/high fat snacks however suitable snack/drink may be required to keep to keep blood sugar levels stable e. g fruit</p>	6	<p data-bbox="1178 244 1294 276">No ticks</p> <p data-bbox="1178 316 1473 443">Level of response annotation in left hand column at end of answer.</p> <p data-bbox="1178 483 1464 579">Not exercise as dietary advice asked for.</p>	<p data-bbox="1498 212 1771 244">Band 3 (5–6 marks)</p> <p data-bbox="1498 244 1984 339">There is a well-developed line of reasoning which is clear and logically structured.</p> <p data-bbox="1498 339 1984 403">The information presented is relevant and substantiated.</p> <p data-bbox="1498 403 1984 579">Shows thorough understanding of the advice which should be given to a person with type 2 diabetes. Use of specialist language is accurate.</p> <p data-bbox="1498 619 1771 651">Band 2 (3–4 marks)</p> <p data-bbox="1498 651 1984 746">There is a line of reasoning presented with some structure which is in the most part relevant.</p> <p data-bbox="1498 746 1995 890">A good well-balanced answer showing good understanding of the advice which should be given to a person with type 2 diabetes.</p> <p data-bbox="1498 930 1771 962">Band 1 (1–2 marks)</p> <p data-bbox="1498 962 1984 1225">The information is basic and communicated in an unstructured way. The information is supported by limited evidence and the relationship to the evidence may not be clear. Limited understanding of the advice which should be given to a person with type 2 diabetes</p> <p data-bbox="1498 1265 1995 1297">0 Marks: no response worthy of credit</p>

Question		Answer	Mark	Guidance
9	(c)	Bacteria /plaque in the mouth feed on sugar producing acid that cause small holes / dental caries in the tooth structure/teeth decay.	2	1 x 2 marks Words in bold must be used for 2 marks to be awarded.

Question		Answer	Mark	Guidance
10	a	i		
	a	ii		
	b			
	c			

OCR (Oxford Cambridge and RSA Examinations)
The Triangle Building
Shaftesbury Road
Cambridge
CB2 8EA

OCR Customer Contact Centre

Education and Learning

Telephone: 01223 553998

Facsimile: 01223 552627

Email: general.qualifications@ocr.org.uk

www.ocr.org.uk

For staff training purposes and as part of our quality assurance programme your call may be recorded or monitored

Oxford Cambridge and RSA Examinations
is a Company Limited by Guarantee
Registered in England
Registered Office; The Triangle Building, Shaftesbury Road, Cambridge, CB2 8EA
Registered Company Number: 3484466
OCR is an exempt Charity

OCR (Oxford Cambridge and RSA Examinations)
Head office
Telephone: 01223 552552
Facsimile: 01223 552553

© OCR 2019

