



Tuesday 14 May 2019 – Afternoon

GCSE (9–1) Combined Science B (Twenty First Century Science)

J260/05 Biology (Higher Tier)

Time allowed: 1 hour 45 minutes

You must have:

• a ruler (cm/mm)

You may use:

- · a scientific or graphical calculator
- an HB pencil




Please write clearly in blac	ink. Do not write in the barcodes.	
Centre number	Candidate number	91
First name(s)		
Last name		

INSTRUCTIONS

- Use black ink. You may use an HB pencil for graphs and diagrams.
- Answer all the questions.
- Where appropriate, your answers should be supported with working. Marks may be given for a correct method even if the answer is incorrect.
- Write your answer to each question in the space provided. If additional space is required, use the lined page(s) at the end of this booklet. The question number(s) must be clearly shown.

INFORMATION

- The total mark for this paper is 95.
- The marks for each question are shown in brackets [].
- Quality of extended response will be assessed in the question marked with an asterisk (*).
- · This document consists of 28 pages.



Answer all the questions.

Cel	lular respiration takes p	place in living cells.	
(a)	In which parts of a cel	Il do the reactions of cellular respiration take place?	
	Tick (✓) two boxes.		
	Cell wall		
	Chloroplasts		
	Cytoplasm		
	Mitochondria		
	Nucleus		
	Plasmids		[2]
(b)	Which processes nee	d energy from cellular respiration?	
	Tick (✓) two boxes.		
	Active transport		
	Diffusion		
	Gaseous exchange		
	Muscle contraction		
	Osmosis		
	Transpiration		[2]

All living cells produce hydrogen peroxide (H₂O₂) as a waste product.

The cells in potatoes contain an enzyme called catalase. It breaks down $\rm H_2O_2$ to water and oxygen, this is the equation for the reaction that takes place.


$$2H_2O_2(aq) \rightarrow 2H_2O(l) + O_2(g)$$

Mia investigates the effect of $\mathrm{H_2O_2}$ concentration on the rate of this reaction.

She writes out her method.

- 1. Put a peeled potato in a liquidiser with some water to make potato extract.
- 2. Dip a paper disc in the potato extract. The potato extract is a source of catalase.
- 3. Drop the paper disc into a test tube containing H_2O_2 solution.
- 4. Wait until the disc has sunk to the bottom.
- 5. Time how long it takes for the disc to rise to the surface of the H₂O₂.

This is a diagram of her apparatus.



(c) N	Mia's method	lacks the d	letail needed	for another	scientist to	reproduce	her findings.
-------	--------------	-------------	---------------	-------------	--------------	-----------	---------------

	101
cuggest additional detail which would allow another stadent to relief the motified exactly.	
Suggest additional detail which would allow another student to follow the method exactly.	

(d)	Bubbles form on the paper disc when it is in the H_2O_2 solution. This causes the disc to rise to the surface of the solution.
	Mia thinks that if a disc rises more quickly, this means that the rate of reaction is faster.
	Explain why she is correct.

(e) The table shows Mia's results.

Concentration of H ₂ O ₂ solution (%)	Time taken for paper disc to reach the surface (s)
0.75	19.69
1.50	15.13
3.00	12.90
4.50	10.00
6.00	7.66

(i) Calculate the rate of reaction for 6.00% $\rm H_2O_2$ solution.

Give your answer to 3 significant figures.

Rate = s⁻¹ [3]

	(ii)	Which conclusions are supported by the data in the table?	
		Tick (✓) two boxes.	
		Between 0.75% and 6.00% $\rm H_2O_2$ the reaction rate increases by approximately 2.5 times.	
		Doubling the concentration of ${\rm H_2O_2}$ halves the time taken for the disc to reach the surface.	
		Increasing the concentration of $\rm H_2O_2$ decreases the rate of reaction.	
		Increasing the concentration of $\rm H_2O_2$ increases the time taken for the disc to reach the surface.	
		The biggest difference in time taken for the paper disc to reach the surface is between 0.75 and 1.50% $\rm H_2O_2$.	[2]
(f)	Des	scribe what Mia could do to increase confidence in her data.	
			[1]
(g)	Use	e the lock and key model to explain why the enzyme catalase can	only break down H_2O_2 .
			[4]

- 2 Herring are a type of fish. They live in the North Sea.
 - (a) Fig. 2.1 shows the food web for a community living in the North Sea.




Fig. 2.1

(i) Humans catch and eat herring.

Add humans to the food web in Fig. 2.1. [1]

(ii) Explain why seals and killer whales are described as competitors. [2]

(iii) What is the correct name for the process that produces food and biomass in food chains?

Put a (ring) around the correct answer.

Diffusion Osmosis Photosynthesis Respiration Transpiration
[1]

(iv) What is the name of the biomass producer in the North Sea food web in Fig. 2.1?

(v) Some students are studying the North Sea food web.

They discuss how fishing may affect the biodiversity of the North Sea.



Amir

Fishing will increase the biodiversity as there will be more zooplankton.

Ben

Fishing will decrease the biodiversity as there could be local extinctions of killer whales and seals.





Jane

Fishing will not change the biodiversity. There will just be smaller populations of all the species.

Sarah

Fishing will increase the biodiversity as the populations of all the species will increase.



1 A /I · I			10
Which	STUMENT	10	correct?
V V I II C I I	Student	10	COLLCCL

Tick (✓)	one box.
Amir	
Ben	
Jane	
Sarah	
Explain y	our answer.
	[2]

(b) The bar chart in **Fig. 2.2** shows how many herring were caught from the North Sea each year from 1960 to 2000.




Fig. 2.2

(H	۱ In which ۱	vear was the	catch greates	t and how big	was it?

Year	
Catch	[1

(ii) By 1977 the herring population in the North Sea was so low that fishing for herring was banned.

Fishing restarted in 1984. A limit was put on the number of tonnes of herring that could be caught each year.

The limit was changed in 1996.

What evidence from the bar chart in Fig. 2.2 indicates that the limit was changed?	
	[1]

	(111)	Calculate the rate of increase in th	ie neming catch from 1984 to 1988.
		F	Rate = million tonnes/year [3]
(0)	Cin	on 1000 North Con harring fishing h	as been described as quatainable
(c)	SIIIC	ce 1998 North Sea herring fishing h	as been described as sustainable.
	Exp	olain what sustainable means in this	context.
			[2]

10 BLANK PAGE

PLEASE DO NOT WRITE ON THIS PAGE

- 3 Influenza (flu) is a common human infection.
 - (a) Infections are caused by pathogens. Pathogens can be spread in different ways.
 - (i) Draw lines to connect each pathogen to how it is spread.

Pathogen By contact with contaminated surfaces Athlete's foot fungus By contaminated food or water Malaria protist By mosquitoes Salmonella bacterium By sexual intercourse

[1]

(ii) Coughing and sneezing can spread the virus that causes flu.

Look at the poster in Fig. 3.1.



Fig. 3.1

Explain how following the advice in the poster (Fig. 3.1) could prevent the spread of flu.
[3]

- (b) In 2017 there was a flu epidemic in Australia. 170 000 people in Australia were infected. 72 of these people died. The population of Australia in 2017 was 25 000 000.
 - (i) Calculate the probability of an individual person in Australia being infected in 2017.

Probability =[2]

	(ii)	The same flu virus could affect the UK. The population of the UK is approximately 66000000 .
		Assume that the death rate in the UK would be the same as in Australia.
		Estimate how many people would die of this flu virus in the UK.
(c)	The	Estimated number of deaths =[3] diagram in Fig. 3.2 shows a flu virus.
()		virus is made from four different proteins.
		Protein N-protein H-protein Fig. 3.2
	The	virus is approximately $0.1\mu m$ in diameter.
		ch device must scientists have used to look at the virus so that they could draw such a ailed diagram?
	Tick	a (✓) one box.
	Elec	etric microscope
	Elec	etron microscope
	Ligh	nt microscope
	Ма	gnifying glass

(d) (i)	Infants under the age of 6 months are too young to be vaccinated against flu.
	Doctors recommend that older children and adults are vaccinated. Explain how this helps protect infants from flu.
	[2]
(ii)*	Read the article about flu viruses and vaccination.
	Flu virus proteins change rapidly due to a high mutation rate.
	Each year doctors develop a vaccine for the flu virus they expect to be the most common that year.
	It takes several months to make a flu vaccine.
	In most years a vaccinated person is 40 to 60% less likely to develop flu.
	 how vaccination and the immune system protect against flu why the vaccine is never 100% effective.
	with the vaccine is never 100% effective.
	[6]

(e)	Flu	can increase the risk of other diseases such as pneumonia.
	Pne	eumonia is a disease of the lungs, caused by an infection.
	(i)	Suggest why having flu increases the risk of catching pneumonia.
		[1]
	(ii)	An adult man has a lung volume of 5 litres and a lung surface area of 70 m ² .
		Write down the simplest surface area to volume ratio for this man's lungs.
		Surface area : volume =[1]
	(iii)	Pneumonia causes fluid to collect in the alveoli of the lungs.
		The diagram in Fig. 3.3 shows this happening in one alveolus.
		alveolus ————————————————————————————————————
		Suggest how the fluid collecting in the alveoli will affect gas exchange and explain why the symptoms of pneumonia, include feeling tired and weak.

Huntington's disease is caused by a faulty allele of a single gene.


(a)	(i)		rson will have both parents.	Huntington's d	isease if they i	nherit a faulty allele from one parent o	r
		Complete the Punnett square to show how Huntington's disease may be inherited if only one of the parents has the disease.					
			H to represent	a Huntington's a normal allele			
						[3]
	(ii)	Write	e down the exp	ected percenta	age of Huntingt	on's disease phenotypes.	
					Perd	centage = % [1]
(b)				-	production of a	a damaged protein.	
	(i)		eins are polym				
				re joined togeth	ner to make a p	orotein?	
			(✓) one box.				
		Amır	no acids				
		Fatty	/ acids				
		Glyc	erol				
		Suga	ars			[1]

(11)	DNA is also a polymer.
	Describe the structure of DNA.
	[3]
(iii)	Explain how changes to the DNA polymer can cause changes to the protein polymer.
	[2

5 Sickle cell disease (SCD) is an inherited condition.

People with SCD have faulty red blood cells.

The drawing shows red blood cells in the same volume of blood taken from two different people. The cells were viewed using a light microscope.



(a) (i) The structure of red blood cells is adapted to carry oxygen.


	Explain why.
	[4]
ii)	What must be added to cells so that the nuclei can be seen using a light microscope?
	[1]

Changes to the red blood cells in people with SCD mean they carry less oxygen.

(b)	Onl	y red blood cells can contain the protein haemoglobin.
	Exp	plain why other specialised cells cannot produce haemoglobin.
		[2]
(c)	A te	eam of scientists claimed to have cured SCD in a man in 2017.
		ey added an extra gene to some of his stem cells. These stem cells specialise to become blood cells.
	All t	the blood tests they performed showed that the man had been cured of SCD.
	The	ey published their results in a scientific journal so that other scientists could read about the e.
	(i)	Evaluate the scientists' claim to have cured SCD.
		[2]
	(ii)	The scientists used adult stem cells from the man for the procedure.
		Why does the use of adult stem cells cause fewer ethical issues than the use of embryonic stem cells?
		[2]

(d) The diagrams show two stages of the heartbeat. The shading shows which chambers and arteries contain blood at the end of each stage. The arrows show the direction in which the blood moved.

Put ticks (✓) in the boxes that correctly describe each stage.



[2]

21 BLANK PAGE

PLEASE DO NOT WRITE ON THIS PAGE

6 A scientist investigated how maggots respond to light.

She set up a card circle with a light source on one side. Four areas were marked on the card circle. Maggots were placed on the centre of the circle as shown in **Fig. 6.1**.




Fig. 6.1

The light was switched on and the maggots moved on the card circle. The number of maggots in the positive, negative and neutral areas was recorded after three minutes.

The experiment was repeated using four different light intensities.

The scientist put her results in a table.

Light intensity	Percentage of maggots recorded in each area (%)				
(arbitrary units)	Positive	Negative	Neutral		
1	30	35	36		
2	27	56	17		
3	18	78	4		
4	0	92	8		

(a)	(i)	Use the data in the table to suggest the lowest light intensity that can be detected by the maggots.
		Explain your answer.

	(ii)	Suggest how the scientist could develop the investigation to find out whether maggots can detect different colours of light.
		[2]
(b)	•	ggots can respond to stimuli such as light because they have a nervous system. Neurons ne nervous system connect to each other at synapses.
	Fig	6.2 shows a synapse.
		tr I tr




Fig. 6.2

Use Fig. 6.2 to explain the role of transmitter substances in transmitting impulses between neurons.
[4]
[4]

7 Plants transport sucrose (sugar) in their phloem vessels by translocation.

Fig. 7.1 shows a model of translocation.




Fig. 7.1

(a) (i) Which numbered arrow in Fig. 7.1 shows active transport?

1

2

3

4

[1]

(ii)	Which numbered arrows in Fig. 7.1 show osmosis?	
	Tick (✓) two boxes.	
	1	
	2	
	3	
	4	[1]
(iii)	Explain why active transport can take place in phloem but not in xylem.	
		[2]
(iv)	Companion cells contain soluble proteins.	
	Explain why these proteins cannot diffuse across the cell membrane into the phloem	
		. [1]

(b) Fig. 7.2 shows a cross section through a leaf, as seen with a light microscope.




Fig. 7.2

	[2
Describe how you could make a temporary slide of a cross section through a leaf.	

END OF QUESTION PAPER

27

ADDITIONAL ANSWER SPACE

If additiona must be cle	al space is required, you should use the following lined page(s). T early shown in the margin(s).	he question number(s)
•••••		
•••••		
•••••		



Copyright Information

OCR is committed to seeking permission to reproduce all third-party content that it uses in its assessment materials. OCR has attempted to identify and contact all copyright holders whose work is used in this paper. To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced in the OCR Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download from our public website (www.ocr.org.uk) after the live examination series.

If OCR has unwittingly failed to correctly acknowledge or clear any third-party content in this assessment material, OCR will be happy to correct its mistake at the earliest possible opportunity.

For queries or further information please contact The OCR Copyright Team, The Triangle Building, Shaftesbury Road, Cambridge CB2 8EA.

OCR is part of the Cambridge Assessment Group; Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.