

GCSE (9–1)

Chemistry B (Twenty First Century Science)

J258/02: Depth in chemistry (Foundation Tier)

General Certificate of Secondary Education

Mark Scheme for June 2019

OCR (Oxford Cambridge and RSA) is a leading UK awarding body, providing a wide range of qualifications to meet the needs of candidates of all ages and abilities. OCR qualifications include AS/A Levels, Diplomas, GCSEs, Cambridge Nationals, Cambridge Technicals, Functional Skills, Key Skills, Entry Level qualifications, NVQs and vocational qualifications in areas such as IT, business, languages, teaching/training, administration and secretarial skills.

It is also responsible for developing new specifications to meet national requirements and the needs of students and teachers. OCR is a not-for-profit organisation; any surplus made is invested back into the establishment to help towards the development of qualifications and support, which keep pace with the changing needs of today's society.















This mark scheme is published as an aid to teachers and students, to indicate the requirements of the examination. It shows the basis on which marks were awarded by examiners. It does not indicate the details of the discussions which took place at an examiners' meeting before marking commenced.

All examiners are instructed that alternative correct answers and unexpected approaches in candidates' scripts must be given marks that fairly reflect the relevant knowledge and skills demonstrated.

Mark schemes should be read in conjunction with the published question papers and the report on the examination.

© OCR 2019

Annotations available in RM Assessor

Annotation	Meaning
	Correct response
	Incorrect response
	Omission mark
	Benefit of doubt given
	Contradiction
	Rounding error
	Error in number of significant figures
	Error carried forward
	Level 1
	Level 2
	Level 3
	Benefit of doubt not given
	Noted but no credit given
	Ignore

Abbreviations, annotations and conventions used in the detailed Mark Scheme (to include abbreviations and subject-specific conventions).

Annotation	Meaning
/	alternative and acceptable answers for the same marking point
✓	Separates marking points
DO NOT ALLOW	Answers which are not worthy of credit
IGNORE	Statements which are irrelevant
ALLOW	Answers that can be accepted
()	Words which are not essential to gain credit
—	Underlined words must be present in answer to score a mark
ECF	Error carried forward
AW	Alternative wording
ORA	Or reverse argument

Subject-specific Marking Instructions**INTRODUCTION**

Your first task as an Examiner is to become thoroughly familiar with the material on which the examination depends. This material includes:

- the specification, especially the assessment objectives
- the question paper
- the mark scheme.

You should ensure that you have copies of these materials.


You should ensure also that you are familiar with the administrative procedures related to the marking process. These are set out in the OCR booklet **Instructions for Examiners**. If you are examining for the first time, please read carefully **Appendix 5 Introduction to Script Marking: Notes for New Examiners**.

Please ask for help or guidance whenever you need it. Your first point of contact is your Team Leader.

The breakdown of Assessment Objectives for GCSE (9-1) in Chemistry.

	Assessment Objective
AO1	Demonstrate knowledge and understanding of scientific ideas and scientific techniques and procedures.
AO1.1	Demonstrate knowledge and understanding of scientific ideas.
AO1.2	Demonstrate knowledge and understanding of scientific techniques and procedures.
AO2	Apply knowledge and understanding of scientific ideas and scientific enquiry, techniques and procedures.
AO2.1	Apply knowledge and understanding of scientific ideas.
AO2.2	Apply knowledge and understanding of scientific enquiry, techniques and procedures.
AO3	Analyse information and ideas to interpret and evaluate, make judgements and draw conclusions and develop and improve experimental procedures.
AO3.1	Analyse information and ideas to interpret and evaluate.
AO3.1a	Analyse information and ideas to interpret.
AO3.1b	Analyse information and ideas to evaluate.
AO3.2	Analyse information and ideas to make judgements and draw conclusions.
AO3.2a	Analyse information and ideas to make judgements.
AO3.2b	Analyse information and ideas to draw conclusions.
AO3.3	Analyse information and ideas to develop and improve experimental procedures.
AO3.3a	Analyse information and ideas to develop experimental procedures.
AO3.3b	Analyse information and ideas to improve experimental procedures.

Question			Answer	Marks	AO element	Guidance															
1	(a)	(i)	pH is 1.0 at the start and ~12.5 at the end / pH increases slowly up to 20cm ³ / for last 20cm ³ . ✓ changes suddenly when 25 cm ³ sodium hydroxide is added / when pH reaches 4 ✓	2	2.2	IGNORE: pH Increases (without any numbers) If no other marks scored, ALLOW 'pH increases' with two correct points from graph for one mark															
		(ii)	(sulfuric) acid has a low pH / 1 - 6 ✓ Alkali / sodium hydroxide has a high pH / 8 - 14 ✓	2	1.2	ALLOW high concentration of H ⁺ ions in acid.															
	(b)	(i)	2 (NaOH) 2 (H ₂ O) ✓	1	2.1																
		(ii)	<table border="0" style="width: 100%; text-align: center;"> <thead> <tr> <th style="border: none;">Substance</th> <th style="border: none;"></th> <th style="border: none;">Formula</th> </tr> </thead> <tbody> <tr> <td style="border: 1px solid black; padding: 2px;">water</td> <td style="border: none;">↘</td> <td style="border: 1px solid black; padding: 2px;">NaOH</td> </tr> <tr> <td style="border: 1px solid black; padding: 2px;">sodium sulfate</td> <td style="border: none;">↘</td> <td style="border: 1px solid black; padding: 2px;">H₂SO₄</td> </tr> <tr> <td style="border: 1px solid black; padding: 2px;">sulfuric acid</td> <td style="border: none;">↘</td> <td style="border: 1px solid black; padding: 2px;">Na₂SO₄</td> </tr> <tr> <td style="border: 1px solid black; padding: 2px;">sodium hydroxide</td> <td style="border: none;">↘</td> <td style="border: 1px solid black; padding: 2px;">H₂O</td> </tr> </tbody> </table>	Substance		Formula	water	↘	NaOH	sodium sulfate	↘	H ₂ SO ₄	sulfuric acid	↘	Na ₂ SO ₄	sodium hydroxide	↘	H ₂ O	2	1.1	All correct = 2 marks Two or three correct = 1 mark
Substance		Formula																			
water	↘	NaOH																			
sodium sulfate	↘	H ₂ SO ₄																			
sulfuric acid	↘	Na ₂ SO ₄																			
sodium hydroxide	↘	H ₂ O																			
	(c)	(i)	hydroxide (ions) ✓ H ⁺ ✓ H ₂ O ✓	2	1.1	All correct = 2 marks One or two correct = 1 mark DO NOT ALLOW: H ² O etc.															
		(ii)	Neutralisation ✓	1	1.1																

Question		Answer	Marks	AO element	Guidance
2	(a)	 CH ₃ ✓	2	2.1	DO NOT ALLOW: CL FOR Cl
	(b)	Four single C-H bonds <u>and</u> bonds coming out from brackets ✓ Single C-C bond between C atoms ✓	2	1.2	
	(c)	(i) FIRST CHECK THE ANSWER ON ANSWER LINE If answer = 42 award 2 marks Uses correct masses: (C =) 12 and (H =) 1 ✓ (12 × 3) + (1 × 6) = 42 ✓	2	2.2	
		(ii) (11200/28) = 400 ✓	1	2.2	

Question		Answer				Marks	AO element	Guidance																					
3	(a)	carbon dioxide ✓				1	1.2																						
	(b)	<table border="1"> <thead> <tr> <th>Substance</th> <th>Raw Material</th> <th>Product</th> <th>Waste</th> </tr> </thead> <tbody> <tr> <td>copper carbonate</td> <td>✓</td> <td></td> <td></td> </tr> <tr> <td>gas X</td> <td></td> <td></td> <td>✓</td> </tr> <tr> <td>carbon</td> <td>✓</td> <td></td> <td></td> </tr> <tr> <td>water and impurities</td> <td></td> <td></td> <td>✓</td> </tr> <tr> <td>copper</td> <td></td> <td>✓</td> <td></td> </tr> </tbody> </table>	Substance	Raw Material	Product	Waste	copper carbonate	✓			gas X			✓	carbon	✓			water and impurities			✓	copper		✓		2	1.2	All correct = 2 marks 2-4 correct = 1 mark 1 correct = 0 marks
Substance	Raw Material	Product	Waste																										
copper carbonate	✓																												
gas X			✓																										
carbon	✓																												
water and impurities			✓																										
copper		✓																											
	(c)	(i)	<p>as mass of copper carbonate increases, mass of copper increases / quotes values to show this ✓</p> <p>as mass of copper carbonate doubles, mass of copper doubles / quotes values to show this ✓</p>			2	2.2	<p>As mass of copper carbonate doubles, mass of copper doubles = 2 marks (mark point 2 subsumes mark point 1)</p> <p>ALLOW: straight line graph through the origin for 2 marks</p> <p>ALLOW: mass is (about) twice the yield with data for 2 marks</p> <p>IGNORE: "Increases evenly"</p> <p>IGNORE: "positive correlation"</p>																					
		(ii)	If no copper carbonate is used, no copper is made ✓			1	2.2	DO NOT ALLOW: reverse argument																					
		(iii)	29.0 (g) ✓			1	2.2	ALLOW 28-30 inclusive ($\pm \frac{1}{2}$ square)																					
		(iv)	<p>She did not dry the copper at the end. ✓</p> <p>Her copper contains solid impurities. ✓</p>			2	3.3b																						
	(d)	<p>Nina is correct because she has made 18.0 g of copper (compared to 4.8 g) / 13.2 g more ✓</p> <p>Kai is correct linked to reason: 96 % compared to 69 % / Kai's actual yield is closer to his theoretical yield. ✓</p>				2	3.2a																						

Question		Answer	Marks	AO element	Guidance
4	(a)	(aq) for KI and KCl ✓	1	2.1	
	(b)	chlorine + potassium iodide → iodine and potassium chloride ✓	1	2.1	
	(c)	iodine (in solution) is brown / identifies iodine ✓	1	1.2	
	(d)	exothermic ✓ more ✓ displacement ✓ salt ✓	3	2.2 1.1 1.1	All four correct = 3 marks three correct = 2 marks two correct = 1 marks one correct = 0 marks

Question		Answer	Marks	AO element	Guidance	
5	(a)	<p>< ✓</p> <p>~ ✓</p> <p>> ✓</p>	2	2.1	<p>All three correct = 2 marks 2 or 1 correct = 1 mark</p> <p>ALLOW: '>' for second statement</p>	
	(b)	(i)	1	2.1	liquid ✓	
		(ii)	2	2.1	<p>room temperature / 20°C is above melting point / -39°C ✓</p> <p>room temperature / 20°C is below boiling point / 357°C ✓</p>	<p>ALLOW: 1 mark only for 'it has already melted'</p> <p>ALLOW: Room temperature is between melting and boiling point for 2 marks</p>
	(c)	<p>Transition metals are good catalysts ✓</p> <p>Zinc does not form coloured compounds. ✓</p>	2	1.1		

Question		Answer	Marks	AO element	Guidance
6	(a)	reaction is exothermic ✓ gives out heat ✓	2	2.1	
	(b)	Any two from: ammonium sulfate powder / dry / solid is made ✓ other process(es) make (ammonium sulfate) <u>solution</u> ✓ fertiliser needs to be a solid to be sold ✓	2	2.1	
	(c)	Any two from: both processes 1 and 2 have higher atom economies than process 3 ✓ in processes 1 and/or 2 all the atoms are used (to make the product) / only the product is made ✓ process 3 has a waste product / makes CaCO ₃ as well / has a different equation ✓	2	2.1	IGNORE: Processes 1 & 2 have 100% atom economy.
	(d) (i)	filtration ✓ evaporation ✓	2	2.2	
	(i)	batch is small scale / does reaction in a container / idea of complete reaction finishing / fixed amount ✓ continuous goes on all the time / idea that reactants keep being added and products keep being removed ✓	2	1.1	

Question	Answer	Marks	AO element	Guidance
7*	<p>Please refer to the marking instructions on page 4 of this mark scheme for guidance on how to mark this question.</p> <p>Level 3 (5–6 marks) Uses ideas about particles to make a statement about what happens when solids melt AND why heating causes melting AND why the melting points are different.</p> <p><i>There is a well-developed line of reasoning which is clear and logically structured. The information presented is relevant and substantiated.</i></p> <p>Level 2 (3–4 marks) Uses ideas about particles to make statements about either what happens when solids melt OR why heating causes melting OR why the melting points are different.</p> <p><i>There is a line of reasoning presented with some structure. The information presented is relevant and supported by some evidence.</i></p> <p>Level 1 (1–2 marks) Uses ideas about particles to make a correct statement about the diagrams.</p> <p><i>There is an attempt at a logical structure with a line of reasoning. The information is in the most part relevant.</i></p> <p>0 marks <i>No response or no response worthy of credit.</i></p>	6	3x 2.1. 3x 3.1a	<p>AO2.1/AO3.1a Application of knowledge and interpretation of data and diagrams in question uses the model to explain what happens when solids melt:</p> <ul style="list-style-type: none"> • particles gain energy • particles move more/move faster (IGNORE 'move apart' 'spread out') • particles move over each other • particles leave their regular arrangement <p>AO2.1/AO3.1a Application of knowledge and interpretation of data and diagrams in question Uses the model to explain why heating causes melting:</p> <ul style="list-style-type: none"> • forces between particles in solid are broken / overcome • heating breaks bonds <p>AO2.1/AO3.1a Application of knowledge and interpretation of data and diagrams in question Uses the model to explain why ice and salt have different melting points:</p> <ul style="list-style-type: none"> • forces between water molecules are weaker (than the forces between particles in sodium chloride/salt) ORA • ice has weaker (intermolecular) bonds than salt • sodium chloride/salt is an ionic solid (with strong bonds) • water / ice is a covalent compound (with weak forces between molecules). <p>IGNORE 'water has weaker bonds than salt'.</p>

Question			Answer	Marks	AO element	Guidance															
8	(a)	(i)	<p>FIRST CHECK THE ANSWER ON ANSWER LINE If answer = 400 000 (ppb) award 2 marks</p> <p>0.04 x 10 000 000 ✓ = 400 000 (ppb) ✓</p>	2	2x2.2																
		(ii)	<p>concentration/amount of carbon dioxide is much higher than methane and nitrous oxides / figures to show this ✓</p> <p>(so will make a) bigger difference to climate change / (reducing will have) more impact on global temperatures ✓</p>	2	2x3.2a	IGNORE: 'bigger effect (on environment)'.															
	(b)	(i)	<table border="1"> <thead> <tr> <th>Statement</th> <th>True (✓)</th> <th>False (✓)</th> </tr> </thead> <tbody> <tr> <td>For each gas the concentration remained approximately constant for 1500 years.</td> <td>✓</td> <td></td> </tr> <tr> <td>The concentration of methane is usually higher than the concentration of nitrous oxides.</td> <td>✓</td> <td></td> </tr> <tr> <td>The concentration of carbon dioxide is measured in ppb.</td> <td></td> <td>✓</td> </tr> <tr> <td>The concentration of all three gases has more than doubled since 1500 years ago.</td> <td></td> <td>✓</td> </tr> </tbody> </table>	Statement	True (✓)	False (✓)	For each gas the concentration remained approximately constant for 1500 years.	✓		The concentration of methane is usually higher than the concentration of nitrous oxides.	✓		The concentration of carbon dioxide is measured in ppb.		✓	The concentration of all three gases has more than doubled since 1500 years ago.		✓	3	3 x 3.1a	All four correct = 3 marks three correct = 2 marks two or one correct = 1 mark
Statement	True (✓)	False (✓)																			
For each gas the concentration remained approximately constant for 1500 years.	✓																				
The concentration of methane is usually higher than the concentration of nitrous oxides.	✓																				
The concentration of carbon dioxide is measured in ppb.		✓																			
The concentration of all three gases has more than doubled since 1500 years ago.		✓																			
		(ii)	<p>(yes) overall pattern is the same / all three gases maintain (low) levels (for a long time) / all three have increased sharply (since ~1800)✓</p> <p>small up and down variations do not follow same pattern ✓</p>	2	2x3.1b	If "No" is ticked but a correct explanation is given, award 1 mark.															

Question	Answer	Marks	AO element	Guidance
9*	<p>Please refer to the marking instructions on page 4 of this mark scheme for guidance on how to mark this question.</p> <p>Level 3 (5–6 marks) Describes experimental procedure, including safety. AND Gives some expected observations. AND Gives difference in reactivity for all three metals. <i>There is a well-developed line of reasoning which is clear and logically structured. The information presented is relevant and substantiated.</i></p> <p>Level 2 (3–4 marks) Describes experimental procedure, including safety. AND Gives some expected observations. OR Describes experimental procedure, including safety. AND Gives difference in reactivity for all three metals. <i>There is a line of reasoning presented with some structure. The information presented is relevant and supported by some evidence.</i></p> <p>Level 1 (1–2 marks) Makes a statement to describe experimental procedure or safety precautions. OR Gives observations. OR Gives difference in reactivity for at least two metals. <i>There is an attempt at a logical structure with a line of reasoning. The information is in the most part relevant.</i></p> <p>0 marks <i>No response or no response worthy of credit.</i></p>	6	1x1.1 3x 1.2 2 x 3.3a	<p>AO3.3a Analyse information and ideas to develop experimental procedures</p> <ul style="list-style-type: none"> (safety) holds metal in tongs / stays behind safety screen adds (small pieces of) metal to water <p>AO1.2 knowledge and understanding of scientific techniques and procedures to give expected observations</p> <ul style="list-style-type: none"> metals fizz metals move around on water (some) metals show flame/sparks/alight heat is given off/water gets hot metal ‘disappears’/ ‘dissolves’ / is used up all reactions are fast <p>AO1.1 Knowledge and understanding of difference in reactivity’s</p> <ul style="list-style-type: none"> order of reactivity is potassium – sodium – lithium / more reactive lower down group 1

Question		Answer	Marks	AO element	Guidance	
10	(a)	<p>Any three from:</p> <p>more than one metal ion has green colour / orange colour / same colour ✓</p> <p>A/green flame colour could be <u>copper or zinc or iron</u> ✓</p> <p>B/orange-red flame colour is (probably) calcium / could be calcium or iron ✓</p> <p>Iron can be many different colours (so difficult to identify) ✓</p> <p>Difficult to tell the difference between some colours (by eye) / colours overlap ✓</p>	3	2.2	<p>ALLOW two metals linked to a colour/ two metals linked to A or B</p> <p>IGNORE it could be a mixture IGNORE not all ions are given for reference</p>	
	(b)	(i)	gives a result with acid <u>and</u> with silver nitrate / could be a carbonate or a chloride ✓	1	2.2	<p>Result for carbonate is fizzes/CO_2 given off/limewater turns milky <u>and</u> silver nitrate result is white precipitate</p> <p>ALLOW correct formulae for ions e.g. CO_3^{2-} / Cl^- IGNORE 'halide' DO NOT ALLOW chlorine</p>
		(ii)	<p>A: copper and B calcium (no iron or zinc) ✓</p> <p>chloride in both ✓</p> <p>A (only) carbonate ✓</p>	3	3.2b	<p>DO NOT ALLOW chlorine</p> <p>DO NOT ALLOW carbonate mark if additional incorrect anions if more than 2 for A or 1 for B are given</p>

	(c)	faster / gives a printout / distinct or matching lines / idea that spectrum is unique / does not rely on human eye / does not rely on observations / less (human) error / can identify a mixture of ions / more sensitive / does not rely on human judgment (of colour) ✓	1	1.2	IGNORE it is easier/more accurate/more reliable ALLOW gives amounts
--	------------	---	----------	------------	--

Question			Answer	Marks	AO element	Guidance
11	(a)	(i)	volume = 8 ✓ surface area = 48 ✓ ratio = $(48 \div 8) = 6$ ✓	3	2.2	ALLOW ECF
		(ii)	nanoparticles have a higher surface area ✓ when the same volume is compared ✓	2	1.1	ALLOW 1 mark for 'They have a bigger surface area to volume ratio' IGNORE 'they are smaller'
	(b)	(i)	Nanoparticles are (very/much) small(er) ✓ Nanoparticles are smaller than holes / can <u>fit</u> through / metal particles are <u>too large</u> to pass through the holes ✓	2	1.1 2.1	IGNORE 'can go through holes'
		(ii)	Any three from: Some risks of nanoparticles are not known ✓ Risk is the same for both / (Risk is different because) socks use nanoparticles outside the body, cancer treatment they are inside ✓ Cancer is life threatening / can cause death / very serious disease ✓ Benefit for treating cancer greater / treating cancer is worth the risk / benefit outweighs risk ✓ Not having smelly feet is not important / not worth the risk / benefit does not outweigh risk ✓	3	3.1b	

OCR (Oxford Cambridge and RSA Examinations)
The Triangle Building
Shaftesbury Road
Cambridge
CB2 8EA

OCR Customer Contact Centre

Education and Learning

Telephone: 01223 553998

Facsimile: 01223 552627

Email: general.qualifications@ocr.org.uk

www.ocr.org.uk

For staff training purposes and as part of our quality assurance programme your call may be recorded or monitored

Oxford Cambridge and RSA Examinations
is a Company Limited by Guarantee
Registered in England
Registered Office; The Triangle Building, Shaftesbury Road, Cambridge, CB2 8EA
Registered Company Number: 3484466
OCR is an exempt Charity

OCR (Oxford Cambridge and RSA Examinations)
Head office
Telephone: 01223 552552
Facsimile: 01223 552553

© OCR 2019

