

**Physics A**

Advanced GCE

Unit **G484**: The Newtonian World

**Mark Scheme for January 2011**

---

OCR (Oxford Cambridge and RSA) is a leading UK awarding body, providing a wide range of qualifications to meet the needs of pupils of all ages and abilities. OCR qualifications include AS/A Levels, Diplomas, GCSEs, OCR Nationals, Functional Skills, Key Skills, Entry Level qualifications, NVQs and vocational qualifications in areas such as IT, business, languages, teaching/training, administration and secretarial skills.

It is also responsible for developing new specifications to meet national requirements and the needs of students and teachers. OCR is a not-for-profit organisation; any surplus made is invested back into the establishment to help towards the development of qualifications and support which keep pace with the changing needs of today's society.

This mark scheme is published as an aid to teachers and students, to indicate the requirements of the examination. It shows the basis on which marks were awarded by Examiners. It does not indicate the details of the discussions which took place at an Examiners' meeting before marking commenced.

All Examiners are instructed that alternative correct answers and unexpected approaches in candidates' scripts must be given marks that fairly reflect the relevant knowledge and skills demonstrated.

Mark schemes should be read in conjunction with the published question papers and the Report on the Examination.

OCR will not enter into any discussion or correspondence in connection with this mark scheme.

© OCR 2011

Any enquiries about publications should be addressed to:

OCR Publications  
PO Box 5050  
Annesley  
NOTTINGHAM  
NG15 0DL

Telephone: 0870 770 6622  
Facsimile: 01223 552610  
E-mail: [publications@ocr.org.uk](mailto:publications@ocr.org.uk)

G484 The Newtonian World JAN 2011 STANDARDISATION (SCORIS) mark-scheme

Question	Expected Answers	Marks	Additional guidance
1 (a)(i)	Total momentum is constant/conserved	B1	“total momentum before = total momentum after” Allow $m_1u_1 + m_2u_2 = m_1v_1 + m_2v_2$ or equivalent Do not accept “momentum is constant”
	For a closed system/provided no external forces (WTTE)	B1	Do not accept “momentum is conserved”
(a)(ii)	Some <u>loss</u> of <u>kinetic</u> energy (OR KE OR $E_K$ ) (during the collision)	B1	Allow answers in terms of Coeff't of Res. Coeff't of Restitution < 1 e.g. speed of separation/speed of approach < 1
(a)(iii) 1	$(2.4 \times 3.0) - (1.2 \times 2.0) = 3.6v$ $v = 1.3 \text{ m s}^{-1}$	C1	must see -ve sign hence 2.67 scores ZERO Allow $4/3 \text{ ms}^{-1}$ and 1.34 but not 1.4
		A1	
(a)(iii) 2	Any KE correctly calculated: 10.8J, 2.4J, (or 13.2 or 8.4), 3.18J  <b>13.2 and 3.18</b> (or any value between 3.2 and 3.0) <u>seen</u>	C1	ECF from a(iii)1 If $1.3 \text{ ms}^{-1}$ is used KE after is 3.04 ECF from a(iii)1 provided final KE is less than initial KE Allow answers in terms of Coeff't of Res. e.g. speed of separation/speed of approach = 0/5 = 0
		A1	
(b)(i)	valid sub <sup>n</sup> in $V = \pi r^2 h$ : e.g. $\pi \times 5.0^2 \times 12 \times 5.0$ (= $1500\pi$ /4710 $\text{m}^3$ ) $m = V\rho = \pi \times 5.0^2 \times 12 \times 5.0 \times 1.3 = 6126 \text{ kg}$	C1	Do not accept a bald answer of 6000
		A1	
(b)(ii) 1	momentum = $6130 \times 12 = 7.4$ (or <b>7.36</b> ) $\times 10^4$ ( $\text{kg m s}^{-1}$ )	B1	Allow $7.2 \times 10^4$ if 6000 kg used & ecf from (b)(i).
(b)(ii) 2	$F = 73600/5$ $F = 14700 \text{ N}$	C1	Accept 14400 if $7.2 \times 10^4$ is calculated in 1
		A1	
(b)(ii) 3	mass of helicopter = $14700/9.81 = 1500 \text{ kg}$	B1	Allow ecf from (b)(ii)2. Allow $g=10 \text{ N/kg}$
	<b>Total</b>	<b>13</b>	

Question	Expected Answers	Marks	Additional guidance
2 (a)(i)	resultant OR net OR overall force acts (on object) perpendicular to the velocity OR towards the centre of the circle	B1	Ignore any reference to "centripetal force"
(a)(ii)	velocity OR direction is always changing acceleration is in direction of force OR is towards the centre/perp. to velocity	B1 B1	Allow a (resultant) force is acting (hence there is an acceleration))
(b)	centripetal force OR $mv^2/r = GMm/r^2$ OR $v^2/r = GM/r^2$ $v^2 = GM/r \Rightarrow r = GM/v^2$ $r = 6.67 \times 10^{-11} \times 6 \times 10^{24} / 3700^2$ $r = \mathbf{2.92 \times 10^7}$ m	C1 C1 C1 A1	
(c)(i)	Any mass ejected in the same direction as the satellite (WTTE)	B1	Idea of rocket motor pushing against direction of motion of satellite.
(c)(ii)	$v^2r = \text{constant}$ OR $v^2 = GM/r$ OR $v = \sqrt{\{(6.67 \times 10^{-11} \times 6 \times 10^{24}) / 2 \times 10^7\}}$ new $v = \sqrt{(3700^2 \times 2.94/2)} = \mathbf{4500}$ m s <sup>-1</sup> (4473)	C1 A1	
	<b>Total</b>	<b>10</b>	

Question	Expected Answers	Marks	Additional guidance
3(a)(i)	(1 kWh is) the <b>energy</b> used/provided by a 1 kW device in 1 hour	B1	Allow 1 kWh = 60x60x1000 = 3.6 x 10 <sup>6</sup> J
(a)(ii)	Energy used in kWh = (70/1000) x (7 x 24) = 11.8 kWh Cost = 11.8 x 0.12 = <b>£1.41 (or £1.4)</b>	C1 A1	Any arithmetic error loses one mark
(b)(i)	use of $E = mc \Delta\theta$ e.g. $E = 2 \times 3800 \times (18-3)$ <b>= 1.14 x 10<sup>5</sup> J</b>	C1 A1	
(b)(ii)	Rate of energy loss = $1.14 \times 10^5 / 100 \times 60 = 19$ W	B1	Allow ecf for cand's (b)(i) value
(c)	1. 18 °C to 0 °C negative gradient line 2. horizontal line on time axis 3. 0°C to -18 °C line of <b>steeper -ve gradient</b> (judged by eye) than in 1	B1 B1 B1	
	<b>Total</b>	<b>9</b>	

Question	Expected Answers	Marks	Additional guidance
<b>4(a)(i)</b>	displacement is the distance (of the body) from an equilibrium position.	B1	Allow mean/rest/central/mid point Not original, fixed point
	amplitude is the <u>maximum</u> displacement.	B1	This mark can only be gained if the word <u>maximum/greatest/largest is spelled correctly</u> . Allow distance
<b>(a)(ii)</b>	frequency is the number of oscillations/cycles per unit time/second angular frequency is product of $2\pi$ x frequency OR $2\pi$ /period.	B1 B1	Do not allow "swings" Allow $2\pi f$
<b>(b)(i) 1</b>	amplitude = $(18 - 13)/2 = 2.5$ m	B1	
<b>(b)(i) 2</b>	frequency = $1/(12.5 \times 3600) = (1/45000)$ = <b>2.2(2) x 10<sup>-5</sup></b> Hz	C1 A1	Accept any valid sub <sup>n</sup> of time for 1 <sup>st</sup> mark Accept $0.08 \text{ h}^{-1}$ OR $1.3 \times 10^{-3} \text{ min}^{-1}$ if unit is seen to replace Hz.
<b>(b)(ii)</b>	correct use of $v_{\max} = 2\pi f A$ e.g. $2\pi \times 2.22 \times 10^{-5} \times 2.5$ = <b>3.5 x 10<sup>-4</sup></b> m s <sup>-1</sup> (3.46 or 3.49)	C1 A1	Allow ecf from (b)(i)1 and 2 for full marks: if A=5 is used $v_{\max} = 6.98 \times 10^{-4}$ (6.9 to 7) if A=18 is used $v_{\max} = 2.5 \times 10^{-3}$
<b>(b)(iii)</b>	correct use of $A(\cos 2\pi ft)$ : e.g. $2.5 \cos [2\pi \times 2.22 \times 10^{-5} t]$ ( = $2.5 \cos (1.39 \times 10^{-4} xt)$	C1	Allow $2.5 \cos[2\pi t/45000]$ Accept $A(\sin 2\pi ft)$ throughout
	$d = 15.5 + 2.5 \cos [2\pi \times 2.22 \times 10^{-5} t]$ OR $15.5 + 2.5 \cos (1.39 \times 10^{-4} \times t)$	A1	Allow ecf from (b)(i) and (b)(ii)
	<b>Total</b>	<b>11</b>	

Question	Expected answers	Mark	Additional guidance
5(a)(i)	smoke particles move in random/haphazard/zig-zag/jiggling/jerky manner	B1	random/haphazard/zig-zag/jiggling/jerky must be spelled correctly
(a)(ii)	<p>ANY 3 of the following: B1 + B1 +B1</p> <p>movement of smoke particles caused by (being hit by) <b>randomly moving air molecules</b></p> <p>smoke particles are continuously moving because the <b>air molecules</b> are <b>continuously moving</b></p> <p>smoke particles are visible but air molecules are not hence <b>air molecules must be (very) small.</b></p> <p>small movement of smoke particles is due to the large numbers of <b>air molecules hitting from all sides</b></p>	<p>(B1)</p> <p>(B1)</p> <p>(B1)</p> <p>(B1)</p> <p>B3</p>	<p>An observation must be <b>linked</b> to an appropriate conclusion</p> <p>Condone reference to “water molecules” in place of air molecules.</p> <p>Condone air atoms/particles.</p> <p>Max 3</p>
(b)	<p>(absolute) temp <math>\propto</math> mean <u>KINETIC ENERGY</u></p> <p><math>\frac{1}{2} m_o (v_o)^2 = \frac{1}{2} m_h (v_h)^2</math> OR <math>mv^2</math> is constant OR <math>v^2 \propto 1/m</math></p> <p>OR mean KE of oxygen = mean KE of hydrogen</p> <p><math>v_o = \sqrt{(m_h / m_o) \times 1800} = \sqrt{\{(.002/.032) \times 1800\}} = \mathbf{450} \text{ m s}^{-1}.</math></p>	<p>C1</p> <p>C1</p> <p>A1</p>	<p>Allow <math>(\frac{1}{2})m\langle c^2 \rangle = (3/2)kT</math></p>
	<b>Total</b>	<b>7</b>	

Question	Expected answer	Mark	Additional guidance
6(a)(i)	pressure is inversely proportional to volume (WTTE) for a <u>fixed mass</u> of gas at <u>constant temperature</u> (WTTE)	B1 B1	Accept $P \propto 1/V$ or $PV = \text{constant}$
(a)(ii) 1	hyperbolic (i.e.Boyles law) curve shape looks asymptotic to both axes i.e does not touch axes	B1 B1	
(a)(ii) 2	straight line through origin OR would extrapolate back to the origin	B1	
(b)(i)	correct sub <sup>n</sup> in $pV = nRT \Rightarrow 5 \times 10^5 \times 0.040 = n \times 8.31 \times 288$ OR sub <sup>n</sup> into $pV = NkT \Rightarrow 5 \times 10^5 \times 0.040 = N \times 1.38 \times 10^{-23} \times 288$  (hence) $n = 5 \times 10^5 \times 0.040 / (8.31 \times 288) = \mathbf{8.4 (8.36)}$ mol (hence) $N = 5.03 \times 10^{24}$ molecules $\Rightarrow \mathbf{8.36}$ moles	C1  A1	Any incorrect Kelvin temp (eg 188) correctly used treat as an AE. Allow 8.35 <b>Use of 15<sup>o</sup>C scores ZERO</b>
(b)(ii)	from $pV = nRT$ new $n = 7.52$ mol moles lost is $8.36 - 7.52 = 0.84$ mol $= \mathbf{2.3 (2.34) \times 10^{-2}}$ kg (0.023)	C1 C1 A1	Allow ecf from b(i) OR Pressure has dropped by 1/10 number of moles lost = 0.836 mol; Mass lost = $0.836 \times 0.028 = 2.3 \times 10^{-2}$ kg
	<b>Total</b>	<b>10</b>	



**OCR (Oxford Cambridge and RSA Examinations)**  
**1 Hills Road**  
**Cambridge**  
**CB1 2EU**

**OCR Customer Contact Centre**

**14 – 19 Qualifications (General)**

Telephone: 01223 553998

Facsimile: 01223 552627

Email: [general.qualifications@ocr.org.uk](mailto:general.qualifications@ocr.org.uk)

**[www.ocr.org.uk](http://www.ocr.org.uk)**

For staff training purposes and as part of our quality assurance programme your call may be recorded or monitored

**Oxford Cambridge and RSA Examinations**  
**is a Company Limited by Guarantee**  
**Registered in England**  
**Registered Office; 1 Hills Road, Cambridge, CB1 2EU**  
**Registered Company Number: 3484466**  
**OCR is an exempt Charity**



**OCR (Oxford Cambridge and RSA Examinations)**  
**Head office**  
**Telephone: 01223 552552**  
**Facsimile: 01223 552553**