

# Monday 12 October 2020 – Morning

# A Level Biology B (Advancing Biology)

H422/01 Fundamentals of biology

Time allowed: 2 hours 15 minutes

You	can	use:	
-----	-----	------	--

- · a scientific or graphical calculator
- a ruler (cm/mm)



								Ì
Please write cle	Please write clearly in black ink. Do not write in the barcodes.							
Centre number						Candidate number		
First name(s)								
Last name								

#### **INSTRUCTIONS**

- Use black ink. You can use an HB pencil, but only for graphs and diagrams.
- Write your answer to each question in the space provided. If you need extra space use the lined pages at the end of this booklet. The question numbers must be clearly shown.
- Answer all the questions.
- Where appropriate, your answer should be supported with working. Marks might be given for using a correct method, even if your answer is wrong.

#### **INFORMATION**

- The total mark for this paper is **110**.
- The marks for each question are shown in brackets [ ].
- Quality of extended response will be assessed in questions marked with an asterisk (\*).
- This document has 32 pages.

#### **ADVICE**

· Read each question carefully before you start your answer.

## **SECTION A**

You should spend a maximum of 40 minutes on this section.

Write your answer to each question in the box provided.

Answer **all** the questions.

1	Whi	ich of the options, <b>A</b> to <b>D</b> , is the potency of adult bone marrow stem cells?	
	Α	multipotent	
	В	pluripotent	
	С	totipotent	
	D	unipotent	
	You	r answer	[1]
2		ich of the molecules, ${f A}$ to ${f D}$ , reduces the permeability of the plasma membrane to n stances?	nost
	Α	carbohydrate	
	В	cholesterol	
	С	glycoprotein	
	D	protein	
	You	r answer	[1]
3	To v	which of the substances, <b>A</b> to <b>D</b> , is the plasma membrane of an axon <b>least</b> permeable?	
	Α	ATP	
	В	glucose	
	С	K <sup>+</sup>	
	D	Na <sup>+</sup>	
	You	r answer	[1]

		3	
4	Wh	ich of the following, A to D, describes the structure of haemoglobin?	
	Α	each of the four polypeptide chains is combined with an identical haem group	
	В	each polypeptide chain has a quaternary structure	
	С	the quaternary structure of each polypeptide chain contains ionic bonds	
	D	two polypeptide chains contain an alpha haem group and two contain a beta haem group	,
	Υοι	ur answer	[1]
5	Wh cell	ich of the following statements is/are true of anaerobic respiration in <b>both</b> animal <b>and</b> yes?	east
	1:	Pyruvate is produced in glycolysis.	
	2:	Reduced NAD is oxidised.	
	3:	Two molecules of ATP are produced net, per glucose molecule.	
	Α	1, 2 and 3 are correct	
	В	Only 1 and 2 are correct	
	С	Only 2 and 3 are correct	
	D	Only 1 is correct	
	Υοι	ur answer	[1]
6	The	e diagram below shows the structure of an amino acid. Four regions are labelled <b>A</b> to <b>D</b> .	
	F	A B C H H O H N C C OH R D	
	Wh	ich of the regions, A to D, is removed from the amino acid to produce urea?	
	Υοι	ur answer	[1]

Turn over © OCR 2020

[1]

7 Which of the cell organelles, <b>A</b> to <b>D</b> , is most likely to increase the mass of a newly-protein?				
	A	Golgi apparatus		
	В	lysosome		
	С	nucleus		
	D	smooth endoplasmic reticulum		
	You	r answer	[1]	
8		ich of the following statements is/are true of variable number tandem repeats (VNTRs) gle nucleotide polymorphisms (SNPs)?	and	
	1:	Both VNTRs and SNPs are only found in intronic regions of DNA.		
	2:	VNTRs are used in forensics to identify potential crime suspects.		
	3:	VNTRs are generally more polymorphic than SNPs.		
	Α	1, 2 and 3 are correct		
	В	Only 1 and 2 are correct		
	С	Only 2 and 3 are correct		
	D	Only 1 is correct		
	You	r answer	[1]	
9	Whi	ich of the protein types, <b>A</b> to <b>D</b> , could be coded for by a tumour suppressor gene?		
	Α	a protein activated by a growth factor		
	В	a protein that helps prevent apoptosis		
	С	a protein that promotes the cell cycle		
	D	a protein that repairs DNA		
	You	r answer	[1]	

10 Which of the components, A to D, is <b>not</b> present in the human immunodeficiency virus				
	Α	glycoprotein		
	В	helicase		
	С	reverse transcriptase		
	D	RNA		
	You	r answer	[1]	
11	Chr	omosome 1 in humans is composed of $2.5 \times 10^9$ base pairs.		
	DN	A polymerase has an error rate of 1 base per 10 <sup>8</sup> bases.		
		ich of the options, <b>A</b> to <b>D</b> , is the theoretical number of incorrect bases incorporated by I merase during replication of chromosome 1?	ANC	
	Α	2.5		
	В	5		
	С	25		
	D	50		
	You	r answer	[1]	
12	Whi	ich of the options, <b>A</b> to <b>D</b> , describes an indirect role of glucagon?		
	Α	condensation		
	В	esterification		
	С	hydrolysis		
	D	oxidation		
	You	r answer	[1]	

13		poalbuminaemia is a condition in which blood albumin levels are low. Albumin is a pla tein.	sma
		ich of the options, ${f A}$ to ${f D}$ , is a correct explanation of why hypoalbuminaemia lead umulation of tissue fluid?	s to
	Α	decrease in blood pressure	
	В	decrease in oncotic pressure	
	С	increase in blood pressure	
	D	increase in oncotic pressure	
	You	ir answer	[1]
14	A bo	ody temperature measurement is 37.6°C with an absolute uncertainty of 0.2°C.	
	Whi	ich of the options, <b>A</b> to <b>D</b> , is the relative uncertainty for this temperature measurement?	
	Α	0.20%	
	В	0.27%	
	С	0.53%	
	D	1.06%	
	You	ır answer	[1]

**15** A patient was assessed for pulmonary function.

The volume of air breathed during a normal breath was  $0.5\,\mathrm{dm^3}$  in and  $0.5\,\mathrm{dm^3}$  out. The volumes of air breathed in and out during a maximum possible breath were seven times greater.

The estimated total lung volume was 4.5 dm<sup>3</sup>.

Which of the options, **A** to **D**, is an estimate of residual volume in the patient?

- **A**  $1.0 \, \text{dm}^3$
- **B**  $3.5\,\text{dm}^3$
- $C 4.0 \, dm^3$
- **D**  $5.0\,\mathrm{dm}^3$

Your answer	
-------------	--

[1]

**16** Gas exchange in the lungs occurs as a function of partial pressure differences in oxygen and carbon dioxide between the alveoli, and blood in the pulmonary capillaries.

Which of the rows,  $\bf A$  to  $\bf D$ , shows the partial pressure values that would allow efficient gas exchange in a healthy lung?

	Alv	eoli	Pulmonary	capillaries
	pO <sub>2</sub> (mmHg)	pCO <sub>2</sub> (mmHg)	pO <sub>2</sub> (mmHg)	pCO <sub>2</sub> (mmHg)
Α	104	40	40	45
В	40	40	104	45
С	40	104	45	40
D	104	45	40	40

Your answer	
	[1]

17	Ber	nign prostatic hyperplasia (BPH) is an age-related condition in men.					
	Wh	Which of the options, ${\bf A}$ to ${\bf D}$ , is true of prostate cells in the development of BPH?					
	Α	cells become smaller					
	В	cells increase in number					
	С	cells increase in size					
	D	cells merge together					
	Υοι	ur answer	[1]				
18	A p	opulation of 1000 cancer cells was growing in culture. The doubling time of the cells was	36				
	Wh	ich of the options, A to D, is the theoretical number of cells present after 6 days?					
	Α	3600					
	В	6000					
	С	16 000					
	D	36 000					
	You	ır answer	[1]				
19	Wh	ich of the following statements is/are true of herd immunity?					
	1:	Herd immunity can protect against all diseases.					
	2:	Herd immunity may eventually eradicate a disease from a population.					
	3:	The more infectious the disease, the higher the proportion of individuals that must vaccinated.	be				
	Α	1, 2 and 3 are correct					
	В	Only 1 and 2 are correct					
	С	Only 2 and 3 are correct					
	D	Only 1 is correct					
	Υοι	ur answer	[1]				

© OCR 2020

20	Which of the cell types, <b>A</b> to <b>D</b> , initiates the secondary immune response?					
	Α	helper T cell				
	В	memory B cell				
	С	plasma B cell				
	D	regulatory T cell				
	You	ır answer	[1]			
21	The	e diagrams <b>A</b> to <b>D</b> represent different setups of an agarose gel electrophoresis experiment.				
		ch diagram shows an agarose gel and the positive and negative electrodes. DNA samples added into the four wells at the top of each gel.	are			
		A B C D				
	Whi	⊕ ⊕ ⊕ ⊕ ⊕ ⊕ ⊕ ⊕ ⊕ ⊕ ⊕ ⊕ ⊕ ⊕ ⊕ ⊕ ⊕ ⊕ ⊕				
	You	ir answer	[1]			
22	Whi	ich of the imaging techniques, <b>A</b> to <b>D</b> , uses X-rays to detect cancerous lung tissue?				
	A	computed tomography imaging				
	В	magnetic resonance imaging				
	С	mammography				
	D	ultrasound				
	You	ır answer	[1]			

23		ch of the cancer treatments, ${f A}$ to ${f D}$ , can result in the need for a bone marrow stem consplant?	)   
	Α	chemotherapy	
	В	hormone therapy	
	С	immunotherapy	
	D	surgery	
	You	r answer [	1]
24		ch of the methods, <b>A</b> to <b>D</b> , is considered the <b>least</b> accurate method of measuring core booperature?	ly
	Α	axillary	
	В	oral	
	С	rectal	
	D	tympanic	
	You	r answer [	1]

**25** An experiment collected data on the effect of ageing on reaction times.

Participants were placed into age groups, as shown in the table below.

Age group	Number of participants
18–29	43
30–39	39
40–49	45
50–59	40
60–69	44
70–79	39

Which of the statistical tests, **A** to **D**, is suitable to analyse the data produced in this experiment?

- A chi-squared test
- **B** paired Student's *t*-test
- **C** standard deviation
- **D** unpaired Student's *t*-test

Your answer	

- **26** Which of the following statements is/are true of haemodialysis?
  - 1: Haemodialysis is often performed under medical supervision.
  - 2: Molecules move from the patient's blood into the dialysis fluid by facilitated diffusion.
  - 3: The water potential of the dialysis fluid is significantly greater than that of the patient's blood.
  - A 1, 2 and 3 are correct
  - **B** Only 1 and 2 are correct
  - C Only 2 and 3 are correct
  - **D** Only 1 is correct

Your answer	

27	Whi	ich of the units, <b>A</b> to <b>D</b> , is suitable in calculating the energy content of areas of tidal mud?	
	Α	megajoules (MJ)	
	В	$MJ m^{-1}$	
	С	$MJ m^{-2}$	
	D	$MJ m^{-2} yr^{-1}$	
	You	r answer	[1]
28	Whi	ich of the biological events, A to D, results from the activity of gibberellins during germinati	on?
	Α	synthesis of amylase in the aleurone	
	В	synthesis of amylase in the endosperm	
	С	synthesis of amylose in the aleurone	
	D	synthesis of amylose in the endosperm	
	You	r answer	[1]
29	Wat	ter flows continuously through xylem vessels due to cohesion.	
	Whi	ich of the options, A to D, is responsible for the cohesive properties of water?	
	Α	covalent bonds	
	В	hydrogen bonds	
	С	hydrophobic interactions	
	D	ionic bonds	
	You	r answer	[1]

At high altitude, the lower atmospheric pressure decreases the water content of air.

	lich of the options, ${\bf A}$ to ${\bf D}$ , describes the likely consequence of high altitude on transhways in plants?	nsport
Α	increases translocation rate	
В	increases transpiration rate	
С	no effect on transport pathways	
D	prevents transpiration	
Υοι	ur answer	[1]

### 14

## **SECTION B**

Answer all the questions.

31	This	s que	estion is	s about the female reproductive system and pregnancy.	
	(a)	(i)	Name	e the part of the reproductive system in which fertilisation occurs.	
				[	1]
		(ii)		sation in humans involves a series of biological events that result in the formation ygote.	on
			Some	e events in fertilisation are summarised in statements <b>A</b> to <b>F</b> below.	
			Α	digestion of zona pellucida	
			В	completion of meiosis II	
			С	passage of sperm cell through follicular cells	
			D	nuclear fusion	
			E	digestion of plasma membrane of secondary oocyte	
			F	exocytosis of acrosome contents	
				the letters <b>A</b> to <b>F</b> representing the event statements into the correct order beloment <b>E</b> has been done for you.	
					2]

		15
(b)	(i)	Pregnancy testing involves the use of antibodies. The antigen-binding site of an antibody recognises its antigen.
		Describe the structure of the antigen-binding site.
		[2]
	(ii)	The diagram in Fig. 31.1 shows a pregnancy test strip.
		During the test, urine is deposited onto the sample pad and it migrates along the strip until it passes the control region.
		Three regions of the strip that contain antibodies at the start of the test are labelled ${\bf A}$ to ${\bf C}$ .
		The antibodies in region ${\bf A}$ , the antibody-antigen binding region, have a coloured dye attached that is visible by eye.
		sample pad test region ( <b>B</b> )
		antibody-antigen control region ( <b>C</b> ) binding region ( <b>A</b> )
		Fig. 31.1
		Outline the role of the antibodies in each region of the test strip, <b>A</b> to <b>C</b> , in Fig. 31.1.
		region A
		region <b>B</b>
		region C

Turn over © OCR 2020

.....

[3]

(c)\* During the menopause in women, menstruation becomes irregular and eventually ceases.

The menopause is associated with changes in the blood concentrations of some hormones.

Fig. 31.2 shows the mean blood concentrations of follicle-stimulating hormone (FSH) and oestrogen in a group of women from six years before the menopause to eight years after.




Fig. 31.2

Fig. 31	.2.	explain						[6]

er space if required.		

32	Model organisms such as Drosophila melanogaste	r (fruit fly) a	and <i>Pisum</i>	sativum	(common	pea
	plant) are often used to study patterns of inheritance					

(a) Suggest one advantage and one disadvantage of using *D. melanogaster* over *P. sativum* as

a model organism.
advantage
disadvantage

**(b)** An experiment was carried out to investigate the inheritance of plant height and flower colour in *P. sativum*.

The allele for tall stems is dominant to the allele for dwarf stems. The allele for purple flower colour is dominant to the allele for white flower colour.

(i) Two plants, both heterozygous for each trait, were crossed. State the genotype of the parental plants using the letters **R** for plant height and **Y** for flower colour.

-	4.7
17	11

(ii) Crossing of the parental plants produced 320 offspring. The numbers of offspring with each phenotype are shown in the table below.

Phenotype	Observed (O)	Expected (E)	0 – E	$(O-E)^2$	(O – E) <sup>2</sup>
tall stems, purple flowers	175				
dwarf stems, purple flowers	57				
tall stems, white flowers	63				
dwarf stems, white flowers	25				

Calculate chi-squared,  $\chi^2$ .

Use the formula: 
$$\chi^2 = \sum \frac{(O - E)^2}{E}$$

You can complete the table to help.

$$\chi^2 =$$
 ......[4]

[2]

(iii) The table below is a  $\chi^2$  significance table.

p%	99	97.5	95	90	10	5.0	2.5	1.0	0.5
v = 1	0.0001	0.0010	0.0039	0.0158	2.706	3.841	5.024	6.635	7.879
2	0.0201	0.0506	0.103	0.211	4.605	5.991	7.378	9.210	10.60
3	0.115	0.216	0.352	0.584	6.251	7.815	9.348	11.34	12.84
4	0.297	0.484	0.711	1.064	7.779	9.488	11.14	13.28	14.86

	With reference to the $\chi^2$ significance table, what <b>statistical</b> conclusion can be made from this experiment?
	[2]
	[-]
(c)	Scientists often model human genetic diseases, such as Huntington's disease, in D. melanogaster.
	Describe the genetic basis of Huntington's disease.
	[2]

33 Renal glucosuria is a rare condition in which glucose is excreted in the urine despite blood glucose levels.							
	(a)	(i)	Outline a test that could be used to detect glucose in a urine sample.				
		(ii)	Draw the ring structure of a molecule of glucose in the space below.				
			[2]				
	(b)	gluc	nilial renal glucosuria (FRG) is caused by mutations in the gene coding for the sodium- cose cotransporter SGLT2. These mutations cause a reduction in SGLT2 protein or aplete loss of SGLT2 protein function.				
		Fig.	33.1 shows SGLT2 in the plasma membrane of a cell in the kidney nephron.				
		filtr	SGLT2 glucose Na <sup>+</sup> blood glucose				
			Fig. 33.1				
			ne the main area of the kidney, <b>and</b> the precise region of the nephron, in which the cell wn in Fig. 33.1 is located.				
		mai	n area of the kidney				

precise region of the nephron .....

[2]

(c) FRG is classified into type A, type B and type O.

Fig. 33.2 shows the relationship between blood glucose concentration and glucose reabsorption in healthy individuals and in patients with each type of FRG.




Fig. 33.2

	Dise pati	cuss the evidence in Fig. 33.2 to show that severity of renal dysfunction can vary among ents with FRG.
		[3]
(d)	(i)	Patients with FRG often produce excessive quantities of urine. Suggest why.
		[1]
	(ii)	Explain how concentration of urine is regulated in healthy individuals.
		[3]

34 Mitochondria are small eukaryotic organelles that generate ATP for cellular activity.

The image below is an electron micrograph of a mitochondrion. Two structures are labelled X and Y.



(a) Identify structures **X** and **Y** in the micrograph **and** explain how they adapt the mitochondrion to its function.

structure X	 	 	 
structure Y	 	 	 
•			

**(b)** The chemiosmotic theory was first proposed by Peter Mitchell in 1961. It has since been confirmed by experiments using isolated mitochondria.

One of the experiments was conducted as follows:

- Mitochondria were isolated from liver cells.
- The mitochondria were transferred to a buffer solution.
- The solution was poured into glass dishes, labelled A to D, to which ADP, Pi (inorganic phosphate) and other substances were added.

ATP present?

yes

no

no

Oxygen was excluded from dish B.

Dish A

Dish B

Dish C

After a period of time, the dishes were checked for the presence of ATP.

Contents of dish

mitochondria + ADP + Pi + low concentration of acid (H<sup>+</sup>)

The results of the experiment are shown in the table below.

mitochondria + ADP + Pi + acetyl CoA

mitochondria + ADP + Pi + acetyl CoA

ish l	D	mitochondria + ADP + Pi + high concentration of acid (H <sup>+</sup> )	yes	
(i)	De	scribe what is meant by the term chemiosmosis.		
(ii)		ing your knowledge of mitochondrial respiration, explain d C.	the results for dish	nes B

(c) The volume of buffered mitochondria solution in each dish was controlled.				
	Stat	te one other variable in the experiment and explain why it should be controlled.		
	vari	able		
	exp	anation		
		[2		
(d)		experiment was extended by adding different metabolic intermediates to the dishes, succurrence and oxaloacetate. Production of ATP was then measured quantitatively.		
	(i)	Name a technique that can determine the concentration of a known molecule in solution by measuring light absorbance.		
		[1		
	(ii)	Suggest an appropriate unit for quantitative ATP measurement.		
		TA TA		

)		nslocation is the movement of organic substances made by a plant from one region to another ng phloem tissue.
	(a)	Explain why plants require transport systems.
		[1]
	(b)	Aphids are small insects that feed on plants by inserting their tube-like mouthparts into phloem tissue, where they extract sap.
		The diagram shows an aphid feeding from the stem of a plant.
		(i) Name the sugar most commonly translocated.
		[1]
		(ii) After an aphid removes its mouthpart, sap continues to flow to the surface of the stem.
		Explain why.
		(iii) Some plant tissues are described as sources and sinks.
		Explain why the stem tissue in the diagram could be described as neither a source nor a sink.

(iv)\* Investigators could use the example of aphids in experiments to provide evidence of translocation. In these experiments, a fine glass tube is inserted into the phloem vessels and broken off at the stem surface. Droplets of sap forming at the stem surface drip from the plant.

Design an experiment using such tubes to investigate the effect of temperature on the rate of translocation.

In addition to basic laboratory apparatus, you are provided with the following:

- a room with temperature control
- plants with leafy tips and long, bare stems
- fine glass tubes.

Your answer should include details of appropriate methods to analyse data and measures to ensure validity of the results obtained.
[6]
Additional answer space if required.

**36** Fig. 36.1 is a light micrograph showing a group of cells prepared from an onion root tip.

Five cells are labelled P to T.




Fig. 36.1

(a) (i) Identify the stages of mitosis shown in cells labelled **P** to **S**. Write your answers in the table below.

Cell	Stage of mitosis
Р	
Q	
R	
s	

	_	-
-1	7	1
L	_	J,

(ii)	Cytokinesis in plant cells includes a step absent from cytokinesis in animal cells.
	State how that step allows two cells to be formed from cell <b>T</b> .

.....[1]

microscope. The population comprised 254 cells, of which 118 were in interphase meiosis I and 64 were in meiosis II.		
	(i)	Calculate the percentage of cells undergoing <b>reduction</b> division in the cell population.
		percentage of cells = % [2]
	(ii)	Explain how specific events in meiosis give rise to genetic variation. State the <b>phase</b> of meiosis in which each event takes place.
		[2]

(c) Apoptosis is a major mechanism of cell death that occurs as part of an organism's growth and development. Several features of apoptosis are shared between animals and plants.

Fig. 36.2 shows a plant cell in apoptosis.




Fig. 36.2

Describe <b>three</b> features of apoptosis that can be observed in the plant cell in Fig. 36.2.		
1		
2		
3		
	[3]	

37	lack	e evolution of language in humans is one of the most challenging topics to research due to a confidered evidence. Instead, evidence must be drawn from indirect sources such as fossils, etics and anatomical comparisons with other species.	
	(a)	Scientists have proposed several theories to explain language evolution.	
		Suggest <b>one</b> way in which scientists formally communicate their ideas to other scientists.	
	(b)	The following text is a description of a theory of language evolution.	
		The Obligatory Reciprocal Altruism Theory (ORAT)	
		The obligatory reciprocal altruism theory states that honesty is required for language to evolve. In the context of language, reciprocal altruism means that if you speak truthfully to me, I'll speak truthfully to you. However, for language to be used across a whole community, trust and reciprocal communication must be enforced by all instead of being left to individual choice. Therefore, society as a whole must have been subjected to moral regulation.	
		evolution.	
		[3]	
	(c)	Bipedalism in hominids is an example of adaptation.	
		Suggest how bipedalism could have facilitated language evolution.	

Complete the passage using the most appropriate word(s):		
Genomes acquire mutations over time. This leads to within a		
population. In the presence of a particular selection, some mutations		
provide organisms with a survival advantage. Sexual reproduction of surviving organisms		
results in a population of organisms that are adapted to their environment. This process is		
known as and is a mechanism of evolution.  [3]		

## **END OF QUESTION PAPER**

#### **ADDITIONAL ANSWER SPACE**

If additiona must be cle	I space is required, you should use the following lined page(s). early shown in the margin(s).	The question number(s)

## OCR Oxford Cambridge and RSA

#### Copyright Information

OCR is committed to seeking permission to reproduce all third-party content that it uses in its assessment materials. OCR has attempted to identify and contact all copyright holders whose work is used in this paper. To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced in the OCR Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download from our public website (www.ocr.org.uk) after the live examination series.

If OCR has unwittingly failed to correctly acknowledge or clear any third-party content in this assessment material, OCR will be happy to correct its mistake at the earliest possible opportunity.

For queries or further information please contact The OCR Copyright Team, The Triangle Building, Shaftesbury Road, Cambridge CB2 8EA.

OCR is part of the Cambridge Assessment Group; Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.