

# AS Level Physics B (H157) A Level Physics B (H557)

# Data, Formulae and Relationships Booklet



#### INSTRUCTIONS

• Do not send this Booklet for marking. Keep it in the centre or recycle it.

#### INFORMATION

• This document has 8 pages.

**Physics B** 

## Data, Formulae and Relationships

### Data

Values are given to three significant figures, except where more – or fewer – are useful.

## **Physical constants**

speed of light	С	$3.00 \times 10^8 \text{ m s}^{-1}$
permittivity of free space	<b>E</b> 0	$8.85 \times 10^{12} \mbox{ C}^2 \mbox{ N}^{1} \mbox{ m}^{2}$ (or F m $^{1}$ )
electric force constant	$k=\frac{1}{4\pi\varepsilon_0}$	$8.98 \times 10^9$ N m <sup>2</sup> C <sup>-2</sup> ( $\approx 9 \times 10^9$ N m <sup>2</sup> C <sup>-2</sup> )
permeability of free space	$\mu_0$	$4\pi\times 10^{\text{7}}$ N A^{\text{2}} (or H m^{\text{1}})
charge on electron	е	$-1.60 \times 10^{-19}  C$
mass of electron	m <sub>e</sub>	$9.11 \times 10^{-31}$ kg = 0.000 55 u
mass of proton	$m_p$	$1.673 \times 10^{-27}$ kg = 1.0073 u
mass of neutron	m <sub>n</sub>	$1.675 \times 10^{-27}$ kg = 1.0087 u
mass of alpha particle	$m_{lpha}$	$6.646 \times 10^{-27}$ kg = 4.0015 u
Avogadro constant	L, N <sub>A</sub>	$6.02 \times 10^{23} \text{ mol}^{-1}$
Planck constant	h	$6.63 \times 10^{-34} \text{ J s}$
Boltzmann constant	k	$1.38 \times 10^{-23} \text{ J K}^{-1}$
molar gas constant	R	8.31 J mol <sup>-1</sup> K <sup>-1</sup>
gravitational force constant	G	$6.67 \times 10^{-11} \text{ N m}^2 \text{ kg}^{-2}$

## Other data

standard temperature and pressure (stp)		273 K (0 °C), $1.01 \times 10^5$ Pa (1 atmosphere)
molar volume of a gas at stp	$V_{\rm m}$	$2.24 \times 10^{-2} \text{ m}^3$
gravitational field strength at the Earth's surface in the UK	g	9.81 N kg <sup>-1</sup>
Conversion factors		
unified atomic mass unit	1u	= 1.661 × 10 <sup>-27</sup> kg
	1 day	$= 8.64 \times 10^4 \text{ s}$
	1 year	$\approx 3.16 \times 10^7 \text{ s}$
	1 light year	$\approx 10^{16} \text{ m}$

## Mathematical constants and equations

e = 2.72	$\pi = 3.14$	1 radian = 57.3°	
$\operatorname{arc} = r\theta$		circumference of circle = $2\pi r$	
$\sin\theta \approx \tan \theta \approx \theta$ and $\cos \theta \approx 1$ for sma	all $ heta$	area of circle = $\pi r^2$	
		surface area of cylinder = $2\pi rh$	
$\ln(x^n) = n \ln x$		volume of cylinder = $\pi r^2 h$	
$ln(e^{kx}) = kx$		surface area of sphere = $4\pi r^2$	
		volume of sphere = $\frac{4}{3}\pi r^3$	

#### Prefixes

<b>10</b> <sup>-12</sup>	10 <sup>-9</sup>	10 <sup>-6</sup>	10 <sup>-3</sup>	10 <sup>3</sup>	10 <sup>6</sup>	10 <sup>9</sup>
р	n	μ	m	k	М	G

#### Formulae and relationships

#### Imaging and signalling

focal length	$\frac{1}{v} = \frac{1}{u} + \frac{1}{f}$
linear magnification	$m = \frac{v}{u}$
refractive index	$n = \frac{\sin i}{\sin r} = \frac{c_{1\text{st medium}}}{c_{2\text{nd medium}}}$
noise limitation on maximum bits per sample	$b = \log_2\left(\frac{V_{\text{total}}}{V_{\text{noise}}}\right)$
alternatives, N, provided by n bits	$N=2^b, b=\log_2 N$
Electricity	
current	$I = \frac{\Delta Q}{\Delta t}$
	14/

 $V = \frac{W}{\Omega}$ potential difference  $P = IV = I^2 R$ . W = VItpower and energy  $V = \mathcal{E} - Ir$ e.m.f and potential difference  $\frac{1}{G} = \frac{1}{G_1} + \frac{1}{G_2} + \dots \qquad G = G_1 + G_2 + \dots$ conductors in series and parallel  $R = R_1 + R_2 + \dots = \frac{1}{R} = \frac{1}{R_1} + \frac{1}{R_2} + \dots$ resistors in series and parallel  $V_{\rm out} = \frac{R_2}{R_1 + R_2} V_{\rm in}$ potential divider  $G = \frac{\sigma A}{I}$   $R = \frac{\rho L}{A}$ conductivity and resistivity  $C = \frac{Q}{V}$ capacitance  $E = \frac{1}{2} QV = \frac{1}{2} CV^2$ energy stored in a capacitor  $\frac{\mathrm{d}Q}{\mathrm{d}t} = -\frac{Q}{RC} \qquad Q = Q_0 \,\mathrm{e}^{-t/RC} \qquad \tau = RC$ discharge of capacitor

## Materials

Hooke's law

elastic strain energy

$$F = kx$$

$$\frac{\frac{1}{2}kx^{2}}{E = \frac{\text{stress}}{\text{strain}}}, \text{ stress} = \frac{\text{tension}}{\text{cross - sectional area}},$$

$$\text{strain} = \frac{\text{extension}}{\frac{1}{2}kx^{2}}$$

#### Gases

kinetic theory of gases	$pV = \frac{1}{3}Nm\overline{c^2}$
ideal gas equation	pV = nRT = NkT

#### Motion and forces


impulse

force

work done


power

components of a vector in two perpendicular directions



p = mv

 $F\Delta t$ 



equations for uniformly accelerated motion

$$s = ut + \frac{1}{2}at^{2}$$

$$v = u + at$$

$$v^{2} = u^{2} + 2as$$

$$a = \frac{v^{2}}{r}, F = \frac{mv^{2}}{r} = mr\omega^{2}$$

θ

for circular motion

 $\rightarrow$  Fcos $\theta$ 

 $v = f \lambda$ 

 $f = \frac{1}{T}$ 

 $n\lambda = d\sin\theta$ 

## Energy and thermal effects

energy	$\Delta E = mc \Delta \theta$
average energy approximation	average energy $\sim kT$
Boltzmann factor	$e^{-\frac{E}{kT}}$

#### Waves

wave formula

frequency and period

diffraction grating

#### Oscillations

simple harmonic motion	$\frac{d^2x}{dt^2} = a = -\left(\frac{k}{m}\right)x = -\omega^2 x$
	$x = A \cos \left(\omega t\right)$
	$x = A \sin(\omega t)$
	$\omega = 2\pi f$
Periodic time	$T = 2\pi \sqrt{\frac{m}{k}}$
	$T = 2\pi \sqrt{\frac{L}{g}}$
total energy	$E = \frac{1}{2}kA^2 = \frac{1}{2}mv^2 + \frac{1}{2}kx^2$

## Atomic and nuclear physics

$\frac{\Delta N}{\Delta t} = -\lambda N \qquad \qquad N = N_0 e^{-\lambda t}$
$T_{\frac{1}{2}} = \frac{\ln 2}{\lambda}$
absorbed dose = energy deposited per unit mas effective dose = absorbed dose x quality factor

mass-energy relationship

risk = probability × consequence  $E_{\rm rest} = mc^2$ 

per unit mass

relativistic factor	$\gamma = \frac{1}{\sqrt{1 - v^2 / c^2}}$
relativistic energy	$E_{\text{total}} = \gamma E_{\text{rest}}$
energy-frequency relationship for photons	E = hf
de Broglie	$\lambda = \frac{h}{p}$

#### **Field and potential**

for all fields field strength =  $-\frac{dV}{dr} \approx -\frac{\Delta V}{\Delta r}$ gravitational fields  $g = \frac{F}{m}, \quad E_{grav} = -\frac{GmM}{r}$   $V_{grav} = -\frac{GM}{r}, \quad F = -\frac{GmM}{r^2}$ electric fields  $E = \frac{F}{q} = \frac{V}{d}, \quad \text{electrical potential energy} = \frac{kQq}{r}$  $V_{electric} = \frac{kQ}{r}, \quad F = \frac{kQq}{r^2}$ 

#### Electromagnetism

magnetic flux	$\phi = BA$
force on a current carrying conductor	F = ILB
force on a moving charge	F = qvB
Induced e.m.f	$\mathcal{E} = -\frac{\mathrm{d}(N\Phi)}{\mathrm{d}t}$



#### **Copyright Information**

OCR is committed to seeking permission to reproduce all third-party content that it uses in its assessment materials. OCR has attempted to identify and contact all copyright holders whose work is used in this paper. To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced in the OCR Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download from our public website (www.ocr.org.uk) after the live examination series. If OCR has unwittingly failed to correctly acknowledge or clear any third-party content in this assessment material, OCR will be happy to correct its mistake at the earliest possible opportunity.

For queries or further information please contact The OCR Copyright Team, The Triangle Building, Shaftesbury Road, Cambridge CB2 8EA.

OCR is part of the Cambridge Assessment Group; Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.