

Monday 12 October 2020 - Morning

AS Level Biology B (Advancing Biology)

H022/01 Foundations of biology

Time allowed: 1 hour 30 minutes

* 8 1 8 7 6 6 4 3 0 8

You can use:

- · a scientific or graphical calculator
- a ruler (cm/mm)



Please write clearly in black ink. Do not write in the barcodes.								
Centre number						Candidate number		
First name(s)								
Last name								

INSTRUCTIONS

- Use black ink. You can use an HB pencil, but only for graphs and diagrams.
- Write your answer to each question in the space provided. If you need extra space use the lined pages at the end of this booklet. The question numbers must be clearly shown.
- · Answer all the questions.
- Where appropriate, your answer should be supported with working. Marks might be given for using a correct method, even if your answer is wrong.

INFORMATION

- The total mark for this paper is 70.
- The marks for each question are shown in brackets [].
- This document has 28 pages.

ADVICE

· Read each question carefully before you start your answer.

2 BLANK PAGE

PLEASE DO NOT WRITE ON THIS PAGE

SECTION A


You should spend a maximum of 25 minutes on this section.

Write your answer for each question in the box provided.

Answer **all** the questions.

1	Whi	ch of the following cell structures, A to D , are present in prokaryotic cells?
	Α	lysosomes
	В	vacuoles
	С	ribosomes
	D	starch grains
	You	r answer [1]
2		tudent observed a stained blood smear using a light microscope and wrote the following cription about one of the blood cells:
	•	large cell nucleus with three lobes stained dark blue cytoplasm stained pale blue cell surface membrane present.
	Whi	ch of the blood cells, A to D , is being described?
	Α	monocyte
	В	neutrophil
	С	lymphocyte
	D	erythrocyte
	You	r answer [1]

3 The diagram shows an eyepiece graticule and stage micrometer used to measure the length of a mitochondrion.



The mitochondrion was measured at 4 eyepiece graticule units.

Which of the options, **A** to **D**, is the **actual** length of the mitochondrion?

- **A** 10 mm
- $B 10 \mu m$
- **C** 0.4 mm
- D 40 μ m

Your answer	
Toul allowel	

4 A student was investigating the effect of cell size on the rate of diffusion using four different model cells.

He calculated the surface area of each cell as:


cell $\mathbf{A} = 24 \, \text{cm}^2$

cell $\mathbf{B} = 40 \, \text{cm}^2$

cell **C** = 13 cm^2 cell **D** = 31 cm^2


volume of cylinder = $\pi r^2 l$ volume of cuboid = hbl

Which of the model cells, **A** to **D**, has a surface area to volume ratio of **4:1**?



© OCR 2020 Turn over

5 The diagram shows the pressure changes in the left side of the heart during one cardiac cycle. The state of the valves in the heart are shown at points **W** and **X**.



Which of the rows, **A** to **D**, is correct for points **W** and **X**?

Key: SL = semi-lunar AV = atrio-ventricular


	w	X
Α	closed SL valve	open AV valve
В	open SL valve	closed AV valve
С	closed SL valve	closed AV valve
D	open SL valve	open AV valve

Your answer	
-------------	--

6	The	following stages are part of the expired air resuscitation (EAR) procedure:	
	1.	Place your lips around the victim's mouth and create a seal	
	2.	Pinch the nostrils closed	
	3.	Tilt the head back and lift the chin	
	4.	Watch to see if the chest rises	
	5.	Blow gently into the mouth.	
	Whi	ch of the options, A to D , is the correct order for the EAR procedure?	
	Α	3, 2, 1, 5, 4	
	В	2, 3, 4, 1, 5	
	С	1, 2, 3, 5, 4	
	D	4, 3, 1, 2, 5	
	You	r answer	[1]
7	Whi	ch of the molecules, A to D , is not involved in transcription?	
	Α	mRNA	
	В	DNA	
	С	tRNA	
	D	RNA polymerase	
	You	r answer	[1]

8		vnich of the stages of melosis, A to D , are nomologous chromosomes pulled to opposite p ne cell?	oles
	Α	metaphase I	
	В	anaphase I	
	С	metaphase II	
	D	anaphase II	
	You	ır answer	[1]

9 The diagram shows one mechanism of transporting molecules through a plant.



Which of the statements, **A** to **D**, describes what is occurring in the diagram?

- A sucrose is being moved by translocation through xylem vessels
- **B** water is being moved by translocation through phloem tubes
- **C** water is being moved by transpiration pull through xylem vessels
- **D** sucrose is being moved by translocation through phloem tubes

Your answer		
-------------	--	--

10	The following	procedure was	used to	calculate t	the number	of bacteria	in a culture:
10	THE ICHOWING	procedure was	useu io	Calculate		oi bacteria	iii a cuituic.

- 10 cm³ of the bacterial culture was put into a test-tube
- serial dilution was used to make $10 \, \text{cm}^3$ of a 1×10^{-3} dilution
- 0.1 cm³ of this dilution was spread onto an agar plate and incubated.

The resulting number of bacterial colonies was 15.

Which of the options, $\bf A$ to $\bf D$, is the correctly calculated number of bacteria in the original $10\,{\rm cm}^3$ bacterial culture?

- **A** 1.5×10^6
- **B** 1.5×10^5
- **C** 1.5×10^4
- **D** 1.5×10^3

Your answer	
-------------	--

[1]

11	The	e diagram shows the results of cell cycle analysis using flow cytometry.
	Flu	orescence intensity indicates the DNA content of the cells.
	lten	n removed due to third party copyright restrictions. Link to material: https:// nexcelom.com/nexcelom-products/cellometer-and-celigo-image-cytometers cellometer-vision-cba-imagecytometer/
	Wh	nich of the areas, A to D , represents cells at the end of G ₂ phase of the cell cycle?
	You	ur answer [1]
12		nich of the options, A to D , can directly cause the production of abnormally high quantities of the owth factors that activate DNA replication genes?
	Α	oncogene
	В	proto-oncogene
	С	tumour suppressor gene
	D	mutagen

[1]

Your answer

		cesses. A to D. is b	peing described in this sequ	uence of events?
	mitosis	,	3	
	cytokinesis			
	apoptosis			
)	meiosis			
Γhe 1	table shows	the features of son	ne of the screening method	ds used to detect cancer.
he t	table shows	the features of son Uses x-rays	uses a radioactive tracer	Can produce a 3-D
he t	table shows		Uses a radioactive	
he 1		Uses x-rays	Uses a radioactive tracer	Can produce a 3-D image
he 1	A	Uses x-rays	Uses a radioactive tracer	Can produce a 3-D image

15 The table shows some of the data for patients with different stages of bowel cancer. The total number of patients diagnosed with bowel cancer was 40 000.

Stage at diagnosis	Percentage of patients diagnosed (%)	Percentage of diagnosed patients receiving chemotherapy (%)
Stage unknown	16	24
Stage 1	16	12
Stage 2	22	32
Stage 3	25	46
Stage 4	21	38

Which of the options, A to D, is the correctly calculated number of people with Stage 1 cancer receiving chemotherapy?

Α	6400	patients
	0 100	pationic

768 patients В

C 1586 patients

D	4800	patients
	7000	patients

Your answer

[1]

16 ATP contains three phosphate groups, a nitrogenous base and a pentose sugar.

Which of the rows, **A** to **D**, is correct for ATP?

	Nitrogenous base	Pentose sugar
Α	adenosine	ribose
В	adenine	ribose
С	adenine	deoxyribose
D	adenosine	deoxyribose

В	adenine	ribose
С	adenine	deoxyribose
D	adenosine	deoxyribose

[1]

Your answer

17 α -glucose is an example of a monosaccharide sugar.


Which of the options, A to D, is not a property of monosaccharides?

- **A** general formula $C_nH_{2n}O_n$
- B soluble in water
- **C** can be hydrolysed into simpler molecules
- **D** have OH groups that can form hydrogen bonds with other molecules

Your answer	
-------------	--

[1]

18 The diagram below shows an antibody molecule.




Which of the bonds, **A** to **D**, is the type of bond labelled **X** in the diagram?


- A peptide
- **B** hydrogen
- **C** ionic
- **D** disulfide

Your answer

[1]

19 The diagram shows an enzyme with its substrate before and after the attachment of molecule **Q**.





Which of the options, **A** to **D**, is molecule **Q**?

- A competitive inhibitor
- **B** non-competitive inhibitor
- **C** cofactor
- **D** prosthetic group

Your answer	
-------------	--

[1]

- 20 Which of the structures, A to D, would not be found in Gram-positive bacteria?
 - A lipopolysaccharide envelope
 - **B** plasmid
 - C peptidoglycan cell wall
 - **D** flagellum

Your	answer	

SECTION B

Answer **all** the questions.

21 A group of students set up the apparatus in Fig. 21.1 to estimate the rate of transpiration.




Fig. 21.1

(a) The apparatus in Fig. 21.1 is designed to estimate rate of transpiration in the plant cutting by recording changes in mass over several days.

Explain why this method may not give a true measurement of the rate of transpiration.
[2]

(b) The students decided to investigate the effect of wind speed on the rate of transpiration using the apparatus in Fig. 21.1.

(i)	The students maintained constant environmental factors such as temperature and light intensity throughout the investigation.
	Name one other factor regarding plant structure that needed to be controlled during this investigation and explain why it needs to be controlled.
	[2]
(ii)	Evaluate the method of estimating transpiration rate shown in Fig. 21.1 compared to using a standard potometer.
	[4]

(c) The students compared their data to a set of secondary data that had been obtained using the same method with the same controlled variables.


The data are shown in the table.

Wind speed	Mean estimated rate of transpiration (a.u.)		
(ms ⁻¹)	Student data	Secondary data	
1.0	0.15	0.10	
2.0	0.23	0.15	
3.0	0.35	0.24	
4.0	0.36	0.26	
5.0	0.28	0.19	

(i)	Suggest one reason why the students' data showed much higher rates of transpiration than those shown by the secondary data.
	[1]
(ii)	Calculate the percentage change in the mean rate of transpiration estimated by the students as wind speed is increased from 2.0 to 4.0 ms ⁻¹ .
	Give your answer to 3 significant figures.

percentage change = % [2]

(d) Fig. 21.2 shows two stomata, \boldsymbol{X} and \boldsymbol{Y} , on the under-side of a leaf.



Magnification × 2000

Fig. 21.2

Explain the difference in appearance of the stomata shown in Fig. 21.2.	
[3]	

(i)

(ii)	Calculate the actual length of stoma X .		
	Give your answer to 2 significant figures.		
	length = unit [3]		

Turn over for the next question


22 It has been hypothesised that there is a causal relationship between sensitivity to allergens and the development of asthma.

One study measured allergic responses in a group of young people from infancy to early adulthood to see if sensitivity to allergens increased the risk for developing asthma.

(i)	Explain what is meant by an allergic response.
	[2]
(ii)	Five allergens, including cow's milk and pollen, were used during the study to test for sensitivity.
	Name two other allergens that could have been used to trigger an allergic response.
	1
	2

[1]

(b) Some of the data from asthmatics in the study are shown in the graph.



(a)

'The data in the graph show that there is a causal relationship between allergen sensitivity and probability of developing asthma'.

The following conclusion was made:


[4]
cute.
cute.

23 Hypoplastic Heart Syndrome (HHS) is a rare condition seen in newborn babies. HHS affects the internal structure of the heart.

The diagrams show a normal heart and the heart of a baby with HHS.

Normal Heart

Hypoplastic Heart Syndrome




(a)		ng your knowledge and the diagrams, describe now the structure of the heart has been cted by HHS.	
			[2]
(b)	In b	abies with HHS, blood flow through the coronary artery is reduced.	
	(i)	Suggest one effect on heart function that could be caused by reduced blood flow in coronary artery. Give a reason for your suggestion.	the
		suggestion	
		reason	
			 [2]

		[2]
	Describe the advantages of a mass flow transport system.	
(ii)	The heart is the 'pumping' mechanism of the mass flow transport system in mammals	3.

Turn over for the next question

24 Karyotyping is a technique used to produce images of chromosomes extracted from fetal cells. An example is shown below.



(a) Karyotyping involves many stages.

Complete the table giving reasons for each of the stages used in producing the karyotype image.

Stage	Reason
ultrasound scan	
addition of colchicine	
addition of a fluorescent stain	

(b)		cribe the final stages of this technique which are needed to produce a karyogram from image.
		[2]
(c)		5 year old woman is fifteen weeks pregnant. It is her second pregnancy and she has been ised to have amniocentesis to extract fetal cells for karyotyping.
	(i)	Suggest why karyotyping may have been advised in this case.
	/::\	[2]
	(ii)	Explain why amniocentesis was the preferred method of extracting fetal cells.
		[2]

25 Catalase is an enzyme found in some mammalian cells.

(a)	appropriate term(s).		
	Cat	alase is spherical, meaning it is a protein. It has	
		structure consisting of four polypeptide chains with a haem	
		group attached to each chain. The haem groups contain	
		which are important to its enzymatic function. The folding of the	
	poly	peptide chains gives the enzyme its three-dimensional shape providing an active site	
	whi	ch is to its substrate.	[5]
(b)	The	polypeptide chains in catalase can be broken down to produce amino acids.	
	(i)	Name the reaction involved and the bond that is broken during this process.	
		reaction	
		bond	[4]
	(ii)	Part of the amino acid valine is shown below.	[1]

Complete the diagram by drawing the full structure of the amino acid, valine.

[2]

END OF QUESTION PAPER

27

ADDITIONAL ANSWER SPACE

If additional space is required, you should use the following lined page(s). The question number(s) must be clearly shown in the margin(s).		
•••••		



Copyright Information

OCR is committed to seeking permission to reproduce all third-party content that it uses in its assessment materials. OCR has attempted to identify and contact all copyright holders whose work is used in this paper. To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced in the OCR Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download from our public website (www.ocr.org.uk) after the live examination series.

If OCR has unwittingly failed to correctly acknowledge or clear any third-party content in this assessment material, OCR will be happy to correct its mistake at the earliest possible opportunity.

For queries or further information please contact The OCR Copyright Team, The Triangle Building, Shaftesbury Road, Cambridge CB2 8EA.

OCR is part of the Cambridge Assessment Group; Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.