



# **Tuesday 10 November 2020 – Morning**

# GCSE (9-1) Chemistry A (Gateway Science)

J248/03 Paper 3 (Higher Tier)

Time allowed: 1 hour 45 minutes

#### You must have:

- a ruler (cm/mm)
- the Data Sheet for GCSE (9–1) Chemistry A (inside this document)

#### You can use:

- · a scientific or graphical calculator
- an HB pencil



Please write cle	arly in	black	k ink.	Do no	ot writ	e in the barcodes.			\
Centre number						Candidate number			
First name(s)									
Last name									,

#### **INSTRUCTIONS**


- Use black ink. You can use an HB pencil, but only for graphs and diagrams.
- Write your answer to each question in the space provided. If you need extra space use the lined pages at the end of this booklet. The question numbers must be clearly shown.
- · Answer all the questions.
- Where appropriate, your answer should be supported with working. Marks might be given for using a correct method, even if the answer is wrong.

#### **INFORMATION**

- The total mark for this paper is 90.
- The marks for each question are shown in brackets [].
- Quality of extended response will be assessed in questions marked with an asterisk (\*).
- This document has 32 pages.

#### **ADVICE**

· Read each question carefully before you start your answer.



### **SECTION A**

### Answer **all** the questions.

You should spend a maximum of 30 minutes on this section.

Write your answer to each question in the box provided.


1	The	e formula of ammonium carbonate is $(NH_4)_2CO_3$ .	
		at is the relative formula mass of ammonium carbonate? C = 12, H = 1, N = 14, O = 16)	
	Α	78	
	В	90	
	С	96	
	D	120	
	Υοι	ur answer	[1]
2	Wh	ich purification technique is used to separate ethanol and water from a mixture?	
	Α	Chromatography	
	В	Distillation	
	С	Evaporation	
	D	Filtration	
	Υοι	ur answer	[1]
3	Mag	gnesium reacts with chlorine. Magnesium chloride is made.	
	Wh	at is the balanced symbol equation for this reaction?	
	Α	$Mg + Cl \rightarrow MgCl$	
	В	${\rm Mg} + {\rm C}l_2 \longrightarrow {\rm MgC}l_2$	
	С	$2Mg + Cl_2 \rightarrow 2MgCl$	
	D	$\mathrm{2Mg} + \mathrm{C}l_2 \longrightarrow \mathrm{Mg_2C}l_2$	

[1]

Your answer

4	Whi	ch Period 3 element is in Group 2?	
	A	Aluminium	
	В	Boron	
	С	Calcium	
	D	Magnesium	
	You	r answer	[1]
5	Car	bon-12 and carbon-14 are isotopes.	
	Whi	ch statement describes isotopes?	
	A	Atoms with the same number of protons but a different number of electrons.	
	В	Atoms with the same number of electrons but a different number of protons.	
	С	Atoms with the same number of protons but a different number of neutrons.	
	D	Atoms with the same number of neutrons but a different number of protons.	
	You	r answer	[1]

6 The diagram shows an atom of an element.



What is the name of the element?

- **A** Boron
- **B** Beryllium
- **C** Fluorine
- **D** Neon

Your answer [1]

7 The charge on an electron is  $-1.6 \times 10^{-19}$  C.

What is the charge on a proton?

- **A**  $-1.6 \times 10^{19}$  C
- **B**  $-1.6 \times 10^{-19}$  C
- **C**  $1.6 \times 10^{-19}$  C
- **D**  $1.6 \times 10^{19}$  C

Your answer [1]

8	Am	monia has a simple molecular structure.	
	Wh	ich statement explains why ammonia has a low melting point and a low boiling point?	
	Α	The covalent bonds between the atoms are strong.	
	В	The covalent bonds between the atoms are weak.	
	С	The intermolecular forces between the molecules are strong.	
	D	The intermolecular forces between the molecules are weak.	
	You	r answer	[1]
9	Gra	phite is a form of carbon. Graphite can conduct electricity.	
	Wh	y can graphite conduct electricity?	
	Α	Delocalised electrons are between layers.	
	В	The ions can move.	
	С	Layers have weak intermolecular forces.	
	D	Strong covalent bonds are between the carbon atoms.	
	You	r answer	[1]
10	Avo	ngadro's constant has a value of 6.02 × 10 <sup>23</sup> .	
	Wh	at is the number of atoms in 0.5 mol of water?	
	Α	$2.00 \times 10^{23}$	
	В	$3.01 \times 10^{23}$	
	С	$6.02 \times 10^{23}$	
	D	$9.03 \times 10^{23}$	
	You	r answer	[1]

 $\textbf{11} \quad \text{Magnesium powder reacts with copper} (II) \ \text{oxide. Magnesium oxide and copper are made.}$ 

	Mg	+ CuO $\rightarrow$ MgO + Cu	
	Whi	ich substance is the <b>reducing agent</b> ?	
	Α	Magnesium	
	В	Copper oxide	
	С	Magnesium oxide	
	D	Copper	
	You	r answer	[1]
12	Sod	lium hydroxide reacts with hydrochloric acid. Sodium chloride and water are made.	
	NaC	$OH + HCl \rightarrow NaCl + H_2O$	
	Wha	at mass of sodium hydroxide would be needed to make 46.8g of sodium chloride?	
	Α	16 g	
	В	32 g	
	С	50 g	
	D	64 g	
	You	r answer	[1]
13	Whi	ich equation shows the formation of a Group 2 metal ion?	
	M re	epresents a Group 2 metal and e <sup>-</sup> represents an electron.	
	Α	$M + e^- \rightarrow M^+$	
	В	$M + 2e^- \rightarrow M^{2+}$	
	С	$M \rightarrow M^+ + e^-$	
	D	$M \rightarrow M^{2+} + 2e^{-}$	
	You	r answer	[1]

14	The	accurate relat	ive atomic mass of aluminium is 26.9815385.	
	Wh	at is this numbe	er to <b>5</b> significant figures?	
	Α	26.98153		
	В	26.981		
	С	26.98154		
	D	26.982		
	You	r answer		[1]
15	Pho	sphoric acid co	ontains phosphate ions, PO <sub>4</sub> <sup>3-</sup> .	
	Pho	sphoric acid is	completely neutralised by sodium hydroxide.	
	Wh	at is the formula	a of the salt that is made?	
	Α	Na <sub>2</sub> PO <sub>4</sub>		
	В	Na <sub>3</sub> PO <sub>4</sub>		
	С	Na(PO <sub>4</sub> ) <sub>3</sub>		
	D	$Na_2(PO_4)_3$		
	You	r answer		[1]

### **SECTION B**

Answer all the questions.

- **16** This question is about structure and bonding.
  - (a) Look at the two structures, A and B, in Fig. 16.1.




Fig. 16.1

(i)	Identify the bonding in structure <b>A</b> .	
	Explain your answer.	
	Bonding	
	Explanation	
		[2]
(ii)	Explain why structure <b>B</b> has a high melting point.	
		[2]
(iii)	Explain why structure <b>B</b> does <b>not</b> conduct electricity.	
		[1]

**(b)** Look at the structure of a metal in **Fig. 16.2**. Metals are malleable, which means they can be hammered or pressed into shape without breaking or cracking.




Fig. 16.2

Explain why metals are <b>malleable</b> .	
	[2

# 10 BLANK PAGE

PLEASE DO NOT WRITE ON THIS PAGE

17 Dmitri Mendeleev produced a Periodic Table of elements which is the basis for our modern Periodic Table. He left gaps for elements that had not been discovered yet as shown in Fig. 17.1.

I	_					
Н	П	Ш	IV	V	VI	VII
Li	Ве	В	С	N	0	F
Na	Mg	Al	Si	Р	S	Cl
K	Ca		Ti	V	Cr	Mn
Cu	Zn			As	Se	Br
Rb	Sr	Υ	Zr	Nb	Мо	
Ag	Cd	In	Sn	Sb	Те	I
Се	Ва	La		Та	W	
Au	Hg	Ti	Pb	Bi		

Fig. 17.1

(a)	Describe <b>two</b> ways Mendeleev arranged the elements in his Periodic Table.	
	1	
	2	
		[2]
(b)	Describe how the elements are arranged in the modern Periodic Table.	
		[1]

(c) Mendeleev left gaps in his Periodic Table for undiscovered elements. He predicted properties of these elements.

Table 17.1 shows the predicted properties for one of these elements in one of the gaps.

Mendeleev called this element 'eka-silicon'.

Appearance	Grey metal		
Melting point (°C)	Over 800		
Relative atomic mass	72		
Density (g/cm³)	5.5		

**Table 17.1** 

Table 17.2 shows some of the elements that were discovered after Mendeleev published his Periodic Table.

	Scandium (Sc)	Gallium (Ga)	Germanium (Ge)	Technetium (Tc)
Appearance	Silver-white metal	Silver-blue metal	Grey-white metal	Grey metal
Melting point (°C)	1541	30	947	2157
Relative atomic mass	45.0	69.7	72.6	98.0
Density (g/cm <sup>3</sup> )	3.0	5.9	5.35	11.0

		Table 17.2	
i)	Which element	t matches Mendeleev's predictions for 'eka-silicon'?	
	Tick (✓) one b	ox.	
	Scandium		
	Gallium		
	Germanium		
	Technetium		[1]

	(ii)	Give <b>two</b>	reasons for your	answer to (c)(i).				
		1						
		2						
						[2]		
(d)	(i)	(i) Mendeleev did not predict the existence of argon, neon, krypton or xenon						
		The electr	The electron arrangement of argon is 2,8,8.					
		What doe	s this tell you abo	out the reactivity of	argon?			
		Explain your answer.						
						[2]		
	(ii)	Neon is a	n element that ha	the isotopes are sl	nown below.			
		<sup>20</sup> <sub>10</sub> Ne	<sup>22</sup> <sub>10</sub> Ne					
		Complete <b>Table 17.3</b> to show the number of protons, neutrons and electrons neon isotope.						
				<sup>20</sup> <sub>10</sub> Ne	<sup>22</sup> <sub>10</sub> Ne			
			Proton					
			Neutron					

Table 17.3 [3]

© OCR 2020 Turn over

**Electron** 

# 14 BLANK PAGE

PLEASE DO NOT WRITE ON THIS PAGE

- **18** A student is investigating chemical reactions that produce heat.
  - (a) She adds zinc to hydrochloric acid, HC1.

Zinc chloride,  ${\rm ZnC}\it{l}_{\rm 2}$ , and hydrogen gas are made.

(i) Write the **balanced symbol** equation for this reaction.

[2]
-----

(ii) What term is used to describe a reaction that produces heat?

[1]	1
[1]	1

(b) The student draws the reaction profile for this reaction, as shown in Fig. 18.1.




Fig. 18.1

Explain what is meant by the term <b>activation energy</b> .							
	[1]						

(c) Combustion reactions produce a lot of heat energy.

Bond energies can be used to calculate the energy change in combustion reactions.

Bond	Bond energy (kJ/mol)
C–H	413
O=O	498
C=O	805
O–H	464

Methane is a common fuel used in combustion reactions.

Methane reacts with oxygen. Carbon dioxide and water are made, as shown in Fig. 18.2.

$$H - \begin{array}{c} H \\ C \\ H \end{array} + \begin{array}{c} O = O \\ O = O \end{array} \longrightarrow O = C = O + \begin{array}{c} H \\ O \\ H \end{array} \longrightarrow H$$

Fig. 18.2

(i) The reaction of methane with oxygen produces heat.

Explain why.

Use ideas about bond breaking and bond making in your answer.	
	٠.
	3

(ii) Calculate the total energy transferred to break the bonds in the reactants in Fig. 18.2.

Total energy transferred = .....kJ/mol [1]

(iii)	Calculate the total energy transferred to make the bonds in the products in Fig. 18.2.				
	Total energy transferred =kJ/mol [1]				
(iv)	<ul> <li>Use your answers to parts (ii) and (iii) to calculate the energy change for the reacti in Fig. 18.2.</li> </ul>				
	Energy change =kJ/mol [1]				

**19** A farmer wants to test the pH of soil samples. He researches information about different pH test kits.



Look at the information he finds.

nU toot kit	Price	pH of soil sample					
pH test kit		pH2	pH4	pH7	рН9	pH 14	
Α	£4.95	Red	Yellow	Green	Blue	Purple	
В	£10.99	Yellow	Yellow	Pink	Pink	Pink	
С	£11.50	Pink	Orange	Yellow	Blue	Blue	
D	£2.99	Colourless	Colourless	Colourless	Pink	Pink	
E	£12.75	Red	Orange	Yellow	Yellow	Yellow	


^	Evaluate the advantages and disadvantages of the pH test kits and suggest which pH test kit the farmer should use.
	[6]

(b)	After testing the soil samples, the farmer finds that the soil in one of his fields is acidic.
	Acidic soil can be neutralised by spreading magnesium carbonate, MgCO <sub>3</sub> , onto the soil.
	The farmer uses 25.0 kg of magnesium carbonate.
	Calculate the number of moles of magnesium carbonate the farmer uses. ( $A_r$ : C = 12.0; Mg = 24.3; O = 16.0)
	Give your answer to 3 significant figures.

Number of moles of magnesium carbonate = ......[3]

20 A student analyses a sample of tomato sauce using thin-layer chromatography.

The tomato sauce was compared to four known food additives,  ${\bf A},\,{\bf B},\,{\bf C}$  and  ${\bf D},$  as shown in the chromatogram.



(a) (i) Calculate the  $R_{\rm f}$  value for  ${\bf C}$ .

Give your answer to 2 significant figures.

=[;	31
=	٠

(ii) Which additives are shown to be in the tomato sauce?

Tick  $(\checkmark)$  all the correct boxes.

Α

В

С

D

[1]

	(iii)	Suggest why <b>D</b> has <b>not</b> travelled as far up the plate as <b>C</b> .
(b)	Gas	chromatography is another type of chromatography.
	The	diagram shows the equipment used for gas chromatography.
Gas f	low	Sample Injector port  Column  Waste  Oven  Computer/
С	arrier	gas Data analysis
	(i)	State <b>one similarity</b> and <b>one difference</b> between gas chromatography and thin-laye chromatography.  Similarity
		Difference
		[2]
	(ii)	Explain why thin-layer chromatography is used instead of gas chromatography to analyse the tomato sauce.

(a) Draw a dot and cross diagram to show the ions in sodium oxide.

**21** Sodium oxide, Na<sub>2</sub>O, is a white solid.

		[2]
(b) (i)	Sodium oxide reacts with water.	
	An aqueous solution of sodium hydroxide is made.	
	Write the <b>balanced symbol equation</b> for this reaction, including <b>state symbols</b> .	
		[3]
(ii)	Sodium hydroxide neutralises acids. It is an alkali.	
	Which ion do solutions of alkalis contain?	
		[1]
(iii)	A salt is made when sodium hydroxide neutralises sulfuric acid.	
	Name this salt.	
		[1]
(iv)	A sample of hydrochloric acid has a pH of 1.04.	
	A student adds water to the hydrochloric acid until the pH is 3.04.	
	The concentration of hydrogen ions decreases.	
	Calculate the factor by which the hydrogen ion concentration has decreased.	
	Decrease in hydrogen ion concentration =	[2]


# 23 BLANK PAGE

PLEASE DO NOT WRITE ON THIS PAGE

**22** A student investigates the thermal decomposition of copper carbonate.

copper carbonate → copper oxide + carbon dioxide

Here is the set-up of the apparatus she uses.




The student measures the mass of copper carbonate at the start of the experiment. She then measures the mass of copper oxide made.

She does the experiment five times using a different mass of copper carbonate each time.

Look at her results.

Mass of copper carbonate (g)	Mass of copper oxide (g)
1.00	0.70
2.00	1.35
3.00	1.95
4.00	2.65
5.00	3.30

(a) (i) Plot a graph of the student's results and draw a line of best fit.



[4]

(ii) What is the mass of copper carbonate that needs to be heated to produce 2.50g of copper oxide?

Use your graph in your answer.

Mass of copper carbonate = ......g [1]

		20
	(iii)	The mass of copper oxide made in the reaction is less than the mass of the copper carbonate heated.
		Suggest why.
		[1]
(b)	Cal	cium carbonate thermally decomposes to make calcium oxide and carbon dioxide.
	CaC	$CO_3 \rightarrow CaO + CO_2$
	Cal	culate the mass of calcium carbonate needed to make 209g of calcium oxide.
	(A <sub>r</sub> :	Ca = 40.1, C = 12.0, O = 16.0)
	Give	e your answer to <b>3</b> significant figures.
		Mass of calcium carbonate = g [4]

# 27 BLANK PAGE

PLEASE DO NOT WRITE ON THIS PAGE

23 A student investigates the electrolysis of aqueous solutions of ionic compounds.

Aqueous solution	Product at cathode	Product at anode
Copper sulfate	Copper	Oxygen
Zinc bromide	Hydrogen	Bromine
Copper chloride	Copper	Chlorine
Sulfuric acid	Hydrogen	Oxygen

(a)	Wri	te the formulae of the <b>ions</b> that are present in aqueous copper sulfate solution.	21
(b)	Wh	y is it important that the investigation is done with <b>inert</b> electrodes?	-,
		[	1]
(c)	Ele	ctroplating is used to cover a metal with another metal.	
	(i)	Which aqueous solution would you use to electroplate a metal spoon with copper usin a safe method?	ng
		Tick (✓) one box.	
		Copper sulfate	
		Zinc bromide	
		Copper chloride	
		Sulfuric acid	[1]
	(ii)	Give <b>two</b> reasons for your answer to <b>(c)(i)</b> .	
		1	
		2	
		[	 2]

(d)	(i)	Predict the product made at the anode when sodium sulfate solution is electrolysed.
		[1]
	(ii)	Hydrogen gas is made at the cathode instead of sodium metal.
		Explain why.
		[1]
	(iii)	Write the <b>balanced half equation</b> for the formation of hydrogen gas.
		Use e <sup>-</sup> to represent an electron.
		[2]
(e)	The state	electrolysis products of ionic compounds can be different in the molten or aqueous
	Sug	gest why.
		[1]

### **END OF QUESTION PAPER**

### ADDITIONAL ANSWER SPACE

If additional space is required, you should use the following lined page(s). The question number(s) must be clearly shown in the margin(s).		

•••••	
•••••	




#### Copyright Information

OCR is committed to seeking permission to reproduce all third-party content that it uses in its assessment materials. OCR has attempted to identify and contact all copyright holders whose work is used in this paper. To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced in the OCR Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download from our public website (www.ocr.org.uk) after the live examination series.

If OCR has unwittingly failed to correctly acknowledge or clear any third-party content in this assessment material, OCR will be happy to correct its mistake at the earliest possible opportunity.

For queries or further information please contact The OCR Copyright Team, The Triangle Building, Shaftesbury Road, Cambridge CB2 8EA.

OCR is part of the Cambridge Assessment Group; Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.