

F

# Wednesday 18 November 2020 – Morning GCSE (9–1) Combined Science (Biology) A (Gateway Science)

J250/02 Paper 2 (Foundation Tier)

Time allowed: 1 hour 10 minutes

# 8170706231

You must ha	ve	:
-------------	----	---

• a ruler (cm/mm)

#### You can use:

- · a scientific or graphical calculator
- an HB pencil



Please write clearly in black ink. <b>Do not write in the barcodes</b> .							
Centre number				Candidate number			
First name(s)							
Last name							

#### **INSTRUCTIONS**

- Use black ink. You can use an HB pencil, but only for graphs and diagrams.
- Write your answer to each question in the space provided. If you need extra space use the lined pages at the end of this booklet. The question numbers must be clearly shown.
- Answer all the questions.
- Where appropriate, your answer should be supported with working. Marks might be given for using a correct method, even if your answer is wrong.

# **INFORMATION**

- The total mark for this paper is 60.
- The marks for each question are shown in brackets [ ].
- Quality of extended response will be assessed in questions marked with an asterisk (\*).
- This document has 24 pages.

#### **ADVICE**

• Read each question carefully before you start your answer.


## **SECTION A**

Answer **all** the questions.

You should spend a maximum of 20 minutes on this section.

Write your answer to each question in the box provided.

Which abiotic factor is measured using this apparatus? 1



- Acidity levels
- В Light intensity
- C Moisture content
- D Temperature

Your answer	[1]
Why are bacteria peeded to recycle nitrogen in an ecosy	stom?

- 2 Why are bacteria needed to recycle nitrogen in an ecosystem?
  - Α Bacteria are microscopic
  - Bacteria decompose organic material
  - C Bacteria reproduce rapidly
  - D Bacteria respire anaerobically

Your answer			[1]
-------------	--	--	-----

3 Look at the table.

	Clots blood	Makes antibodies	Transports oxygen
Α	white blood cells	platelets	red blood cells
В	platelets	white blood cells	red blood cells
С	red blood cells	white blood cells	white blood cells
D	platelets	red blood cells	white blood cells

	Which row in the table shows the correct function of the different parts of the blood?								
	Υοι	ur answer	[1]						
4	Wh	ich statement about skin cells is correct?							
	A	They are diploid cells containing one set of chromosomes.							
	В	They are diploid cells containing two sets of chromosomes.							
	С	They are haploid cells containing one set of chromosomes.							
	D	They are haploid cells containing two sets of chromosomes.							
	Υοι	ur answer	[1]						
5	Wh	ich of these will <b>increase</b> the amount of water in the soil?							
	Α	Evaporation							
	В	Precipitation							
	С	Translocation							
	D	Transpiration							
	You	ur answer	[1]						

Which type of medicine is used to treat HIV?  A Antibiotics B Antigens C Antiseptics D Antivirals  Your answer  This capture-recapture formula is used to estimate population size Population size = number in first sample × number in second samp number of marked individuals in second samp. The table shows the results for one estimation of a beetle population size   Number of beetles  First sample   12   12   10   10   Marked individuals in second sample   10   10   Marked individuals in second sample   4   Use the capture-recapture formula to estimate the beetle population   A   26   B   30   C   120   D   480   Your answer		•
B Antigens C Antiseptics D Antivirals  Your answer  This capture-recapture formula is used to estimate population size Population size = number in first sample × number in second sample in the table shows the results for one estimation of a beetle population in the table shows the results for one estimation of a beetle population in the sample Second sample 12  Second sample 10  Marked individuals in second sample 4  Use the capture-recapture formula to estimate the beetle population in the sample in	Which type of medicine is used to treat H	IV?
C Antiseptics  D Antivirals  Your answer  This capture-recapture formula is used to estimate population size Population size = number in first sample × number in second sample in the table shows the results for one estimation of a beetle population size   Number of beetles    First sample   12    Second sample   10    Marked individuals in second sample   4    Use the capture-recapture formula to estimate the beetle population    A 26    B 30    C 120    D 480	A Antibiotics	
This capture-recapture formula is used to estimate population size  Population size = number in first sample × number in second samp number of marked individuals in second samp.  The table shows the results for one estimation of a beetle population.  Number of beetles.  First sample 12  Second sample 10  Marked individuals in second sample 4  Use the capture-recapture formula to estimate the beetle population.  A 26  B 30  C 120  D 480	<b>B</b> Antigens	
This capture-recapture formula is used to estimate population size  Population size =  \[ \frac{\text{number in first sample \times number in second sample}}{\text{number of marked individuals in second sample}} \]  The table shows the results for one estimation of a beetle population of the second sample in the sample in the sample in the second sample in the sample in the second sam	C Antiseptics	
This capture-recapture formula is used to estimate population size  Population size =     number in first sample × number in second sample	<b>D</b> Antivirals	
Population size = number in first sample × number in second sample.  The table shows the results for one estimation of a beetle population.  Number of beetles.  First sample 12  Second sample 10  Marked individuals in second sample 4  Use the capture-recapture formula to estimate the beetle population.  A 26  B 30  C 120  D 480	Your answer	
The table shows the results for one estimation of a beetle population of a beetle population of a beetle population of beetles    Number of beetles		
First sample 12 Second sample 10 Marked individuals in second sample 4  Use the capture-recapture formula to estimate the beetle population A 26 B 30 C 120 D 480	Population size = $\frac{\text{number in first sample}}{\text{number of marked inc}}$	× number in second sam dividuals in second sampl
First sample 10  Second sample 10  Marked individuals in second sample 4  Use the capture-recapture formula to estimate the beetle population A 26  B 30  C 120  D 480	The table shows the results for one estim	ation of a beetle population
Second sample 10  Marked individuals in second sample 4  Use the capture-recapture formula to estimate the beetle population A 26  B 30  C 120  D 480		Number of beetles
Marked individuals in second sample 4  Use the capture-recapture formula to estimate the beetle population A 26  B 30  C 120  D 480	First sample	12
Use the capture-recapture formula to estimate the beetle population  A 26  B 30  C 120  D 480	Second sample	10
<ul><li>A 26</li><li>B 30</li><li>C 120</li><li>D 480</li></ul>	Marked individuals in second sample	4
<ul><li>B 30</li><li>C 120</li><li>D 480</li></ul>	Use the capture-recapture formula to esti	mate the beetle populatio
<ul><li>C 120</li><li>D 480</li></ul>	<b>A</b> 26	
<b>D</b> 480	<b>B</b> 30	
	<b>C</b> 120	
Your answer	<b>D</b> 480	
	Your answer	


8	Diffe	erent metho	ods are u	used to identify which disease an animal has.				
	Whi	ch method	is <b>not</b> us	sed to identify diseases?				
	Α	Analysing	the DNA	A of the pathogen.				
	В	Detecting	antigens	s in the animal's blood.				
	С	C Genetically engineering the pathogen.						
	D	Visual app	earance	e of animal.				
	Youi	r answer			[1]			
9				hite flower with a purple flower. nozygous recessive. The purple flower is heterozygous.				
	The	scientist us	ses this I	Punnett square to predict the expected ratio of offspring.				
	Рр							
	р	Pp	pp					
	р	Рр	pp					
	Wha	at is the exp	pected ra	atio of phenotypes in the offspring?				
	Α	1 purple :	1 white					
	В	1 purple :	2 white					
	С	2 purple :	1 white					
	D	4 purple :	0 white					
	Youi	r answer			[1]			

**10** Meiosis is a type of cell division that is needed to make gametes.


Which diagram shows meiosis?


n = number of chromosomes

Α




В





D



Your answer



[1]

# 7 BLANK PAGE

PLEASE DO NOT WRITE ON THIS PAGE

# **SECTION B**

Answer all the questions.

11	(a)	Diseases ca	an be commu	nicable or non-co	mmunicable.			
		Which are	Which are causes of non-communicable diseases?					
		Tick (✓) two	o boxes.					
		Diet high in	salt					
		Drinking co	ntaminated w	ater				
		Drinking lar	ge amounts o	of alcohol				
		Eating unde	er cooked chic	cken				
		Fungal infe	ungal infection					
		Unprotected	d sexual inter	course				
	<i>(</i> 1.)							[2]
	(b)	•		es about plant dis	seases.			
		Choose wo	rds from the li	st.				
		You may us	se each word	once, more than	once, or not at	all.		
		Gall	Leaf	Mildew	Spot	Stem	Wound	
		The pathog barley plant		graminis causes	powdery			in
		The pathog	en <i>Agrobacte</i>	rium tumefaciens	causes a tum	our like growth	n called a	
								[2]
	(c)	Some disea	ases interact v	vith each other.				
		Describe th	e interaction l	petween HIV and	tuberculosis.			

(d)	The pathogen that causes tuberculosis (TB) has cells that are different from animal There are also similarities between the two types of cells.	nal cells.
	Which structures are found in <b>both</b> the cells of the TB pathogen and animal cells?	
	Tick (✓) <b>two</b> boxes.	
	Cell membrane	
	Chromosome	
	Mitochondrion	
	Nucleus	
	Plasmid	
		[2]
(e)	Read the information in the box.	
	The rod like structure of the tobacco mosaic virus is ~0.018 μm in diameter.	
	The light microscope was developed in the 1670s. Light microscopes have a resolution of $>0.2\mu m$ .	
	The transmission electron microscope (TEM) was developed in the 1930s. TEM has a resolution of >0.0001 μm.	
	Scientists knew about the effects of the tobacco mosaic virus in 1800.	
	The structure of the tobacco mosaic virus was first observed in 1935.	
	Evaluate the information in the box to explain why.	
	'	
		[2]
		[4]

- **12** A scientist investigates how the distance from a road affects the growth of lichens.
  - (a) At the **start** of the investigation the scientist makes this statement.

As the distance from a road increases, then the number of lichens will increase because there is less pollution.

What type of statement is this?

Put a (ring) around the correct answer.

Analysis	Conclusion	<b>Evaluation</b>	Hypothesis	
				[1]

- (b) Read the method the scientist uses.
  - Choose a site where a road is next to an area of trees.
  - Use a measuring tape to choose a tree 5 m from the road.
  - Place a clear plastic grid (25 × 25 cm) on the tree, 1 metre above the ground.
  - With a pen, dot each 1 cm<sup>2</sup> grid area where there are lichens.
  - Count the dots on the clear plastic grid.
  - Move the clear plastic grid sideways and repeat until the whole circumference of the tree trunk is measured, and record the results.
  - Repeat this on more trees at 5 m intervals, up to 25 m away from the road.

Fig. 12.1 shows their investigation.




Fig. 12.1

(i) Write down **one** variable that is controlled in this investigation.

(ii)	) What name describes the clear plastic grid used by the scientist?						
	Put a ring around the	correct answer.					
	Line transect	Pitfall trap	Pooter	Quadrat	[1]		
(iii)	How could the scientis results?	st improve their me	thod to reduce the	e level of uncertainty	y in the		
					[1]		

(c) Fig. 12.2 shows one clear plastic grid for the tree at 5 metres.




Fig. 12.2

(i) The other grids around the circumference for the tree at 5 metres had 3, 8, 3 and 6 dots. Find the **median** for lichens found at 5 metres. Include the result in **Fig. 12.2**.

Median = .....[2]

(ii) Fig. 12.3 is a scatter diagram of some of the scientist's results.




Fig. 12.3

Explain the results seen in Fig. 12.3.	
	2

(	(h)	Lichens	are	made	un o	falgae	and a	a fundus	living	together
۱	u,	LICITORIS	ale	mauc	up o	ı aıyac	anu	i iuiiyus	11 1 11 11 11	together.

Algae are single celled organisms that photosynthesise. The fungus produces a threadlike structure that spreads to protect the algae.

What name describes the type of interdependence shown by the algae and the fungus? Write down **one** reason for your answer.

Type of interdependence	
Reason	
rer	
[2]	Ĺ

13 Myostatin is a protein that animals produce to stop muscle development.

A gene controls the production of myostatin. This gene is mutated in the Belgian Blue breed of cattle.

Belgian Blue cattle have more muscle compared with other cattle.

(a)	(i)	Belgian Blue cattle have a different muscle <b>phenotype</b> than other cattle.
		What is meant by the term phenotype?
		[1]
	(ii)	Explain why Belgian Blue cattle have a different muscle phenotype.
		[2]
(	(iii)	The Belgian Blue cattle were produced by selective breeding.
		It is unlikely that the Belgian Blue cattle would have developed by natural selection.
		Explain why.
		[2]

^(D)	on the farming industry.
	Include both the benefits and risks of selective breeding in your answer.
	[6]
(c)	Selective breeding is one way the genome can be modified to produce desired characteristics.
(-)	Write down <b>one</b> other way the genome can be modified to produce desired characteristics.
	[1]

14 Look at the picture of an African ecosystem called a savannah.



(a) Describe the levels of organisation in the savannah.


Complete the missing parts of the table.


Part of savannah	Level	Description
giraffes elephants zebras trees grasses weather soil atmosphere		The living organisms in an area, together with the non-living components of the environment.
giraffes elephants zebras trees grasses		
zebras		
zebra	organism	individual

(b)	Elephants have evolved large, very thin ears. This adaptation helps them to survive effects of one abiotic factor affecting their population.	the
	Complete the sentences about the adaptations in elephants.	
	The elephants have adapted to survive in high	
	The elephant ears have a surface area.	
	This helps them to heat from the skin surface.	[3]

15 Scientists studied a population of men. They grouped the men by their blood cholesterol levels.

The chart shows the percentage of the population in each blood cholesterol level group. It also shows the men in each group that died from heart disease as a percentage of the whole population that died from heart disease.





(a)	(i)	What conclusions can be made from the data in the chart?
		[2]

(ii) Calculate the ratio for percentage of total heart disease deaths for blood cholesterol <5.0 mmol/dm³ compared to those 5.0 mmol/dm³ or greater.

		Ratio =[2]
(i	ii)	Health experts encourage people to lower their blood cholesterol to 5.0 mmol/dm <sup>3</sup> or less.
		Analyse evidence in the chart to justify the reason for this.
		[2]
(b)	(i)	Hormone replacement therapy (HRT) involves giving oestrogen to women.
		A group of scientists did a double-blind study of 643 women given either HRT or a placebo.
		The study followed-up these women after five years. It showed reduced build-up of cholesterol in the arteries of women given HRT.
		The scientists made this conclusion:
		Women on HRT may be at <b>less</b> risk from heart disease.
		Explain why HRT could reduce the risk of heart disease.
		[2]
(	ii)	The reduced build-up of cholesterol observed during the study might not be large enough to have an impact on a person's risk from heart disease.
		What change could be made to the study to gain enough evidence to support the conclusion?
		[1]

(iii) Oestrogen is known to interfere with the cell cycle, increasing the rate of mitosis.	
Suggest why HRT might increase the risk of breast cancer.	
[	2]
Name one lifestyle change someone could make that could also reduce the risk of headisease.	art
]	11

## **END OF QUESTION PAPER**

# 21

# **ADDITIONAL ANSWER SPACE**

If additional space is required, you should use the following lined page(s). The question number(s) must be clearly shown in the margin(s).				






#### Copyright Information

OCR is committed to seeking permission to reproduce all third-party content that it uses in its assessment materials. OCR has attempted to identify and contact all copyright holders whose work is used in this paper. To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced in the OCR Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download from our public website (www.ocr.org.uk) after the live examination series.

If OCR has unwittingly failed to correctly acknowledge or clear any third-party content in this assessment material, OCR will be happy to correct its mistake at the earliest possible opportunity.

For queries or further information please contact The OCR Copyright Team, The Triangle Building, Shaftesbury Road, Cambridge CB2 8EA.

OCR is part of the Cambridge Assessment Group; Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.