

## Н

# Friday 20 May 2022 – Morning GCSE (9–1) Mathematics

J560/04 Paper 4 (Higher Tier)

Time allowed: 1 hour 30 minutes

#### You must have:

the Formulae Sheet for Higher Tier (inside this document)

#### You can use:

- · a scientific or graphical calculator
- · geometrical instruments
- · tracing paper



|                   |         |       |      |       |         |                    |  |  | \ |
|-------------------|---------|-------|------|-------|---------|--------------------|--|--|---|
| Please write clea | arly in | black | ink. | Do no | ot writ | e in the barcodes. |  |  |   |
|                   |         |       |      |       |         |                    |  |  |   |
| Centre number     |         |       |      |       |         | Candidate number   |  |  |   |
|                   |         |       |      |       |         |                    |  |  |   |
|                   |         |       |      |       |         |                    |  |  |   |
| First name(s)     |         |       |      |       |         |                    |  |  |   |
|                   |         |       |      |       |         |                    |  |  |   |
| Last name         |         |       |      |       |         |                    |  |  |   |
| <b>\</b>          |         |       |      |       |         |                    |  |  | , |

#### **INSTRUCTIONS**

- Use black ink. You can use an HB pencil, but only for graphs and diagrams.
- Write your answer to each question in the space provided. You can use extra paper if you need to, but you must clearly show your candidate number, the centre number and the question numbers.
- Answer all the questions.
- Where appropriate, your answer should be supported with working. Marks might be given for using a correct method, even if your answer is wrong.
- Use the  $\pi$  button on your calculator or take  $\pi$  to be 3.142 unless the question says something different.

#### **INFORMATION**

- The total mark for this paper is 100.
- The marks for each question are shown in brackets [ ].
- This document has 20 pages.

#### **ADVICE**


· Read each question carefully before you start your answer.



### Answer all the questions.

| 1 | (a) Write 6 050 000 in standard form.   |     |     |
|---|---|-----|-----|
|   | <b>(b)</b> Write $4.58 \times 10^{-3}$ as an ordinary number.   | (a) | [1] |
|   |   | (b) | [1] |
| 2 | Calculate. $\frac{270}{2.5^2} - \frac{4.6 + 17.2}{8.4 - 6.8}$   |     |     |
| 3 | In January 2018, an art collector bought an antique of In January 2020, he sold it for £17640.  Assume the value of the painting increased by 5 Calculate the art collector's profit. You must show your working. |     |     |
|   |   |     |     |

4 Three **regular** polygons meet at a point.




Two of the polygons are pentagons.

Find the number of sides of the third polygon. You must show your working.

.....[6]

5 The scatter diagram shows the midday temperature at 13 different heights on a mountain.



(a) The table has the information for 2 more heights.

Plot these on the scatter diagram.

| Height (m)       | 500 | 1580 |
|------------------|-----|------|
| Temperature (°C) | 8.8 | 1.2  |

(b) Describe the type of correlation shown in the scatter diagram.

(b) .....[1]

[2]

© OCR 2022

| (c) | By drawing a line of best fit, estimate the temperature at 1000 m.                             |
|-----|--|
|     | (c)°C [2]  |
| (d) | Circle the outlier on the scatter diagram. [1]   |
| (e) | Explain why using the scatter diagram to estimate the temperature at 1800 m may be unreliable. |
|     |  |
|     | [1]  |
| (f) | Find the percentage of the 15 temperatures which are below 6 °C.                               |
|     |  |
|     |  |
|     |  |
|     |  |
|     |  |
|     |  |
|     |  |
|     |  |
|     |  |
|     |  |
|     |  |

© OCR 2022 Turn over


(f) % [3]


|   |     | 6  |
|---|-----|--|
| 6 |     | achine can dig, on average, 2 cm of tunnel each minute. perates 24 hours each day.   |
|   | (a) | Work out how many days it should take to dig a tunnel of length 3.5 km. Give your answer to the nearest day.   |
|   |     |  |
|   |     |  |
|   |     |  |
|   |     |  |
|   |     |  |
|   |     |  |
|   |     |  |
|   |     |  |
|   |     |  |
|   |     |  |
|   |     |  |
|   |     |  |
|   |     |  |
|   |     |  |
|   |     |  |
|   |     |  |
|   |     |  |
|   |     | (a) days [4]   |
|   | (b) | The machine actually digs an average of 2.5 cm of tunnel each minute for most of the time and an average of 1.5 cm each minute for the rest of the time. |

.....[1]

How would this affect your answer to part (a)?

7 The diagram shows a square-based pyramid and a sphere.





The pyramid has base length  $12.3\,\mathrm{cm}$  and perpendicular height  $15.7\,\mathrm{cm}$ . The sphere has radius  $r\,\mathrm{cm}$ .

The pyramid and the sphere have the same volume.

Work out the radius of the sphere. You must show your working.

[The volume of a pyramid is  $\frac{1}{3} \times$  area of base  $\times$  perpendicular height.


The volume *V* of a sphere with radius *r* is  $V = \frac{4}{3}\pi r^3$ .]

..... cm **[5]** 

8 Here is a table of values for  $y = x^2 + 2x - 2$ .

| Χ | -4 | -3 | -2 | -1 | 0  | 1 | 2 |
|---|----|----|----|----|----|---|---|
| У | 6  | 1  | -2 | -3 | -2 | 1 | 6 |

(a) Draw the graph of  $y = x^2 + 2x - 2$  for  $-4 \le x \le 2$ .



**(b)** Write down the equation of the line of symmetry of the graph.


(b) .....[1]

[3]

(c) Use the graph to solve the equation  $x^2 + 2x - 2 = 0$ . Give your answers to **1** decimal place.

(c)  $x = \dots$  or  $x = \dots$  [2]

9 Points A, B and C lie on the circumference of a circle, centre O.



Not to scale


Angle ACB =  $90^{\circ}$ , AC =  $6.4 \, \text{m}$  and BC =  $3.7 \, \text{m}$ .

Work out the circumference of the circle. You must show your working.

..... m **[5]** 

| 10 | To c | tudent is researching the difference in locollect their data, the student interviews one Monday morning. |                  |                     |     |
|----|------|--|------------------|---------------------|-----|
|    | (a)  | Make three different criticisms of the   | student's method | d of collecting dat | ta. |
|    |      | 1  |                  |                     |     |
|    |      |  |                  |                     |     |
|    |      |  |                  |                     |     |
|    |      | 2  |                  |                     |     |
|    |      |  |                  |                     |     |
|    |      |  |                  |                     |     |
|    |      | 3  |                  |                     |     |
|    |      |  |                  |                     |     |
|    |      |  |                  |                     |     |
|    | (b)  | Here is the data collection table that the Hours exercised in a week (h)                                 | he student used. | Child tally         | [3  |
|    | (b)  |  |                  |                     | [3  |
|    | (b)  | Hours exercised in a week (h)  |                  |                     | [3  |
|    | (b)  | Hours exercised in a week (h) $0 \le h \le 2$  |                  |                     | [3  |
|    | (b)  | Hours exercised in a week (h) $0 \le h \le 2$ $2 \le h \le 4$  |                  |                     | [3  |
|    | (b)  | Hours exercised in a week (h) $0 \le h \le 2$ $2 \le h \le 4$ $4 \le h \le 8$                            |                  |                     | [3  |
|    | (b)  | Hours exercised in a week (h) $0 \le h \le 2$ $2 \le h \le 4$ $4 \le h \le 8$ $8 \le h \le 12$           | Adult tally      |                     | [3  |

11 Jamie buys fence panels that fit tightly together.




#### Not to scale

Each panel has a length of 1.8 m, correct to 1 decimal place. Jamie measures the length of a garden as 42 m, correct to the nearest metre.

Work out the minimum number of panels Jamie should buy in order to be certain that there are enough panels for the length of the garden. Show how you decide.

.....[4]


**12 (a)** Points A, B and C lie on the circumference of a circle. EAF is a tangent to the circle.



Write down the value of angle BCA giving a reason for your answer.

| Angle BCA = | ° because | <br> |     |
|-------------|-----------|------|-----|
| 3           |           |      |     |
|             |           |      |     |
|             |           | <br> |     |
|             |           |      | ro: |
|             |           | <br> | [2] |

(b) Points G, H and J lie on the circumference of a circle, centre O.



Not to scale

Angle GOJ =  $52^{\circ}$  and angle GJH =  $x^{\circ}$ . Lines JO and GH are parallel.

Find the value of *x*. You must show your working.

| (b) $x = \dots$ | [5] |
|-----------------|-----|
|-----------------|-----|

13 Here is a restaurant's menu.

| Starter                | Main                 | Dessert         |
|------------------------|----------------------|-----------------|
| Prawn Cocktail         | Hunter's Chicken     | Trifle          |
| Duck Spring Rolls      | Beef Curry           | Ice Cream       |
| Lamb Meatballs         | Steak                | Cheesecake      |
| Leaf Salad (V)         | Fish Pie             | Chocolate Cake  |
| Mushroom Soup (V)      | Lasagne              | Bakewell Tart   |
|                        | Egg Salad (V)        | Fruit Salad (V) |
|                        | Vegetable Hot Pot(V) | Cherry Pie (V)  |
|                        | Macaroni Cheese (V)  | , ,             |
| (V) denotes vegetarian |                      |                 |
|                        |                      |                 |
|                        |                      |                 |

(a) A 3-course meal consists of one starter, one main and one dessert.

Work out how many different 3-course meals can be chosen from the menu.

| (a)               | [2]     |
|-------------------|---------|
| \ <del>-</del> '/ | <br>F-7 |

(b) Find the fraction of the 3-course meals which are completely vegetarian (V).

(b) .....[2]

| <b>14</b> $(x+2)(3x+a)(bx+3) = 6x^3 + 11x^2 - 17x^2$ |
|--|
|--|

Find the value of *a* and the value of *b*.

| a =   |    |
|-------|----|
| b =[2 | 2] |

15 Use algebra to prove that an odd number multiplied by a different odd number always gives an answer that is an odd number. [4]


| 16 | Li bought a house at the start of 2016. Li assumes the value of the house, $\pounds V$ , can be predicted using the formula |  |  |  |  |  |  |  |
|----|---|--|--|--|--|--|--|--|
|    | V =   | $V = 185000 \times 1.035^n$                                    |  |  |  |  |  |  |
|    | whe   | where <i>n</i> is the number of years after the start of 2016. |  |  |  |  |  |  |
|    | (a)   | Exp  | plain how you know that the value of the house is predicted to increase each year.   |  |  |  |  |  |
|    | (b)   | <br>Wri  | te down the percentage increase per year that is used in the formula.  |  |  |  |  |  |
|    |   |  | (1)  |  |  |  |  |  |
|    | (c)   | Wri  | (b)  |  |  |  |  |  |
|    |   |  | (c) £[1]   |  |  |  |  |  |
|    | (d)   |  | culate the predicted value of the house at the start of 2020, giving your answer correct to gnificant figures.                               |  |  |  |  |  |
|    |   |  |  |  |  |  |  |  |
|    |   |  | (d) £[2]   |  |  |  |  |  |
|    | (e)   | (i)  | Compared with its value at the start of 2016, show that the formula predicts the house will have doubled in value at some point during 2036. |  |  |  |  |  |
|    |   |  |  |  |  |  |  |  |
|    |   |  |  |  |  |  |  |  |
|    |   |  |  |  |  |  |  |  |
|    |   | (ii)   | Give <b>one</b> reason why this may not happen.  |  |  |  |  |  |
|    |   |  |  |  |  |  |  |  |

| 17 | There are 15 sweets in a bag.               |
|----|---|
|    | 10 of the sweets are toffee and 5 are mint. |
|    | Reece takes two of the sweets at random.    |

Work out the probability that Reece takes one of each type of sweet.

.....[4]

18 The diagram shows a circle, centre the origin.



Write down the equation of the circle.

.....[2]

| 19 | (a) | Write as a single fraction in its simplest form. |
|----|-----|--|
|    |     |  |

(a) Write as a single 
$$\frac{4}{2n+3} - \frac{2n}{n^2+1}$$

(a) .....[4]

**(b)** Simplify.

$$\frac{x^2 - x - 12}{2x^2 - 3x - 20}$$

(b) .....[5]

**TURN OVER FOR QUESTION 20** 

20 Solve this inequality.

$$x^2 + 4x - 12 \le 0$$

Give your answer using set notation. You must show your working.

.....[5]

#### **END OF QUESTION PAPER**



#### Copyright Information

OCR is committed to seeking permission to reproduce all third-party content that it uses in its assessment materials. OCR has attempted to identify and contact all copyright holders whose work is used in this paper. To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced in the OCR Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download from our public website (www.ocr.org.uk) after the live examination series.

If OCR has unwittingly failed to correctly acknowledge or clear any third-party content in this assessment material, OCR will be happy to correct its mistake at the earliest possible opportunity.

For queries or further information please contact The OCR Copyright Team, The Triangle Building, Shaftesbury Road, Cambridge CB2 8EA.

 ${\tt OCR}\ is\ part\ of\ Cambridge\ University\ Press\ \&\ Assessment,\ which\ is\ itself\ a\ department\ of\ the\ University\ of\ Cambridge.$