

Tuesday 11 June 2024 – Morning GCSE (9-1) Chemistry A (Gateway Science)

J248/02 (Foundation Tier)

Time allowed: 1 hour 45 minutes

You must have:

- a ruler (cm/mm)
- the Data Sheet for GCSE (9-1) Chemistry A (inside this document)

You can use:

- · a scientific or graphical calculator
- an HB pencil





Please write clearly in black ink. Do not write in the barcodes.							
Centre number				Candidate number			
First name(s)							
Last name							

18 335818

18 335818

18 335818 18 335818

18 335818

18 335818

INSTRUCTIONS

- Use black ink. You can use an HB pencil, but only for graphs and diagrams.
- Write your answer to each question in the space provided. If you need extra space use the lined page at the end of this booklet. The question numbers must be clearly shown.
- Answer all the questions.
- Where appropriate, your answer should be supported with working. Marks might be given for using a correct method, even if your answer is wrong.

INFORMATION

- The total mark for this paper is **90**.
- The marks for each question are shown in brackets [].
- Quality of extended response will be assessed in questions marked with an asterisk (*).
- This document has **24** pages.

ADVICE

Read each question carefully before you start your answer.



Section A

You should spend a **maximum** of **30 minutes** on this section.

Write your answer to each question in the box provided.

I	Wh	at is the test for oxygen gas?	
	Α	Burns with a lilac flame	
	В	Burns with a squeaky pop	
	С	Relights a glowing splint	
	D	Turns limewater milky	
	You	ır answer	[1]
2	A st	tudent adds sodium hydroxide solution to copper sulfate solution.	
	Wh	at is the colour of the precipitate made?	
	Α	Blue	
	В	Green	
	С	Orange-brown	
	D	White	
	You	ır answer	[1]
3	Wh	ich change would decrease the rate of a chemical reaction?	
	Α	Adding a catalyst	
	В	Increasing the concentration of the solution	
	С	Increasing the size of the solid pieces	
	D	Increasing the temperature	
	You	ır answer	[1]

4	Wha	at is the major source of oxides of nitrogen in the atmosphere?	
	A	Combustion of impurities in coal	
	В	High temperature reactions in car engines	
	С	Incomplete combustion of fossil fuels	
	D	Industrial processes such as metal extraction	
	You	r answer	[1]
5	Hov	v many different monomers (nucleotides) is DNA made from?	
	Α	2	
	В	3	
	С	4	
	D	5	
	You	ranswer	[1]
6	Wha	at is the functional group in an alcohol molecule?	
	A	-C-H	
	В	-C=C-	
	С	-COOH	
	D	-O-H	
	You	ranswer	[1]
7	Wha	at is the balanced equation for the reaction of sodium with oxygen?	
	A	$Na + O \rightarrow NaO$	
	В	$Na + O_2 \rightarrow NaO_2$	
	С	$4Na + O_2 \rightarrow 2Na_2O$	
	D	$Na_2 + 2O \rightarrow 2NaO$	
	You	r answer	[1]

8 Which row describes the three halogens at room temperature?

	Chlorine	Bromine	lodine
Α	green gas	orange-brown gas	grey solid
В	green gas	orange-brown liquid	grey solid
С	green gas	orange-brown liquid	purple gas
D	green liquid	orange-brown liquid	grey solid

Your answer		[1]
-------------	--	-----

9 The table shows the results of the reactions between four metals and their metal oxides.

Key: ✓ = reaction X = no reaction

	Metal W oxide	Metal X oxide	Metal Y oxide	Metal Z oxide
Metal W		×	×	×
Metal X	1		1	×
Metal Y	1	×		×
Metal Z	/	✓	✓	

What is the correct order of reactivity of the metals, from the most reactive to the least reactive?

- **A** W, Y, X, Z
- **B** W, Z, Y, X
- **c** Z, X, Y, W
- **D** Z, Y, X, W

Your answer	[1]
-------------	-----

10	Two chemicals	react together over time to	make a cloudy precip	itate.
	What is the be	st method for determining the	e rate of reaction?	
	A Measure t	the loss in mass using a bala	ince.	
	B Use a gas	s syringe.		
	C Use a pH	meter.		
	•	isappearing cross experimer	nt.	
11	Your answer Which polymer	r would be best for making a	washing up bowl?	[1]
	Polymer	Maximum useable temperature (°C)	Strength	
	Α	38	high	
	В	85	low	
	С	110	high	
	D	160	low	
12	Your answer 4.8 dm ³ of air of	contains 0.12dm ³ of water va	apour.	[1]
	What is the pe	rcentage of water vapour in t	the air?	
	A 0.3%			
	B 2.5%			
	C 12.0%			
	D 97.5%			
	Your answer			[1]

13	Mag	gnesium carbonate, MgCO ₃ , decomposes to make magnesium oxide, MgO.	
	Car	bon dioxide is a waste product.	
	Mg	${\rm CO_3} ightarrow {\rm MgO} + {\rm CO_2}$	
	Rel	ative formula mass (M_r) : MgO = 40.3 CO_2 = 44.0	
	Wh	at is the atom economy of the reaction?	
	Use	the equation: atom economy = $\frac{M_r \text{ of desired product}}{\text{total } M_r \text{ mass of all products}} \times 100$	
	Α	47.8%	
	В	52.2%	
	С	91.6%	
	D	109.0%	
	You	r answer	[1]
14	Wh	ich substance is an unsaturated hydrocarbon?	
	A	CH ₄	
	В	C_2H_6	
	С	C_3H_6	
	D	C_3H_8	
	You	ir answer	[1]
15	Wh	at happens when liquid bromine, Br ₂ , boils?	
	A	Covalent bonds break	
	В	Electrostatic forces break	
	С	Intermolecular forces break	
	D	lonic bonds break	
	You	r answer	[1]

Section B

16	This question is about compounds of carbon.	
(a)	The first member of the alkane homologous series is methane, $\mathrm{CH_4}$.	
	State the name of the next alkane in the homologous series, $\mathrm{C_2H_6}$.	
		[1]
(b)	Complete the balanced symbol equation for the complete combustion of methane.	
	$CH_4 + 2 \dots \rightarrow CO_2 + \dots H_2O$	[2]
(c)	Carbon monoxide, CO, is made in the incomplete combustion of methane.	
	State why carbon monoxide is a problem.	
		[1]
(d)	Methane is obtained from the fractional distillation of crude oil.	
	Complete the sentences to explain why crude oil is separated by fractional distillation.	
	Crude oil is separated by fractional distillation because the molecules have	
	different	
	Larger molecules have intermolecular forces.	
	These intermolecular forces require more to break.	[3]
		[~]
(e)	Fractional distillation produces a large amount of long chain molecules.	
	There is a high demand for short chain molecules.	
	Put a ring round the name of the process used to produce more short chain molecules.	
	combustion cracking oxidation polymerisation	[1]
		F.1

(f) Draw lines to connect each description with its correct structural formula.

Description

Structural Formula

Can be oxidised to a carboxylic acid

н н н

Has the general formula C_nH_{2n+2}

H H H | | | | H-C-C-C-H | | | |

Decolourises bromine water


 $\begin{array}{c|c}
\begin{pmatrix}
H & H \\
C & C
\end{pmatrix}
\\
H & H
\end{pmatrix}_{n}$

Made in a polymerisation reaction

[4]

17 A student sets up three test tubes to investigate the rusting of iron as shown in Fig. 17.1.

Fig. 17.1




The student measures the mass of each nail at the start and the end of the experiment.

Only the mass of the nail in test tube 1 increases.

a)	Explain why the iron nail in test tube 1 is the only nail that rusts.				
	[2]				

(b) The student sets up another test tube as shown in Fig. 17.2.

Fig. 17.2



The mass of this iron nail was unchanged after a week.


Explain why.

(c) Table 17.1 shows some properties of three different materials.

Table 17.1

	Ceramic	Metal	Polymer
Melting point (°C)	2200	1083	204
Strength (MPa)	416	69	27
Relative thermal conductivity	18	388	0.21

(i) The diagram shows a pan of boiling water.



Which material would	you choose to make	the base of a pan?
----------------------	--------------------	--------------------

Explain your choice using the information in **Table 17.1**.

Material	
Explanation	
	[3]

(ii) Estimate how many times higher the melting point of the ceramic is compared to the polymer.

You will need to round the melting points to 1 significant figure.

(d) Table 17.2 shows some information about recycling containers made from different materials.

Table 17.2

	Time powering a TV from the energy saved by recycling (hours)	CO ₂ saved by recycling each year (kg)
Aluminium cans	4	294
Glass bottles	3	9
Plastic bottles	6	23

A student thinks that recycling aluminium cans is the most beneficial to the environment.

Explain why they are correct.

Use information from Table 17.2.


1	1
,	_


(a)	The	The sentences describe one possible theory for how the Earth's atmosphere evolved.		
	Α	The Earth cooled.		
	B Carbon cycle now keeps the composition of the atmosphere almost constant.			
	С	Carbon dioxide from the air dissolved in oceans.		
	D	Water vapour condensed to form oceans.		
	E	Plants evolved and used photosynthesis to take in carbon dioxide and	make oxygen.	
	F	Volcanoes released water vapour and carbon dioxide.		
	Two	rite the letters in the boxes to show the correct order of the sentences. vo have been done for you.		
	F	F C	[3]	
(b)	Cor	omplete the table to show the gases in the Earth's atmosphere today.		
		Gas Percentage in atmosphere		
		78		
		21		
		Carbon dioxide / noble gases / water vapour 1		
			[2]	
(c)	Cle	ean water is essential for life.		
(i)	Stat	ate the name used for water that is safe to drink.		
			[1]	
(ii)	Exp	cplain why chlorine is added to water to make it safe to drink.		
			[1]	
(iii)	i) Describe the test for chlorine gas.			
© (OCR 202	2024	[2]	

(d) Sulfur dioxide is a pollutant in the atmosphere.

The graph shows how the amount of sulfur dioxide changed from 1995 to 2015.

The graph also shows how the pH of rainwater changed from 1995 to 2015.





Acid rain is an environmental problem.

(i) There is a link between the amount of sulfur dioxide in the atmosphere and the amount of acid rain.

Complete the table by correctly identifying which word finishes each sentence.

Put **one** tick (✓) in each row.

	Decreases	Increases	Stays the same
When the amount of sulfur dioxide increases the pH of rainwater			
Rainwater is more acidic when the pH			
When the rainwater is more acidic the amount of acid rain			


п		1
1	J	

.....

19 A student investigates the neutralisation reaction between sodium hydroxide solution and dilute hydrochloric acid.

They do a titration experiment.

The diagram shows the apparatus they use.




		[1]
	Explain why.	
(c)	The student adds the alkali to the acid drop by drop near the endpoint of the titration.	
		. [1]
	Explain why.	
(b)	The student places the conical flask on a white tile.	
		. [1]
(a)	What is the name of the piece of equipment labelled X ?	

	13
(d)	The neutralisation reaction between sodium hydroxide solution, NaOH, and dilute hydrochloric acid, HCl , makes a salt and water.
	Write the balanced symbol equation for the reaction.
	[2]
(e)	In another neutralisation reaction dilute sulfuric acid, $\rm H_2SO_4$, reacts with potassium hydroxide solution, KOH.
	$H_2SO_4 + 2KOH \rightarrow K_2SO_4 + 2H_2O$
	Calculate the mass of potassium sulfate, $\rm K_2SO_4$, that could be made from 6.54 g of dilute sulfuric acid, $\rm H_2SO_4$.
	Give your answer to 3 significant figures.
	Relative atomic mass (A_r): H = 1.0 K = 39.1 O = 16.0 S = 32.1
	Mass of potassium sulfate = g [4]

20 A student investigates the reaction between marble chips and dilute hydrochloric acid.

The diagram shows their experiment.



The student measures the volume of carbon dioxide gas collected in the measuring cylinder every 30 seconds.

(a) Which other piece of equipment could the student use to measure the volume of carbon dioxide gas collected?

Tick (✓) one box.

Balance	
Beaker	
Gas syringe	
Pipette	

(b) The table shows the student's results.

Time (s)	Volume of carbon dioxide gas collected (cm ³)
0	0
30	30
60	46
90	56
120	65
150	72
180	76
210	79
240	80
270	80

[1]


Plot the results from the table on the graph.

(ii) Draw a curve of best fit.

gas

(cm³)

[1]



(iii)	State	the	time	when	the	reaction	stons
1111	State	เมเต	unic	WILCII	เมเต	Teachorn	31003

Time =	 e 1	[1	١.
	 J	יי	٠.

(iv) The student observes that there are still some marble chips in the conical flask when the reaction stops.

Explain why the reaction stops.

Turn over © OCR 2024

(c)* Another student reacts dilute hydrochloric acid with magnesium.

The student does two experiments.

In each experiment they use the same

- concentration of dilute hydrochloric acid
- mass of magnesium.

The table shows their results.

	Experiment 1	Experiment 2
Magnesium	large pieces	small pieces
Temperature of dilute hydrochloric acid (°C)	20	42
Reaction time (s)	225	25

Describe and explain the difference in the rate of reaction between the two experiments.

Use the student's results and the reacting particle model.

State how the student's experiment could be improved.

 	 [6]

19 BLANK PAGE

PLEASE DO NOT WRITE ON THIS PAGE

(a) The table shows some properties of four Group 1 elements.


Element	Density (g/cm³)	Melting Point (°C)	Boiling Point (°C)
Lithium	0.53	180	1342
Sodium	0.97	98	883
Potassium	0.86	63	759
Rubidium	1.53	39	688

(i)	State one trend in the properties of the Group 1 elements shown in the table.			
	[1]			
(ii)	Caesium is below rubidium in Group 1.			
	Predict the melting point of caesium using the information in the table.			
	Melting point of caesium =°C [1]			
(b)	The Group 1 elements all react with Group 7 elements to form ionic compounds.			
(i)	Explain why the Group 1 elements all react in the same way.			
	[1]			
(ii)	The Group 1 elements become more reactive down the group.			
	Explain why.			
	[3]			
(iii)	Sodium reacts with bromine, Br ₂ , to make sodium bromide, NaBr.			
	Write the balanced symbol equation for this reaction.			
	[2]			

(c) Group 7 ions can be identified using silver nitrate solution.

A student tests a compound for chloride ions.

The diagram shows the student's experiment.



The student's experiment does **not** work to identify chloride ions.

Explain why.		
		[2]
	 	[4]

22	Ammonia is made in the Haber process. This is the balanced symbol equation for this process.		
	$N_2 + 3H_2 \rightleftharpoons 2NH_3$		
(a)	The reversible reaction is carried out in a closed system.		
(i)	State how you can tell that this reaction is reversible .		
(ii)	What is a closed system ?	[1]	
		[1]	
(iii)	If dynamic equilibrium is reached, which of these statements are correct?		
	Tick (✓) two boxes.		
	Only ammonia, NH ₃ , is being made.		
	The amounts of reactants and products are constant.		
	The forward and backward reactions are happening at the same rate.		
	The forward reaction is faster than the backward reaction.		
	The reaction has finished.		
		[2]	
(b)	The reaction in the Haber process can be reversed by altering the reaction conditions.		
	The reaction can be reversed by altering the pressure.		
	Suggest one other change that could be made to the reaction conditions.		
		[1]	

(c)	A factory predicts they will make 800 tonnes of ammonia.
	They actually make 620 tonnes of ammonia.
	Calculate the percentage yield of ammonia.
	Percentage yield of ammonia = % [2]
(d)	State why the reaction in the Haber process has an atom economy of 100%.
	Use the balanced symbol equation.
	[1]

24

EXTRA ANSWER SPACE

If you need extr margin.	a space use this lined	page. You must v	write the question	numbers clearly	in the
		•••••			



Copyright Information

OCR is committed to seeking permission to reproduce all third-party content that it uses in its assessment materials. OCR has attempted to identify and contact all copyright holders whose work is used in this paper. To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced in the OCR Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download from our public website (www.ocr.org.uk) after the live examination series.

If OCR has unwittingly failed to correctly acknowledge or clear any third-party content in this assessment material, OCR will be happy to correct its mistake at the earliest possible opportunity.

 $For queries \ or \ further \ information \ please \ contact \ The \ OCR \ Copyright \ Team, \ The \ Triangle \ Building, \ Shaftesbury \ Road, \ Cambridge \ CB2 \ 8EA.$

OCR is part of Cambridge University Press & Assessment, which is itself a department of the University of Cambridge.