



Oxford Cambridge and RSA

Wednesday 21 May 2025 – Afternoon

AS Level Physics A

H156/02 Depth in physics

Time allowed: 1 hour 30 minutes



You must have:

- the Data, Formulae and Relationships Booklet
- a ruler (cm/mm)

You can use:

- a scientific or graphical calculator



Please write clearly in black ink. **Do not write in the barcodes.**

Centre number

--	--	--	--	--

Candidate number

--	--	--	--

First name(s)

Last name

INSTRUCTIONS

- Use black ink. You can use an HB pencil, but only for graphs and diagrams.
- Write your answer to each question in the space provided. If you need extra space use the lined pages at the end of this booklet. The question numbers must be clearly shown.
- Answer **all** the questions.
- Where appropriate, your answer should be supported with working. Marks might be given for using a correct method, even if your answer is wrong.

INFORMATION

- The total mark for this paper is **70**.
- The marks for each question are shown in brackets [].
- Quality of extended response will be assessed in questions marked with an asterisk (*).
- This document has **24** pages.

ADVICE


- Read each question carefully before you start your answer.

2

Answer **all** the questions in this section.

- 1 A high speed passenger train is travelling at a velocity of 54 ms^{-1} .

The simplified graph shows the variation with time t of the velocity v of the train until it stops.
At $t = 0$ the driver starts to think about applying the brakes.



- (a) Use the graph to determine the acceleration a of the train while the driver applies the brakes.

$$a = \frac{\quad}{\quad} \text{ ms}^{-2} \text{ [1]}$$

- (b) Use the graph to determine the total stopping distance d of the train from $t = 0$.

$$d = \quad \text{ m [2]}$$

- (c) Suggest why the graph does **not** show the real motion of the train.

.....

.....

..... [2]

2

- (a) A student has six similar metal spherical balls. To determine the mean mass of a ball, the student measures the diameters of the balls.

The table shows the measurements.

Diameter/cm	0.565	0.562	0.555	0.561	0.562	0.556
-------------	-------	-------	-------	-------	-------	-------

The density of the metal is $(8.9 \pm 0.1) \text{ g cm}^{-3}$.

- (i) Show that the mean mass m of each of the balls is approximately 0.82 g.

[2]


- (ii) Calculate the percentage uncertainty in m .

percentage uncertainty = % [2]

- (b) A hollow cylinder of mass 18 g has height 7.1 cm and cross-sectional area 6.2 cm^2 .

The six balls from part (a) are placed in the cylinder.

The cylinder is placed into a beaker of tap water. It floats upright as shown in the diagram.



The top of the cylinder is a distance x above the surface of the water.

The density of tap water is 1.0 g cm^{-3} .

- (i) Calculate x .

$x = \dots\dots\dots \text{ cm}$ [3]

- (ii) The student repeats the experiment using sea water.

State how the value of x changes.

Explain your answer.

.....

.....

..... [2]

- Fig. 3.1**





Fig. 3.2



- (b) A student sets up the circuit shown in Fig. 3.3.

Fig. 3.3



The battery has an electromotive force (e.m.f.) of 4.8 V and negligible internal resistance.

The voltmeter measures the potential difference (p.d.) across the resistor of resistance 1.2 kΩ.

- (i) At a temperature of 20 °C, the resistance of the thermistor is 2.6 kΩ.

Calculate the voltmeter reading V .

$V = \dots\dots\dots$ V [2]

- (ii) The student places the thermistor in hot water.

At a temperature of 60 °C, the voltmeter reads 3.2 V.

Calculate the resistance R of the thermistor.

$R = \dots\dots\dots$ Ω [2]

- (iii) The student replaces the resistor of resistance $1.2\text{ k}\Omega$ with a resistor of resistance $120\text{ k}\Omega$.

Suggest why $120\text{ k}\Omega$ is **not** a sensible value to use to measure the temperature of a sample of water between 0°C and 100°C .

.....

.....

.....

..... [2]

BLANK PAGE

DO NOT WRITE ON THIS PAGE

4 A student has a battery of electromotive force (e.m.f.) 2.2 V.

(a) The quantities e.m.f. and potential difference (p.d.) are both measured in volts, V.

Describe **one** other similarity and **one** difference between e.m.f. and p.d.

similarity

.....

difference

.....

[2]

(b)* The student has two cells **A** and **B**, the battery of e.m.f. 2.2 V and a potentiometer. The potentiometer is constructed using 1.000 m of resistance wire.

Describe, with the aid of a suitable diagram, how the student can safely conduct an experiment to compare the e.m.f. of cell **A** with the e.m.f. of cell **B**.

The student uses the potentiometer. Include any other equipment they need.

[6]

Diagram

.....

.....


.....

.....

.....

- 5 A shopper pushes a trolley loaded with shopping at a constant speed of 0.75 ms^{-1} along a horizontal surface as shown in **Fig. 5.1**.

Fig. 5.1



The mass of the loaded trolley is 49 kg .

The force pushing the trolley is T .

The force of friction F_f between the trolley and the surface is 24 N .

- (a) The loaded trolley is represented by $\bullet$ in **Fig. 5.2**.

Fig. 5.2




- (i) On **Fig. 5.2** draw a free-body diagram representing **all** the forces acting on the loaded trolley. Label the forces. [4]
- (ii) State the value of T .

$T = \dots\dots\dots \text{ N}$ [1]

- (b) The shopper now pushes the loaded trolley up a slope made from the same surface, as shown in Fig. 5.3.

Fig. 5.3



The angle between the horizontal and the slope is 8.6° and the trolley travels a distance of 2.4 m along the slope.

The force of friction F_f between the trolley and the surface is 24 N .

- (i) The equation relating power P to force F and velocity v is $P = Fv$.

Derive this equation from first principles.

[2]

- (ii) Calculate the work done W against the force of gravity in moving the trolley along the slope.

$$W = \dots\dots\dots \text{ J [2]}$$

- (iii) Calculate the **total** power P needed to push the trolley up the slope at a constant speed of 0.75 ms^{-1} .


$$P = \dots\dots\dots \text{ W [2]}$$

Turn over

- 6 A teacher uses a linear air track to investigate collisions.

Fig. 6.1 shows the arrangement of apparatus.

Fig. 6.1



The teacher connects the light gate to a timer. The timer records the time for the card on glider **L** to pass through the light gate. The length of the card is 0.065 m.

The mass of glider **L** is 0.18 kg and the mass of glider **R** and the extra mass is 0.27 kg.

The two magnets are positioned so that they will repel each other.

- (a) State the principle of conservation of momentum.

.....

.....

..... [2]

- (b) Glider **R** is stationary. Glider **L** moves at velocity u from left to right and collides with **R**. After the collision **L** rebounds and passes back through the light gate and **R** moves to the right.

The table records the time taken t for the card to pass through the light gate.

	t/s
L moving to the right before the collision	0.26
L moving to the left after the collision	1.30

- (i) Show that the momentum of **L** before the collision is 0.045 kg ms^{-1} .

[1]

- (ii) Determine the impulse of the force acting on **R**.

impulse = Ns [2]

- (iii) Calculate the velocity v of **R** after the collision.

$v = \text{..... ms}^{-1}$ [1]

- (c) The teacher changes one of the magnets to a cork and the other magnet to a pin and repeats the experiment.

Glider **L** moves from left to right. The time for the card to pass through the light gate is 0.26 s.

Glider **L** collides and sticks to glider **R**. After the collision **L** and **R** move together to the right.

Show, using energy considerations and the principle of conservation of momentum, that the collision is **inelastic**.

Include relevant calculations in your answer.

.....

.....

..... [4]

7 A laser emits green light of wavelength $5.32 \times 10^{-7} \text{ m}$.

(a) The power of the laser is 1.0 mW.


Calculate the number of photons N emitted per second.

$$N = \dots\dots\dots \text{ s}^{-1} \quad [2]$$

(b) A student uses the laser to look at the interference pattern through a double slit.

The student arranges the apparatus as shown in **Fig. 7.1**.

Fig. 7.1 (not to scale)



The width of the screen is about 6 cm.

The distance between the double slit and the screen is 1.80 m.

The student determines that the fringe width is $3.82 \pm 0.02 \text{ mm}$.

(i) The light from the laser that falls on the double slit is coherent.

State the meaning of the term coherent.

.....
 [1]

(ii) Explain how the student determined the fringe width.

.....

 [2]


(iii) Calculate the separation a of the slits.

Give your answer to 3 significant figures.

$$a = \dots\dots\dots \text{ m [2]}$$

(c) Light from the laser is incident on an equilateral triangular glass prism as shown in **Fig. 7.2**.

Fig. 7.2



The refracted ray in the prism is parallel to PQ.

The refractive index of the glass is 1.48.

Calculate:

(i) the wavelength λ of the light in the glass

$$\lambda = \dots\dots\dots \text{ m [1]}$$


(ii) the angle of incidence i of the incident ray.

$$i = \dots\dots\dots^\circ \text{ [2]}$$

18
BLANK PAGE

DO NOT WRITE ON THIS PAGE

- 8* A student carries out an experiment to determine the Planck constant. They use the circuit shown.



The frequency of the emitted light from the LED is f and the potential difference for the LED to just light is V .

The student repeats the experiment for LEDs that emit light of different frequency.

The table shows their results.


$f/10^{14}\text{Hz}$	V/V
4.8	0.18 ± 0.02
5.3	0.30 ± 0.02
5.7	0.40 ± 0.02
6.4	0.56 ± 0.02
6.8	0.66 ± 0.02
7.9	0.92 ± 0.02

It is suggested that the relationship between V and f is

$$V = \frac{h}{e}f - \frac{K}{e}$$

where e is the charge on an electron, h is the Planck constant and K is a constant.

The student plots a graph of V/V on the y-axis against $f/10^{14}$ Hz on the x-axis is plotted.



Describe how to measure V accurately **and** use the graph to determine h and K .

Include the percentage uncertainty in your value of h .

[6]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

Additional answer space if required

.....

.....

.....

.....

.....

END OF QUESTION PAPER

[illegible]

© OCR 2025