



Oxford Cambridge and RSA

Friday 23 May 2025 – Afternoon

Level 3 Certificate Core Maths B (MEI)

H869/02 Statistical Problem Solving

Formulae and Statistical Tables (ST1)

Time allowed: 2 hours



INSTRUCTIONS

- Do **not** send this Booklet for marking. Keep it in the centre or recycle it.

INFORMATION

- This document has **8** pages.

STATISTICS: HYPOTHESIS TESTS

Description	Test statistic
Spearman rank correlation test	$r_s = 1 - \frac{6 \sum d_i^2}{n(n^2 - 1)}$
χ^2 test	$X^2 = \sum \frac{(f_o - f_e)^2}{f_e}$

CRITICAL VALUES FOR CORRELATION COEFFICIENTS

Critical values for the product moment correlation coefficient, r

	5%	2½%	1%	½%	1-Tail Test	5%	2½%	1%	½%
	10%	5%	2%	1%		10%	5%	2%	1%
<i>n</i>					<i>n</i>				
1	—	—	—	—	31	0.3009	0.3550	0.4158	0.4556
2	—	—	—	—	32	0.2960	0.3494	0.4093	0.4487
3	0.9877	0.9969	0.9995	0.9999	33	0.2913	0.3440	0.4032	0.4421
4	0.9000	0.9500	0.9800	0.9900	34	0.2869	0.3388	0.3972	0.4357
5	0.8054	0.8783	0.9343	0.9587	35	0.2826	0.3338	0.3916	0.4296
6	0.7293	0.8114	0.8822	0.9172	36	0.2785	0.3291	0.3862	0.4238
7	0.6694	0.7545	0.8329	0.8745	37	0.2746	0.3246	0.3810	0.4182
8	0.6215	0.7067	0.7887	0.8343	38	0.2709	0.3202	0.3760	0.4128
9	0.5822	0.6664	0.7498	0.7977	39	0.2673	0.3160	0.3712	0.4076
10	0.5494	0.6319	0.7155	0.7646	40	0.2638	0.3120	0.3665	0.4026
11	0.5214	0.6021	0.6851	0.7348	41	0.2605	0.3081	0.3621	0.3978
12	0.4973	0.5760	0.6581	0.7079	42	0.2573	0.3044	0.3578	0.3932
13	0.4762	0.5529	0.6339	0.6835	43	0.2542	0.3008	0.3536	0.3887
14	0.4575	0.5324	0.6120	0.6614	44	0.2512	0.2973	0.3496	0.3843
15	0.4409	0.5140	0.5923	0.6411	45	0.2483	0.2940	0.3457	0.3801
16	0.4259	0.4973	0.5742	0.6226	46	0.2455	0.2907	0.3420	0.3761
17	0.4124	0.4821	0.5577	0.6055	47	0.2429	0.2876	0.3384	0.3721
18	0.4000	0.4683	0.5425	0.5897	48	0.2403	0.2845	0.3348	0.3683
19	0.3887	0.4555	0.5285	0.5751	49	0.2377	0.2816	0.3314	0.3646
20	0.3783	0.4438	0.5155	0.5614	50	0.2353	0.2787	0.3281	0.3610
21	0.3687	0.4329	0.5034	0.5487	51	0.2329	0.2759	0.3249	0.3575
22	0.3598	0.4227	0.4921	0.5368	52	0.2306	0.2732	0.3218	0.3542
23	0.3515	0.4132	0.4815	0.5256	53	0.2284	0.2706	0.3188	0.3509
24	0.3438	0.4044	0.4716	0.5151	54	0.2262	0.2681	0.3158	0.3477
25	0.3365	0.3961	0.4622	0.5052	55	0.2241	0.2656	0.3129	0.3445
26	0.3297	0.3882	0.4534	0.4958	56	0.2221	0.2632	0.3102	0.3415
27	0.3233	0.3809	0.4451	0.4869	57	0.2201	0.2609	0.3074	0.3385
28	0.3172	0.3739	0.4372	0.4785	58	0.2181	0.2586	0.3048	0.3357
29	0.3115	0.3673	0.4297	0.4705	59	0.2162	0.2564	0.3022	0.3328
30	0.3061	0.3610	0.4226	0.4629	60	0.2144	0.2542	0.2997	0.3301


Critical values for Spearman's rank correlation coefficient, r_s

	5%	2½%	1%	½%	1-Tail Test	5%	2½%	1%	½%
	10%	5%	2%	1%		10%	5%	2%	1%
<i>n</i>					<i>n</i>				
1	—	—	—	—	31	0.3012	0.3560	0.4185	0.4593
2	—	—	—	—	32	0.2962	0.3504	0.4117	0.4523
3	—	—	—	—	33	0.2914	0.3449	0.4054	0.4455
4	1.0000	—	—	—	34	0.2871	0.3396	0.3995	0.4390
5	0.9000	1.0000	1.0000	—	35	0.2829	0.3347	0.3936	0.4328
6	0.8286	0.8857	0.9429	1.0000	36	0.2788	0.3300	0.3882	0.4268
7	0.7143	0.7857	0.8929	0.9286	37	0.2748	0.3253	0.3829	0.4211
8	0.6429	0.7381	0.8333	0.8810	38	0.2710	0.3209	0.3778	0.4155
9	0.6000	0.7000	0.7833	0.8333	39	0.2674	0.3168	0.3729	0.4103
10	0.5636	0.6485	0.7455	0.7939	40	0.2640	0.3128	0.3681	0.4051
11	0.5364	0.6182	0.7091	0.7545	41	0.2606	0.3087	0.3636	0.4002
12	0.5035	0.5874	0.6783	0.7273	42	0.2574	0.3051	0.3594	0.3955
13	0.4835	0.5604	0.6484	0.7033	43	0.2543	0.3014	0.3550	0.3908
14	0.4637	0.5385	0.6264	0.6791	44	0.2513	0.2978	0.3511	0.3865
15	0.4464	0.5214	0.6036	0.6536	45	0.2484	0.2945	0.3470	0.3822
16	0.4294	0.5029	0.5824	0.6353	46	0.2456	0.2913	0.3433	0.3781
17	0.4142	0.4877	0.5662	0.6176	47	0.2429	0.2880	0.3396	0.3741
18	0.4014	0.4716	0.5501	0.5996	48	0.2403	0.2850	0.3361	0.3702
19	0.3912	0.4596	0.5351	0.5842	49	0.2378	0.2820	0.3326	0.3664
20	0.3805	0.4466	0.5218	0.5699	50	0.2353	0.2791	0.3293	0.3628
21	0.3701	0.4364	0.5091	0.5558	51	0.2329	0.2764	0.3260	0.3592
22	0.3608	0.4252	0.4975	0.5438	52	0.2307	0.2736	0.3228	0.3558
23	0.3528	0.4160	0.4862	0.5316	53	0.2284	0.2710	0.3198	0.3524
24	0.3443	0.4070	0.4757	0.5209	54	0.2262	0.2685	0.3168	0.3492
25	0.3369	0.3977	0.4662	0.5108	55	0.2242	0.2659	0.3139	0.3460
26	0.3306	0.3901	0.4571	0.5009	56	0.2221	0.2636	0.3111	0.3429
27	0.3242	0.3828	0.4487	0.4915	57	0.2201	0.2612	0.3083	0.3400
28	0.3180	0.3755	0.4401	0.4828	58	0.2181	0.2589	0.3057	0.3370
29	0.3118	0.3685	0.4325	0.4749	59	0.2162	0.2567	0.3030	0.3342
30	0.3063	0.3624	0.4251	0.4670	60	0.2144	0.2545	0.3005	0.3314

THE NORMAL DISTRIBUTION AND ITS INVERSE

The Normal distribution: values of $\Phi(z) = p$

The table gives the probability, p , of a random variable distributed as $N(0, 1)$ being less than z .





(add)

z	.00	.01	.02	.03	.04	.05	.06	.07	.08	.09	1	2	3	4	5	6	7	8	9
0.0	.5000	.5040	.5080	.5120	.5160	.5199	.5239	.5279	.5319	.5359	4	8	12	16	20	24	28	32	36
0.1	.5398	.5438	.5478	.5517	.5557	.5596	.5636	.5675	.5714	.5753	4	8	12	16	20	24	28	32	35
0.2	.5793	.5832	.5871	.5910	.5948	.5987	.6026	.6064	.6103	.6141	4	8	12	15	19	23	27	31	35
0.3	.6179	.6217	.6255	.6293	.6331	.6368	.6406	.6443	.6480	.6517	4	8	11	15	19	23	26	30	34
0.4	.6554	.6591	.6628	.6664	.6700	.6736	.6772	.6808	.6844	.6879	4	7	11	14	18	22	25	29	32
0.5	.6915	.6950	.6985	.7019	.7054	.7088	.7123	.7157	.7190	.7224	3	7	10	14	17	21	24	27	31
0.6	.7257	.7291	.7324	.7357	.7389	.7422	.7454	.7486	.7517	.7549	3	6	10	13	16	19	23	26	29
0.7	.7580	.7611	.7642	.7673	.7704	.7734	.7764	.7794	.7823	.7852	3	6	9	12	15	18	21	24	27
0.8	.7881	.7910	.7939	.7967	.7995	.8023	.8051	.8078	.8106	.8133	3	6	8	11	14	17	19	22	25
0.9	.8159	.8186	.8212	.8238	.8264	.8289	.8315	.8340	.8365	.8389	3	5	8	10	13	15	18	20	23
1.0	.8413	.8438	.8461	.8485	.8508	.8531	.8554	.8577	.8599	.8621	2	5	7	9	12	14	16	18	21
1.1	.8643	.8665	.8686	.8708	.8729	.8749	.8770	.8790	.8810	.8830	2	4	6	8	10	12	14	16	19
1.2	.8849	.8869	.8888	.8907	.8925	.8944	.8962	.8980	.8997	.9015	2	4	6	7	9	11	13	15	16
1.3	.9032	.9049	.9066	.9082	.9099	.9115	.9131	.9147	.9162	.9177	2	3	5	6	8	10	11	13	14
1.4	.9192	.9207	.9222	.9236	.9251	.9265	.9279	.9292	.9306	.9319	1	3	4	6	7	8	10	11	13
1.5	.9332	.9345	.9357	.9370	.9382	.9394	.9406	.9418	.9429	.9441	1	2	4	5	6	7	8	10	11
1.6	.9452	.9463	.9474	.9484	.9495	.9505	.9515	.9525	.9535	.9545	1	2	3	4	5	6	7	8	9
1.7	.9554	.9564	.9573	.9582	.9591	.9599	.9608	.9616	.9625	.9633	1	2	3	3	4	5	6	7	8
1.8	.9641	.9649	.9656	.9664	.9671	.9678	.9686	.9693	.9699	.9706	1	1	2	3	4	4	5	6	6
1.9	.9713	.9719	.9726	.9732	.9738	.9744	.9750	.9756	.9761	.9767	1	1	2	2	3	4	4	5	5
2.0	.9772	.9778	.9783	.9788	.9793	.9798	.9803	.9808	.9812	.9817	0	1	1	2	2	3	3	4	4
2.1	.9821	.9826	.9830	.9834	.9838	.9842	.9846	.9850	.9854	.9857	0	1	1	2	2	2	3	3	4
2.2	.9861	.9864	.9868	.9871	.9875	.9878	.9881	.9884	.9887	.9890	0	1	1	1	2	2	2	3	3
2.3	.9893	.9896	.9898	.9901	.9904	.9906	.9909	.9911	.9913	.9916	0	1	1	1	1	2	2	2	2
2.4	.9918	.9920	.9922	.9925	.9927	.9929	.9931	.9932	.9934	.9936	0	0	1	1	1	1	1	2	2
2.5	.9938	.9940	.9941	.9943	.9945	.9946	.9948	.9949	.9951	.9952	differences untrustworthy								
2.6	.9953	.9955	.9956	.9957	.9959	.9960	.9961	.9962	.9963	.9964									
2.7	.9965	.9966	.9967	.9968	.9969	.9970	.9971	.9972	.9973	.9974									
2.8	.9974	.9975	.9976	.9977	.9977	.9978	.9979	.9979	.9980	.9981									
2.9	.9981	.9982	.9982	.9983	.9984	.9984	.9985	.9985	.9986	.9986									
3.0	.9987	.9987	.9987	.9988	.9988	.9989	.9989	.9989	.9990	.9990	differences untrustworthy								
3.1	.9990	.9991	.9991	.9991	.9992	.9992	.9992	.9992	.9993	.9993									
3.2	.9993	.9993	.9994	.9994	.9994	.9994	.9994	.9995	.9995	.9995									
3.3	.9995	.9995	.9996	.9996	.9996	.9996	.9996	.9996	.9996	.9997									
3.4	.9997	.9997	.9997	.9997	.9997	.9997	.9997	.9997	.9997	.9998									

The Inverse Normal function: values of $\Phi^{-1}(p) = z$

p	.000	.001	.002	.003	.004	.005	.006	.007	.008	.009
.50	.0000	.0025	.0050	.0075	.0100	.0125	.0150	.0175	.0201	.0226
.51	.0251	.0276	.0301	.0326	.0351	.0376	.0401	.0426	.0451	.0476
.52	.0502	.0527	.0552	.0577	.0602	.0627	.0652	.0677	.0702	.0728
.53	.0753	.0778	.0803	.0828	.0853	.0878	.0904	.0929	.0954	.0979
.54	.1004	.1030	.1055	.1080	.1105	.1130	.1156	.1181	.1206	.1231
.55	.1257	.1282	.1307	.1332	.1358	.1383	.1408	.1434	.1459	.1484
.56	.1510	.1535	.1560	.1586	.1611	.1637	.1662	.1687	.1713	.1738
.57	.1764	.1789	.1815	.1840	.1866	.1891	.1917	.1942	.1968	.1993
.58	.2019	.2045	.2070	.2096	.2121	.2147	.2173	.2198	.2224	.2250
.59	.2275	.2301	.2327	.2353	.2378	.2404	.2430	.2456	.2482	.2508
.60	.2533	.2559	.2585	.2611	.2637	.2663	.2689	.2715	.2741	.2767
.61	.2793	.2819	.2845	.2871	.2898	.2924	.2950	.2976	.3002	.3029
.62	.3055	.3081	.3107	.3134	.3160	.3186	.3213	.3239	.3266	.3292
.63	.3319	.3345	.3372	.3398	.3425	.3451	.3478	.3505	.3531	.3558
.64	.3585	.3611	.3638	.3665	.3692	.3719	.3745	.3772	.3799	.3826
.65	.3853	.3880	.3907	.3934	.3961	.3989	.4016	.4043	.4070	.4097
.66	.4125	.4152	.4179	.4207	.4234	.4261	.4289	.4316	.4344	.4372
.67	.4399	.4427	.4454	.4482	.4510	.4538	.4565	.4593	.4621	.4649
.68	.4677	.4705	.4733	.4761	.4789	.4817	.4845	.4874	.4902	.4930
.69	.4959	.4987	.5015	.5044	.5072	.5101	.5129	.5158	.5187	.5215
.70	.5244	.5273	.5302	.5330	.5359	.5388	.5417	.5446	.5476	.5505
.71	.5534	.5563	.5592	.5622	.5651	.5681	.5710	.5740	.5769	.5799
.72	.5828	.5858	.5888	.5918	.5948	.5978	.6008	.6038	.6068	.6098
.73	.6128	.6158	.6189	.6219	.6250	.6280	.6311	.6341	.6372	.6403
.74	.6433	.6464	.6495	.6526	.6557	.6588	.6620	.6651	.6682	.6713
.75	.6745	.6776	.6808	.6840	.6871	.6903	.6935	.6967	.6999	.7031
.76	.7063	.7095	.7128	.7160	.7192	.7225	.7257	.7290	.7323	.7356
.77	.7388	.7421	.7454	.7488	.7521	.7554	.7588	.7621	.7655	.7688
.78	.7722	.7756	.7790	.7824	.7858	.7892	.7926	.7961	.7995	.8030
.79	.8064	.8099	.8134	.8169	.8204	.8239	.8274	.8310	.8345	.8381
.80	.8416	.8452	.8488	.8524	.8560	.8596	.8633	.8669	.8705	.8742
.81	.8779	.8816	.8853	.8890	.8927	.8965	.9002	.9040	.9078	.9116
.82	.9154	.9192	.9230	.9269	.9307	.9346	.9385	.9424	.9463	.9502
.83	.9542	.9581	.9621	.9661	.9701	.9741	.9782	.9822	.9863	.9904
.84	.9945	.9986	1.003	1.007	1.011	1.015	1.019	1.024	1.028	1.032
.85	1.036	1.041	1.045	1.049	1.054	1.058	1.063	1.067	1.071	1.076
.86	1.080	1.085	1.089	1.094	1.099	1.103	1.108	1.112	1.117	1.122
.87	1.126	1.131	1.136	1.141	1.146	1.150	1.155	1.160	1.165	1.170
.88	1.175	1.180	1.185	1.190	1.195	1.200	1.206	1.211	1.216	1.221
.89	1.227	1.232	1.237	1.243	1.248	1.254	1.259	1.265	1.270	1.276
.90	1.282	1.287	1.293	1.299	1.305	1.311	1.317	1.323	1.329	1.335
.91	1.341	1.347	1.353	1.360	1.366	1.372	1.379	1.385	1.392	1.398
.92	1.405	1.412	1.419	1.426	1.433	1.440	1.447	1.454	1.461	1.468
.93	1.476	1.483	1.491	1.499	1.506	1.514	1.522	1.530	1.538	1.546
.94	1.555	1.563	1.572	1.581	1.589	1.598	1.607	1.616	1.626	1.635
.95	1.645	1.655	1.665	1.675	1.685	1.695	1.706	1.717	1.728	1.739
.96	1.751	1.762	1.774	1.787	1.799	1.812	1.825	1.838	1.852	1.866
.97	1.881	1.896	1.911	1.927	1.943	1.960	1.977	1.995	2.014	2.034
.98	2.054	2.075	2.097	2.120	2.144	2.170	2.197	2.226	2.257	2.290
.99	2.326	2.366	2.409	2.457	2.512	2.576	2.652	2.748	2.878	3.090

PERCENTAGE POINTS OF THE χ^2 DISTRIBUTION



$p\%$	99	97.5	95	90		10	5	2.5	1	0.5
$v = 1$	.0001	.0010	.0039	.0158		2.706	3.841	5.024	6.635	7.879
2	.0201	.0506	0.103	0.211		4.605	5.991	7.378	9.210	10.60
3	0.115	0.216	0.352	0.584		6.251	7.815	9.348	11.34	12.84
4	0.297	0.484	0.711	1.064		7.779	9.488	11.14	13.28	14.86
5	0.554	0.831	1.145	1.610		9.236	11.07	12.83	15.09	16.75
6	0.872	1.237	1.635	2.204		10.64	12.59	14.45	16.81	18.55
7	1.239	1.690	2.167	2.833		12.02	14.07	16.01	18.48	20.28
8	1.646	2.180	2.733	3.490		13.36	15.51	17.53	20.09	21.95
9	2.088	2.700	3.325	4.168		14.68	16.92	19.02	21.67	23.59
10	2.558	3.247	3.940	4.865		15.99	18.31	20.48	23.21	25.19
11	3.053	3.816	4.575	5.578		17.28	19.68	21.92	24.72	26.76
12	3.571	4.404	5.226	6.304		18.55	21.03	23.34	26.22	28.30
13	4.107	5.009	5.892	7.042		19.81	22.36	24.74	27.69	29.82
14	4.660	5.629	6.571	7.790		21.06	23.68	26.12	29.14	31.32
15	5.229	6.262	7.261	8.547		22.31	25.00	27.49	30.58	32.80
16	5.812	6.908	7.962	9.312		23.54	26.30	28.85	32.00	34.27
17	6.408	7.564	8.672	10.09		24.77	27.59	30.19	33.41	35.72
18	7.015	8.231	9.390	10.86		25.99	28.87	31.53	34.81	37.16
19	7.633	8.907	10.12	11.65		27.20	30.14	32.85	36.19	38.58
20	8.260	9.591	10.85	12.44		28.41	31.41	34.17	37.57	40.00
21	8.897	10.28	11.59	13.24		29.62	32.67	35.48	38.93	41.40
22	9.542	10.98	12.34	14.04		30.81	33.92	36.78	40.29	42.80
23	10.20	11.69	13.09	14.85		32.01	35.17	38.08	41.64	44.18
24	10.86	12.40	13.85	15.66		33.20	36.42	39.36	42.98	45.56
25	11.52	13.12	14.61	16.47		34.38	37.65	40.65	44.31	46.93
26	12.20	13.84	15.38	17.29		35.56	38.89	41.92	45.64	48.29
27	12.88	14.57	16.15	18.11		36.74	40.11	43.19	46.96	49.64
28	13.56	15.31	16.93	18.94		37.92	41.34	44.46	48.28	50.99
29	14.26	16.05	17.71	19.77		39.09	42.56	45.72	49.59	52.34
30	14.95	16.79	18.49	20.60		40.26	43.77	46.98	50.89	53.67
35	18.51	20.57	22.47	24.80		46.06	49.80	53.20	57.34	60.27
40	22.16	24.43	26.51	29.05		51.81	55.76	59.34	63.69	66.77
50	29.71	32.36	34.76	37.69		63.17	67.50	71.42	76.15	79.49
100	70.06	74.22	77.93	82.36		118.5	124.3	129.6	135.8	140.2

**Copyright Information**

OCR is committed to seeking permission to reproduce all third-party content that it uses in its assessment materials. OCR has attempted to identify and contact all copyright holders whose work is used in this paper. To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced in the OCR Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download from our public website (www.ocr.org.uk) after the live examination series. If OCR has unwittingly failed to correctly acknowledge or clear any third-party content in this assessment material, OCR will be happy to correct its mistake at the earliest possible opportunity.

For queries or further information please contact The OCR Copyright Team, The Triangle Building, Shaftesbury Road, Cambridge CB2 8EA.

OCR is part of Cambridge University Press & Assessment, which is itself a department of the University of Cambridge.