

Modified Enlarged 24pt
OXFORD CAMBRIDGE AND RSA EXAMINATIONS

Monday 19 May 2025 – Morning

GCSE (9–1) Chemistry A (Gateway Science)
J248/03 (Higher Tier)

Time allowed: 1 hour 45 minutes
plus your additional time allowance

YOU MUST HAVE:

a ruler (cm/mm)

the Data Sheet for GCSE (9–1) Chemistry A
(with this document)

YOU CAN USE:

a scientific or graphical calculator

an HB pencil

a model for Question 16(c) and 21

Please write clearly in black ink.

Centre number

--	--	--	--	--

Candidate number

--	--	--	--

First name(s) _____

Last name _____

READ INSTRUCTIONS OVERLEAF



INSTRUCTIONS

Use black ink. You can use an HB pencil, but only for graphs and diagrams.

Write your answer to each question in the space provided. If you need extra space use the lined pages at the end of this booklet. The question numbers must be clearly shown.

Answer ALL the questions.

Where appropriate, your answer should be supported with working. Marks might be given for using a correct method, even if your answer is wrong.

INFORMATION

The total mark for this paper is 90.

The marks for each question are shown in brackets [].

Quality of extended response will be assessed in questions marked with an asterisk (*).

ADVICE

Read each question carefully before you start your answer.

SECTION A

You should spend a **MAXIMUM** of **30 MINUTES** plus your additional time allowance on this section.

Write your answer to each question in the box provided.

1 How many covalent bonds can a carbon atom form? [1]

A 2

B 4

C 6

D 8





Your answer

2 What is the ionic equation for neutralisation? [1]



Your answer

3 Which atomic model was developed by Thomson? [1]




Your answer


BLANK PAGE

- 4 The diagram shows calcium carbonate, CaCO_3 , reacting with an acid.

The equation for the reaction is:



What happens to the mass displayed on the balance as the reaction progresses? [1]



A Decreases

B Decreases then increases

C Increases

D Stays the same

Your answer

☐

5 Which ion do solutions of all alkalis contain? [1]

A K^+

B H^+

C OH^-

D SO_4^{2-}

Your answer

☐

6 What is the relative formula mass of butanoic acid, $\text{C}_3\text{H}_7\text{COOH}$? [1]

Relative atomic mass (A_r):

C = 12.0 H = 1.0 O = 16.0

A 29.0

B 44.0

C 88.0

D 120.0

Your answer

7 What type of bonding is found in all polymers? [1]

A Covalent

B Electrostatic

C Ionic

D Metallic

Your answer

8 Propene has the molecular formula C_3H_6 .

What is the EMPIRICAL formula? [1]

A CH_2





B CH_3

C CH_2CHCH_3

D C_3H_6

Your answer

9 Which statement is true of ALL the diagrams of a water molecule? [1]




- A Shows all the atoms**
- B Shows all the electrons**
- C Shows the bonds between the atoms**
- D Shows the movement of the electrons**

Your answer

☐


10 Aluminium sulfate contains aluminium ions Al^{3+} and sulfate ions SO_4^{2-} .

What is the formula for aluminium sulfate? [1]



Your answer

11 Where is beryllium found in the Periodic Table? [1]



	GROUP	PERIOD
A	1	1
B	1	2
C	2	1
D	2	2

Your answer

12 Ethene reacts with bromine to form dibromoethane.

What is the energy change for the reaction? [1]

Energy required to break bonds (kJ/mol)	Energy released from forming bonds (kJ/mol)
2453	2548

A –48 kJ/mol

B –95 kJ/mol

C 95 kJ/mol

D 190 kJ/mol

Your answer

13 Which of the following reactions does NOT show a neutralisation reaction? [1]

A Magnesium + hydrochloric acid → magnesium chloride + hydrogen

B Magnesium carbonate + hydrochloric acid → magnesium chloride + water + carbon dioxide

C Magnesium hydroxide + hydrochloric acid → magnesium chloride + water

D Magnesium oxide + hydrochloric acid → magnesium chloride + water

Your answer

☐



14 Copper chloride solution is electrolysed.



What is the half equation for the reaction at the NEGATIVE ELECTRODE (CATHODE)? [1]



Your answer

15 Which diagram shows the titration curve when a WEAK BASE is added to a STRONG ACID? [1]





Your answer

SECTION B

16 Scientists are developing the use and application of nanoparticles.

(a) The table shows the diameters of four different particles.

Particle	Diameter (nm)
A	97
B	2100
C	11
D	0.73

Which TWO particles are nanoparticles?

_____ and _____

Explain your answer.

[2]

(b)

(i) One use of nanoparticles is in medicines.

State ONE OTHER use of nanoparticles.

Explain why they can be used for that purpose.

Use _____

Explanation _____

[2]

- (ii) Some scientists are worried about the risks of using nanoparticles.**

Which statements are risks to humans of using nanoparticles?

Tick (✓) TWO boxes. [2]

They can block ultraviolet light.

☐

They can catalyse harmful reactions in the body.

☐

They can have antibacterial properties.

☐


They can have toxic effects on the body.

☐

They have a high surface area to volume ratio.

☐

- (c) A cube-shaped nanoparticle has sides of length 10 nm. You may use a model to help you.



Calculate the surface area to volume ratio of the cube.

Use the equation:

$$\text{Surface area to volume ratio} = \frac{\text{surface area}}{\text{volume}}$$

Surface area to volume ratio = _____ [3]

17 This question is about separation techniques.


(a) What is meant by a PURE substance?

[1]

(b)

(i) A student does a chromatography experiment to separate some dyes.

The diagram shows how they set up their equipment.



The student's experiment will NOT work to separate the dyes.

Suggest TWO changes the student can make so that the experiment will work.

1 _____

2 _____

[2]

- (ii) The student calculates that a dye has an R_f value of 0.67.

The table shows the R_f value of different dyes.

COLOUR OF DYE	R_f VALUE
Blue	0.15–0.20
Red	0.35–0.40
Pink	0.40–0.80
Yellow	0.75–0.80

Which dye did they use in their experiment?


Explain your answer.

Dye _____

Explanation _____

[2]

(c) The diagram shows a chromatogram for another dye.



Calculate the R_f value of the dye.

Use the equation:

$$R_f = \frac{\text{distance travelled by the substance}}{\text{distance travelled by the solvent}}$$

R_f value = _____ [2]

(d) A student separates substance S from a mixture of substances S and T.

The starting mass of the mixture is 9.7 g and they obtain 5.1 g of pure substance S.

Calculate the mass of pure substance S that could be separated from 15.0 g of the mixture.

Mass of pure substance S = _____ g [2]

BLANK PAGE

18 A group of students are investigating chemical reactions.

They add magnesium powder to copper sulfate solution.

They predict this will cause an increase in temperature, as they believe the reaction is exothermic.

(a) The students collect the apparatus needed to test their theory.

Describe an experiment the students can do to measure the increase in temperature.

You can include a labelled diagram in your answer. [4]

Optional diagram:

(b) The students do the experiment five times.

The table shows the students' results.


Experiment	Temperature increase (°C)
1	37
2	39
3	53
4	22
5	48

The students' results show that their experiment is NOT repeatable.

Explain why.

[1]

(c) The students draw a reaction profile for the reaction.



(i) Which part of the reaction profile shows the activation energy?

Tick (✓) ONE box. [1]

A ☐

B ☐

C ☐

(ii) Which part of the reaction profile shows the energy change?

Tick (✓) ONE box. [1]

A ☐

B ☐

C ☐

19 Atoms contain three subatomic particles: protons, neutrons and electrons.

(a) The table shows some information about the subatomic particles.

Subatomic particle	Relative mass	Relative charge
Electron		
Neutron	1	
Proton	1	+1

Complete the table to show the relative mass and relative charge of each subatomic particle. [3]

(b) Describe how a lithium atom forms a lithium ion.

_____ **[1]**

(c) Lithium exists as two isotopes.

Complete the sentence about isotopes.

Use words from the list.

atom
electrons
element
ion
neutrons
protons

Isotopes are atoms of the same

_____ with the same

number of _____

but different numbers of

_____ . **[3]**

(d) Lithium can bond with fluorine to form lithium fluoride.

Draw the dot and cross diagram to show the bonding in lithium fluoride.

You only need to show the outer shell electrons. Use the space below. [2]

(e) A sample of lithium is 11.5 cm wide.

Estimate how many lithium atoms would fit across the width of the sample.

Use your knowledge of the typical radius of atoms in your calculation.

**Estimated number
of lithium atoms = _____ [3]**

BLANK PAGE

20* This question is about structure and bonding.

The table shows some information about three different substances.

Substance	Melting point (°C)	Boiling point (°C)	Conducts electricity?
J	734	1435	yes, when molten or in solution
K	−182	−162	no
L	3422	5930	yes

It is also known that substance L is malleable.

Identify the type of structure and bonding in each substance.


[6]

21 This question is about allotropes of carbon.


- (a) Draw lines to connect each ALLOTROPE STRUCTURE with its correct NAME. You may use a model to help you. [2]**

**ALLOTROPE
STRUCTURE**


NAME



Buckminsterfullerene



Graphene



Nanotube

(b) Graphite is used to make electrodes because it conducts electricity and has a high melting point.

(i) Explain why graphite conducts electricity.

[2]

(ii) Explain why graphite has a high melting point.

Use ideas about structure and bonding in your answer.

[2]

22 A student reacts solid calcium carbonate, CaCO_3 , with nitric acid, HNO_3 .

Calcium nitrate, $\text{Ca}(\text{NO}_3)_2$, carbon dioxide and water are made.

Calcium nitrate is soluble in water.

(a) Write the BALANCED SYMBOL equation for the reaction.

Include state symbols.

[3]

- (b) The student measures the volume of carbon dioxide every 10 seconds.


TABLE 22.1 shows the student's results.

TABLE 22.1

Time (s)	Volume of carbon dioxide (cm ³)
0	0
10	15
20	31
30	
40	45
50	47
60	47

(i) Plot the results on the graph. [3]

**Volume
of
carbon
dioxide
(cm³)**



Time (s)

(ii) Draw a curve of best fit. [1]

(iii) Use the graph to estimate the volume of carbon dioxide that has been made after 30 seconds.

Volume of carbon dioxide after 30 seconds = _____ cm³ [1]

- (c) The student repeats the experiment with a different concentration of nitric acid.

TABLE 22.2 shows the results of both experiments.

TABLE 22.2

Time (s)	Volume of carbon dioxide (cm ³)	
	Experiment 1	Experiment 2
0	0	0
10	15	21
20	31	39
30		41
40	45	47
50	47	47
60	47	47

Which experiment had the HIGHER concentration of acid?


Explain your answer.

Experiment _____

Explanation _____

[2]


(d) The diagram shows the apparatus the student uses.



Suggest another piece of equipment that could be used to measure the volume of carbon dioxide.

[1]

(e) Calcium nitrate, $\text{Ca}(\text{NO}_3)_2$, can also be made in the reaction between calcium and nitric acid.



60 g of calcium reacts with excess nitric acid.

Calculate the mass of calcium nitrate made.

Relative atomic mass (A_r):

Ca = 40.1 N = 14.0 O = 16.0

Give your answer to 3 significant figures.

Mass of calcium nitrate made = _____ g [4]

- (f) TABLE 22.3 shows the hydrogen ion concentration and the pH for two different acids.

TABLE 22.3

Acid	Hydrogen ion concentration (mol/dm³)	pH
Hydrochloric acid	1.0×10^{-1}	1.0
		2.0
Sulfuric acid	2.0×10^{-1}	
	2.0×10^{-3}	2.7

Complete TABLE 22.3. [2]

23 Chromium is a shiny transition metal.

(a) The equation shows the displacement reaction between aluminium and chromium oxide.



Calculate the mass of chromium oxide needed to make 1 mol of chromium.

Relative atomic mass (A_r):

Cr = 52.0 O = 16.0

Mass of chromium oxide = _____ g [3]

(b) Calculate the mass of ONE atom of chromium.

Relative atomic mass (A_r): Cr = 52.0

Avogadro constant = 6.02×10^{23}

**Mass of one
atom of chromium = _____ g [2]**

(c) Chromium is used for electroplating.

Chromium atoms lose electrons at the anode.

Chromium ions, Cr^{3+} , gain electrons at the cathode.

Write BALANCED half equations to show the reactions at each electrode.

Anode _____

Cathode _____

[4]

END OF QUESTION PAPER

EXTRA ANSWER SPACE

If you need extra space use these lined pages. You must write the question numbers clearly in the margin.

[illegible]

[illegible]



Copyright Information

OCR is committed to seeking permission to reproduce all third-party content that it uses in its assessment materials. OCR has attempted to identify and contact all copyright holders whose work is used in this paper. To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced in the OCR Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download from our public website (www.ocr.org.uk) after the live examination series.

If OCR has unwittingly failed to correctly acknowledge or clear any third-party content in this assessment material, OCR will be happy to correct its mistake at the earliest possible opportunity.

For queries or further information please contact The OCR Copyright Team, The Triangle Building, Shaftesbury Road, Cambridge CB2 8EA.

OCR is part of Cambridge University Press & Assessment, which is itself a department of the University of Cambridge.