

**ADVANCED SUBSIDIARY GCE
MATHEMATICS (MEI)**
Statistics 1

4766

Candidates answer on the Answer Booklet

OCR Supplied Materials:

- 8 page Answer Booklet
- Graph paper
- MEI Examination Formulae and Tables (MF2)

Other Materials Required:

None

**Monday 19 January 2009
Afternoon**

Duration: 1 hour 30 minutes



INSTRUCTIONS TO CANDIDATES

- Write your name clearly in capital letters, your Centre Number and Candidate Number in the spaces provided on the Answer Booklet.
- Use black ink. Pencil may be used for graphs and diagrams only.
- Read each question carefully and make sure that you know what you have to do before starting your answer.
- Answer **all** the questions.
- Do **not** write in the bar codes.
- You are permitted to use a graphical calculator in this paper.
- Final answers should be given to a degree of accuracy appropriate to the context.

INFORMATION FOR CANDIDATES

- The number of marks is given in brackets [] at the end of each question or part question.
- You are advised that an answer may receive **no marks** unless you show sufficient detail of the working to indicate that a correct method is being used.
- The total number of marks for this paper is **72**.
- This document consists of **8** pages. Any blank pages are indicated.

Section A (36 marks)

- 1 A supermarket chain buys a batch of 10 000 scratchcard draw tickets for sale in its stores. 50 of these tickets have a £10 prize, 20 of them have a £100 prize, one of them has a £5000 prize and all of the rest have no prize. This information is summarised in the frequency table below.

Prize money	£0	£10	£100	£5000
Frequency	9929	50	20	1

- (i) Find the mean and standard deviation of the prize money per ticket. [4]
- (ii) I buy two of these tickets at random. Find the probability that I win either two £10 prizes or two £100 prizes. [3]
- 2 Thomas has six tiles, each with a different letter of his name on it.
- (i) Thomas arranges these letters in a random order. Find the probability that he arranges them in the correct order to spell his name. [2]
- (ii) On another occasion, Thomas picks three of the six letters at random. Find the probability that he picks the letters T, O and M (in any order). [3]
- 3 A zoologist is studying the feeding behaviour of a group of 4 gorillas. The random variable X represents the number of gorillas that are feeding at a randomly chosen moment. The probability distribution of X is shown in the table below.

r	0	1	2	3	4
$P(X = r)$	p	0.1	0.05	0.05	0.25

- (i) Find the value of p . [1]
- (ii) Find the expectation and variance of X . [5]
- (iii) The zoologist observes the gorillas on two further occasions. Find the probability that there are at least two gorillas feeding on both occasions. [2]
- 4 A pottery manufacturer makes teapots in batches of 50. On average 3% of teapots are faulty.
- (i) Find the probability that in a batch of 50 there is
- (A) exactly one faulty teapot, [3]
- (B) more than one faulty teapot. [3]
- (ii) The manufacturer produces 240 batches of 50 teapots during one month. Find the expected number of batches which contain exactly one faulty teapot. [2]

5 Each day Anna drives to work.

- R is the event that it is raining.
- L is the event that Anna arrives at work late.


You are given that $P(R) = 0.36$, $P(L) = 0.25$ and $P(R \cap L) = 0.2$.

- (i) Determine whether the events R and L are independent. [2]
- (ii) Draw a Venn diagram showing the events R and L . Fill in the probability corresponding to each of the four regions of your diagram. [3]
- (iii) Find $P(L | R)$. State what this probability represents. [3]

[Question 6 is printed overleaf.]

Section B (36 marks)

- 6 The temperature of a supermarket fridge is regularly checked to ensure that it is working correctly. Over a period of three months the temperature (measured in degrees Celsius) is checked 600 times. These temperatures are displayed in the cumulative frequency diagram below.



- (i) Use the diagram to estimate the median and interquartile range of the data. [3]
- (ii) Use your answers to part (i) to show that there are very few, if any, outliers in the sample. [4]
- (iii) Suppose that an outlier is identified in these data. Discuss whether it should be excluded from any further analysis. [2]
- (iv) Copy and complete the frequency table below for these data. [3]

Temperature (t degrees Celsius)	$3.0 \leq t \leq 3.4$	$3.4 < t \leq 3.8$	$3.8 < t \leq 4.2$	$4.2 < t \leq 4.6$	$4.6 < t \leq 5.0$
Frequency			243	157	

- (v) Use your table to calculate an estimate of the mean. [2]
- (vi) The standard deviation of the temperatures in degrees Celsius is 0.379. The temperatures are converted from degrees Celsius into degrees Fahrenheit using the formula $F = 1.8C + 32$. Hence estimate the mean and find the standard deviation of the temperatures in degrees Fahrenheit. [3]

7 An online shopping company takes orders through its website. On average 80% of orders from the website are delivered within 24 hours. The quality controller selects 10 orders at random to check when they are delivered.

(i) Find the probability that

(A) exactly 8 of these orders are delivered within 24 hours, [3]

(B) at least 8 of these orders are delivered within 24 hours. [2]

The company changes its delivery method. The quality controller suspects that the changes will mean that fewer than 80% of orders will be delivered within 24 hours. A random sample of 18 orders is checked and it is found that 12 of them arrive within 24 hours.

(ii) Write down suitable hypotheses and carry out a test at the 5% significance level to determine whether there is any evidence to support the quality controller's suspicion. [7]

(iii) A statistician argues that it is possible that the new method could result in either better or worse delivery times. Therefore it would be better to carry out a 2-tail test at the 5% significance level. State the alternative hypothesis for this test. Assuming that the sample size is still 18, find the critical region for this test, showing all of your calculations. [7]

BLANK PAGE

BLANK PAGE



Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (OCR) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

OCR is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.