

Candidate Forename						Candidate Surname				
Centre Number							Candidate Number			

OXFORD CAMBRIDGE AND RSA EXAMINATIONS
ADVANCED SUBSIDIARY GCE
F221
HUMAN BIOLOGY
Molecules, Blood and Gas Exchange

TUESDAY 25 MAY 2010: Morning
DURATION: 1 hour

SUITABLE FOR VISUALLY IMPAIRED CANDIDATES

Candidates answer on the Question Paper

OCR SUPPLIED MATERIALS:

Fig. 1.2 on a loose sheet

OTHER MATERIALS REQUIRED:

Electronic calculator
Ruler (cm/mm)

READ INSTRUCTIONS OVERLEAF

INSTRUCTIONS TO CANDIDATES

- Write your name clearly in capital letters, your Centre Number and Candidate Number in the boxes on the first page.
- Use black ink. Pencil may be used for graphs and diagrams only.
- Read each question carefully and make sure that you know what you have to do before starting your answer.
- Answer ALL the questions.
- Write your answer to each question in the space provided. If additional space is required, you should use the lined pages at the end of this booklet. The question number(s) must be clearly shown.

INFORMATION FOR CANDIDATES

- The number of marks is given in brackets [] at the end of each question or part question.
- The total number of marks for this paper is 60.
-  Where you see this icon you will be awarded marks for the quality of written communication in your answer.
- You may use an electronic calculator.
- You are advised to show all the steps in any calculations.

BLANK PAGE

QUESTION 1 STARTS ON PAGE 4

Answer ALL the questions.

- 1 Fig. 1.1 is a diagram of the mammalian respiratory system.**




FIG. 1.1

- (a) Name organ X.**

[1]

(b) Explain why X is described as an organ.

[2]

(c) Organ X is lined with ciliated epithelial tissue, the function of which is to prevent bacteria and dust from entering the lungs.

(i) Define the term *tissue*.

[1]

(ii) In addition to ciliated epithelial cells, name one other type of cell present in the tissue lining organ X and state the function of this cell.

type of cell _____

function _____

[2]

(d) Fig. 1.2, on the loose sheet, is a photomicrograph of a section through a lung showing alveoli and blood capillaries.

(i) Identify cells Y and Z.

cell Y _____

cell Z _____ [2]

(ii) Calculate the magnification of the photomicrograph.

Show your working. GIVE YOUR ANSWER TO THE NEAREST WHOLE NUMBER.

Answer = x _____ [2]

[Total: 10]

BLANK PAGE

QUESTION 2 STARTS ON PAGE 8

- 2 Blood consists of several types of cell or cell fragments suspended in plasma.**
- (a) Complete Table 2, on the opposite page, by stating one function for each type of cell or cell fragment.**

The first one has been done for you.

The cells are not drawn to scale. [3]

- (b) State ONE SIMILARITY between the structure of:**





- (i) a platelet and an erythrocyte.**

[1]

- (ii) a platelet and a neutrophil.**

[1]

TABLE 2

cell	diagram	function
erythrocyte		transport of oxygen as oxyhaemoglobin
lymphocyte		
neutrophil		
platelet		

- (c) Damage to blood vessels results in bleeding. When this happens, a cascade of reactions within the blood takes place to seal the wound and prevent continued blood loss. Enzymes in the blood control these reactions.

- (i) Complete the diagram below to show the relationship between the enzyme-controlled reactions involved in the clotting process.

thromboplastin



[2]

- (ii) Von Willebrand's disease is an inherited disease that affects the blood clotting process.

In some cases of von Willebrand's disease, a protein clotting factor is present but does not function correctly.

Suggest why a protein clotting factor may not function correctly.

[1]

[Total: 8]

BLANK PAGE

QUESTION 3 STARTS ON PAGE 12

3 A laboratory technician was helping a trainee to identify abnormal blood cell counts from a blood smear. A microscope and a special counting chamber were used.

(a) Name the counting chamber used by the technician to count blood cells.

[1]

(b) Fig. 3.1 is a diagram showing a view of erythrocytes (red blood cells) within the counting chamber as seen by the technician and the trainee.




FIG. 3.1

The trainee counted 18 cells, which did not agree with the number counted by the technician.

(i) What is the correct cell count?

[1]

- (ii) Explain how the number of cells could have been MISCOUNTED by the trainee.

[2]

- (iii) The volume of diluted blood over one of the squares in the counting chamber was calculated at 0.00025 mm^3 .

Describe what other information had to be taken into account by the technician when calculating a RELIABLE total for the number of cells in 1 mm^3 of blood.

[2]

- (iv) The technician recorded the final accurate count. This count showed that the blood sample came from a person with a lower number of erythrocytes than expected.

Suggest ONE possible reason a person may have a low erythrocyte count.

[1]

- (c) The technician then showed the trainee how a similar procedure could be used to count leucocytes (white blood cells).

When preparing a blood sample for viewing leucocytes:

- a diluting fluid is added to the sample
- the diluting fluid causes the erythrocytes to burst
- the sample is then stained using a differential stain.

- (i) Suggest why the diluting fluid is used to burst the erythrocytes.

[1]

- (ii) Explain why the technician used a differential stain IN THIS CASE.**

[2]

- (d) Describe how a blood film is prepared AND stained for viewing under a microscope.**

[3]

[Total: 13]

4 (a) Complete the passage below about glycogen.

The carbohydrate glycogen is used to store energy in animal cells. It is found in

_____ and liver tissue.

Glycogen is a _____ as it is made up of many monosaccharide units linked together. The structure of glycogen shows a branched molecule consisting of chains of _____ units connected by 1,4 and 1,6 _____ linkages.

Glycogen is synthesised by a series of chemical reactions catalysed by

_____. Reactions of this

type involve the removal of a molecule of

_____ and are known as _____ reactions.

When the level of glucose in the blood decreases, glycogen in the liver is gradually broken down by _____ reactions.

[8]

(b) Explain why cells do not use glucose as an energy store.



In your answer, you should use appropriate technical terms, spelt correctly.

[4]

[Total: 12]

5 The cardiac cycle is the sequence of events that take place in the heart during one heart beat. Valves are present within the heart to ensure smooth flow of blood during the cardiac cycle.

(a) Explain how events in the cardiac cycle affect ATRIO-VENTRICULAR (AV) valves.



In your answer, you should use appropriate technical terms, spelt correctly.

[5]

- (b) Fig. 5.1 is an internal view of the heart, viewed from above. The atria have been removed to show the valves.




FIG. 5.1

- (i) Name the valves labelled K and L.

K _____

L _____ [2]

- (ii) Heart murmurs are sounds made by blood flowing through the heart's chambers or valves, or through blood vessels near the heart. Some murmurs are due to a narrowing (stenosis) of the atrio-ventricular valves in the heart.

Suggest at which stage of the cardiac cycle murmurs may be heard.

[1]

[Total: 8]

6 When blood is taken from a donor, it is not always used directly for transfusion.

- Most of the donated blood is processed to produce a number of blood products which can be stored until required.
- Stored **WHOLE BLOOD** may be used for transfusions in cases of severe blood loss.
- Blood for transfusion must be stored in conditions that ensure it is suitable for use when required.
- Field hospitals that are set up in remote areas must provide suitable storage for blood products even when temperatures rise as high as +58 °C or drop as low as –26 °C.

(a) Name **ONE** other stored blood product **AND** state what it is used for.

[2]

- (b) Donated blood must be screened for the human immunodeficiency virus (HIV).**

Describe how donated blood is screened for the presence of the HIV virus.

[2]

- (c) (i) Explain why WHOLE BLOOD products must not be STORED at temperatures of -26°C in field hospitals.**

[2]

- (ii) Name ONE factor, other than temperature, which must be controlled when storing whole blood AND explain why this factor must be controlled.

factor _____

why it must be controlled _____

[3]

[Total: 9]

END OF QUESTION PAPER

ADDITIONAL PAGE

If additional space is required, you should use the lined pages below. The question number(s) must be clearly shown.



Copyright Information

OCR is committed to seeking permission to reproduce all third-party content that it uses in its assessment materials. OCR has attempted to identify and contact all copyright holders whose work is used in this paper. To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced in the OCR Copyright Acknowledgements Booklet. This is produced for each series of examinations, is given to all schools that receive assessment material and is freely available to download from our public website (www.ocr.org.uk) after the live examination series.

If OCR has unwittingly failed to correctly acknowledge or clear any third-party content in this assessment material, OCR will be happy to correct its mistake at the earliest possible opportunity.

For queries or further information please contact the Copyright Team, First Floor, 9 Hills Road, Cambridge CB2 1GE.

OCR is part of the Cambridge Assessment Group; Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.